

PM 04

70-184

4-29-85

1044

APR 29 1985

Mr. Jon M. Gehring
Rigo Company
P.O. Box 89
Buckner, KY 40010

Dear Mr. Gehring:

Subject: Kill-Ko Dursban 1G Granular Insecticide
EPA Registration No. 70-184
Your Application Dated April 2, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The registration record for the product named above has been amended to include the additional product name listed below. It is understood that the label will be identical with that of the basic label accepted under this registration except for product name.

Rigo's Best Flea and Tick Granules

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:JOB-85095:Ellenberger:RD:85/21:EK:Kendrick:898-1270:4/23/85:Del.4/29/85

CONCURRENCES

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

70-184 2014

K I L L - K O

DURSBAN^(R) 1G

Granular Insecticide

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Chiggers, Clover Mites, Cutworms, Earwigs, Fleas, Grasshoppers, Sowbugs (Pillbugs) Certain White Grubs* and Hyperodes (Turfgrass) Weevils+ Infesting Home Lawns and Other Ornamental Turf Areas.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 1.0%

INERT INGREDIENTS 99.0%
TOTAL 100.0%

(R) Trademark of The Dow Chemical Company
U.S. Patent No. 3,244,586

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 29 1985

KEEP OUT OF REACH OF CHILDREN (10 pt.)

C A U T I O N (14 pt.)

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.


See Side Panel For Additional Precautionary Statements

70-184

EPA Reg. No. 70-184
EPA Est. No. 70-KY-1

NET WEIGHT
POUNDS

Manufactured by
RIGO COMPANY
BUCKNER, KENTUCKY 40010



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or dusts. Do not wear contaminated clothing. Wash thoroughly after handling. Keep away from feed, foodstuffs and water supplies.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If On Skin: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. If in Eyes: Flush eyes with plenty of water.

Note to Physician: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this insecticide uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using the product at the rates given in the table below. To help obtain uniform distribution, apply one-half of the required amount of product in one direction; then apply the balance at a right angle. Immediately after application sprinkle the turf with water so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of this product and water needed for areas to be treated. Re-treat as necessary.

RATES TO USE

Area to be Treated	Pounds of DURSBAN 1G	Gallons of Water to Sprinkle on Turf after Treatment
200 sq. ft.	1/2	6
600 sq. ft.	1 1/2	18
2,000 sq. ft.	5	60
5,000 sq. ft.	12 1/2	150

*To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of DURSBAN 1G shown in the table, i.e., 2 to 4 pounds per 200 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

+To control Hyperodes (turfgrass) weevils use twice the rate of DURSBAN 1G shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.