

AUG 24 1994

Joanne C. Striebich
Wilbur-Ellis Company
Agricultural Service Corporate Office
191 West Shaw Avenue, Suite 107
Fresno, CA 93704-2876

Dear Ms. Striebich:

Subject: Revised labeling in response to Malathion DCI
Kill-Ko Fruit Tree Spray
EPA Registration No. ~~70-109~~ 70-190
Amendment application of June 30, 1994

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division

Enclosure

2 7 5

ACCEPTED
with COMMENTS
in EPA Letter Dated

KILL - KO

AUG 24 1994

FRUIT TREE SPRAY

An Insecticide and Fungicide for Insect
and Disease Control on Fruit Trees

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
70-190

Contains Methoxychlor*, Malathion, Captan

ACTIVE INGREDIENTS:

Methoxychlor: 1,1,1-trichloro-2,2-bis (4-methoxyphenyl) ethane.....	10.00%
Captan*.....	6.85%
Related Derviatives.....	0.15%
Malathion (O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate).....	5.00%
INERT INGREDIENTS:.....	<u>78.00%</u>
Total.....	100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN (10 pt.)

DANGER (14 pt.)

EPA Reg. No. 70-190
EPA Est. No. 70-KY-1

NET WEIGHT
10 OUNCES

See back panel for additional precautionary statements

Manufactured by
RIGO COMPANY
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010


PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Causes irreversible eye damage. Harmful if
swallowed or inhaled. May cause allergic reactions. Do not
get in eyes. Wear goggles or face shield when handling.
Avoid contact with skin and clothing. Remove and separately
launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

In in eyes: Flush with plenty of water. Call a physician.
If swallowed: Drink promptly a large quantity of milk, egg



whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol.

If inhaled: Remove victim to fresh air. If not breathing give artificial respirations, preferably mouth-to-mouth. Get medical attention.

Environmental Hazards

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. ~~Do not apply directly to water or wetlands (ie., swamps, bogs, marshes, and potholes).~~ Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

→ replace with copy A

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS


Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse. Wear chemical resistant gloves when using indoors or outdoors. When using, wear long pants and long-sleeved shirt and apply with the wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing.

Do not apply this product through any type of irrigation system.

SPRAY APPLICATION: 10 oz. of this material will make 6 1/4 gallons of fruit tree spray. For smaller quantities use 5 level tablespoonfuls to each gallon of water. Mix well. Agitate solution while spraying. Apply spray to trees thoroughly. Spray 1 to 2 pints per small/dwarf tree, 1 to 2 quarts per medium size tree, and 1 to 3 gallons per large/mature tree.

APPLES, PEARS: To control Bitter Rot, Scab, Brooks Fruit Spot, Woolly and Green Aphids, Pacific, Clover and Red Spider Mites, Codling Moth, Forbes Scale, Plum Curculio, Apple Maggot, Japanese Beetle, and Red Banded Leaf Roller, apply as follows:

1. When blossom stems separate and before blossoms open.
2. When 75% of the petals have fallen.



- 3. 10 days later.
- 4. 10 days to 2 weeks later.
- 5. Continue at 2-week intervals up to 7 days before harvest

Do not use on D'Anjou pears. Russetting may be produced on Bosc pears. Red delicious and other sensitive varieties may be injured by early season application.

~~PEACHES: To control Brown Rot, Peach Scab, European Red Mite, Red Spider, Plum Curculio, Oriental Fruit Moth, Japanese Beetle, European Fruit Scale, Pacific and Clover Mites, apply as follows:~~

- ~~1. Full bloom.~~
- ~~2. When shucks begin to split.~~
- ~~3. 10 days later.~~
- ~~4. 10 days later.~~
- ~~5. 2 weeks later.~~
- ~~6. Do not apply within 21 days of harvest.~~


STORAGE AND DISPOSAL (10 pt.)

Storage: Store in original container only in a cool, dry location away from children and domestic animals.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



COPY A

Do not apply directly to water.

5 7 5