

GENERAL DIRECTIONS

KILL-KO RABON WETTABLE POWDER is suitable for use in conventional power or low pressure knapsack sprayers. Occasional agitation is recommended to prevent undue settling of the suspension. Follow the USE DIRECTIONS for the proper percent solution needed for a specific insect and areas or types of wall surfaces. Refer to DILUTION TABLE for the quantity of insecticide needed to make the percent solution recommended.

DILUTION TABLE

Amount of RABON® Wettable Powder	AMOUNT OF WATER		
	0.5% SOLUTION	1.0% SOLUTION	2.0% SOLUTION
5 Tablespoons	2 Gal.	1 Gal.	1 Gal.
1/2 LB.	6 Gal.	3 Gal.	1 1/2 Gal.
2 LB.	25 Gal.	12 1/2 Gal.	6 Gal.
4 LB.	50 Gal.	25 Gal.	12 1/2 Gal.
8 LB.	100 Gal.	50 Gal.	25 Gal.

DIRECTIONS FOR USE

To Control	Problem Areas	Strength To Use	Application	Remarks
Flies	Dairy Barns, poultry houses, swine barns—other animal buildings.	2.0%	1 gal. /500 sq. ft.	For dry whitewashed wood or concrete block surfaces.
		1.0%	1 gal. /500 sq. ft.	For unpainted wood or painted concrete block surfaces.
		1.0%	1/2 gal. /500 sq. ft.	For masonite or galvanized sheet metal surfaces.
Maggots	Poultry droppings, manure piles, garbage piles, under feed troughs	1.0%	1 gal. /100 sq. ft.	Penetrate problem area first time—repeat every 7-10 days thereafter.
Ticks	Campgrounds, backyards, picnic areas, recreational parks, other outdoor living areas.	0.5%	approx 25 gals. /acre	Spray infested areas thoroughly. Spray along foot paths and roadsides leading to such areas.
Northern Fowl Mites Chicken Mites Chicken Lice (Chickens Only)		0.5%	1 gal. /100 Birds	Apply directly to birds, spray vent and fluff areas from below. Repeat when necessary. Do not repeat more often than every 14 days. For individual bird treatment apply 1 ounce of the mixture per bird.
NOTE: For maximum lasting control of the northern fowl mite, penetration of the feathers around the vent area is absolutely essential. Use power sprayer at 100-125 psi at NO LESS THAN RECOMMENDED RATE. More attention must be given each individual bird when using low-pressure equipment. Treat roosters carefully and thoroughly to avoid reinfestation in breeding flocks.				
Floor Management Litter	0.5%	1-2 Gal. /1000 Sq. Ft.		Apply evenly for penetration to litter surface. Also apply thoroughly to walls, roosts, cracks, crevices and interiors. Spray birds lightly.
Floor Management Litter	50% WP	25 Oz /100 Sq. Ft.		Treat evenly and thoroughly.
Floor Management Dust Box	50% WP	25 Oz /50 Birds		Mix evenly throughout top layer of box contents.
Floor Management Roost Paint	10%	1 Pt. /100 Ft.		Treat with brush or spray thoroughly, particularly cracks and crevices.

PRECAUTIONS IN USING

Harmful if swallowed. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. If the material gets into the eyes, wash with plenty of water for 15 minutes; if irritation persists see a physician. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and footstuffs. Keep away from heat and open flame. Do not apply in dwellings.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

NOTICE OF WARRANTY. RIGO Co. makes no warranty or merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

2012-766



RABON*

50% WETTABLE POWDER

To control FLIES, MAGGOTS, and TICKS and Northern Fowl Mites, Chicken Mites, and Lice on or around Chickens

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	50%
INERT INGREDIENT:	50%

EPA Reg. No. 70-191

EPA Est. 70-KY-1

*Registered S-MELL Trademark

NET WEIGHT
8 OZ.

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONS ON BACK PANEL

ACCEPTED

OCT 1 1976

Manufactured by
RIGO COMPANY
BUCKNER, KENTUCKY 40010

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 70-191