

DIRECTIONS FOR USE



General: This product is designed for use undiluted in mechanical sprayers which give particle sizes of aerosol size, such as the Micro-Gen Micron Generator. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Space Spray—Undiluted in Aerosol Generators—to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 2 to 6 oz. of undiluted concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling to fill the room with mist. Leave room closed for one half hour. Do not remain in treated areas. Ventilate the area after treatment is completed.

Space Spray—Undiluted in Barns and Poultry Houses: To control house flies, and stable flies and horn flies apply as a fine mist over the beefcattle in stanchions or holding pens or over the poultry in cages or in pens. Use a fogger or mist generator so spray is directed and applied above the animals and direct spray to center of the area where animals are housed. Apply 1 oz. per 1,000 cu. ft. so that spray mist is distributed uniformly throughout the entire area sprayed. Do not ventilate the area for at least 10 minutes after spray has been applied. If used in a dairy barn, aerate the barn thoroughly before milking. Repeat daily, morning and afternoon, or as required. Keep sprayer unit reservoir and nozzle clean to ensure proper delivery of spray mist or fog.

Space Spray—Diluted for Ordinary Mechanical Fogging Equipment—to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with oil at the rate of 1 part concentrate plus 4 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gallons) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for one half hour. Do not remain in treated areas. Ventilate the area after treatment is completed.

Contact Spray—Diluted for Use With Sprayers That Give Large, Wetting Spray Particles—to Kill Cockroaches and Accessible Stages of Granary Insects: Rice and Granary Weevil, Red Flour Beetle, Indian Meal Moth Larvae, Caddises, Grain Mites and Saw-

For Application by
Trained Personnel
Only For Use
in Homes,
Industrial
Installations,
Barns and
Poultry Houses

PREMISE SPRAY

EPA Reg. No. 70-202
EPA Est. 70-Ky-1

ACTIVE INGREDIENTS

Pyrethrins	0.66%
Technical Piperonyl butoxide*	3.30%
Petroleum distillate	96.04%
Total	100.00%

* Equivalent to 2.64% (butylcarbityl) (6--propyl-piperonyl) ether and 0.66% related compounds

NET
CONTENTS
1
GALLON

**KEEP OUT OF REACH
OF CHILDREN**

HARMFUL IF SWALLOWED

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

Manufactured by:

B → RIGO COMPANY • BUCKNER, KY. 40010

Teethed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute concentrate with oil at the rate of 1 part concentrate plus 4 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbourages using 1 gallon of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

CAUTION

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Do not apply directly to food. Do not apply while food processing is underway. Thoroughly wash with potable water all treated chutes, processing surfaces, etc., that food will touch prior to re-use. Foods should be removed or covered during treatment.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not remain in treated areas. Ventilate the area after treatment is completed.

Remove pets and cover fish aquariums before spraying

Destroy containers (unless drum) by perforating or crushing and bury or discard in a safe place

Do not re-use drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place

Mix well in drum before sampling and each use. Keep container closed and store in a cool place. DO NOT POUR OR SPILL NEAR OPEN FLAME.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

2381-715

Not Reviewed. Registrant bound to use in accordance with
EPA's Pesticide Product Guidance for Phase 2
Change Page 2 12 Active to Inert Change in Status.

BEST AVAILABLE COPY

A. ACTIVE INGREDIENTS:
Pyrethrins.....0.66%
Technical Piperonyl Butoxide*.....3.30%

INERT INGREDIENTS**:.....96.04%

*Equivalent to 2.64% (butycarbityl) (6-propyl-
piperonyl) ether and 0.66% related compounds.

**Contains Petroleum Distillate

B. Rigo Company
A Division of Wilbur-Ellis Company
Buckner, KY 40010