

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS**

Keep out of reach of children. Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin and eyes. May be absorbed by the skin. Avoid contamination of feed or food stuffs. Food utensils such as teaspoons or measuring cups should not be used for food purposes after using with insecticide.

**STATEMENT OF PRACTICAL TREATMENT**

**Inhalation:** Give victim one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Keep patient cool and warm. Call a physician immediately. There may be an aspiration hazard associated with emesis. Do not induce vomiting or give anything by mouth to an unconscious person.

**Ingestion:** Remove victim to fresh air. Apply respiration if indicated.

**On skin:** Wash thoroughly with soap and water.

**Eyes:** Flush with water for at least 15 minutes (if a physician is immediately available).

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not apply where runoff is likely to occur.

**PHYSICAL OR CHEMICAL HAZARDS**

**FLAMMABLE** - Do not use near open flame or heat.

**RIGO**

**TOBACCO  
TRANSPLANT  
SOLUTION**



**AGRICULTURAL  
INSECTICIDE**

**ACTIVE INGREDIENT:**  
Lindane (gamma isomer of benzene hexachloride) ... 10%  
**INERT INGREDIENTS:** ..... 90%  
**TOTAL:** ..... 100%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautionary statements

EPA Reg. No. 70-205  
EPA Est. No. 70-KY-1

**NET CONTENTS  
ONE PINT**

Manufactured By

**RIGO COMPANY • BUCKNER, KENTUCKY 40010**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not store in or around the home.

**PESTICIDE DISPOSAL:** Pesticide mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

For protection of roots of newly set plants against wireworms and cutworms, use 2 ounces of Rigo Tobacco Transplant Solution in 50 gallons of transplanting water. Apply this mixture at a rate of 1 pint per acre (or about 250 gallons of the mixture per acre). Do not dip tobacco roots directly into solution as root damage may occur. Do not apply to root crops nor use in soil to be planted to root crops within one year.

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material and its storage and handling is contrary to label instructions.

ACCEPTED  
JUN 17 1982  
U.S. Dept. of Agriculture  
Federal Insecticide,  
Fungicide and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 70-205

2413-842