

#### **ACTIVE INGREDIENT:**

Sodium salt of Diphacinone (2-Diphenylacetyl)-1, 3indandione, sodium salt ..... 0.005% INERT INGREDIENTS: ......99.095%

## **CAUTION:** KEEP OUT OF REACH OF CHILDREN

See below for additional cautions.

#### **DIRECTIONS FOR USE:**

FOR CONTROL OF NORWAY AND ROOF RATS

Place 1 to 4 Kill-Ko Thro Pac next to burrows in runways or where rats are accustomed to feeding. Check these treated bait stations daily to assure an uninterrupted supply of bait for not less than 12 days. Continue baiting until all signs of feeding have stopped.

Stale, damp or moldy bait should be replaced with fresh bait promptly. Treated bait must be placed at locations not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes. One Kill-Ko Thro Pac contains adequate bait for one or two rats.

#### **CAUTION:**

Keep away from children, pets, wildlife and domestic animals. In case baits are eaten by humans, call physician at once. Treat as for overdose of Dicoumarol.®

#### **ENVIRONMENTAL CAUTIONS**

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

Follow directions for use as stated on individual bait packages. When empty, this container should be thoroughly cleaned. Do not use as a food or feed container.

### RIGO COMPANY · BUCKNER, KENTUCKY 40010

**EPA REG. NO. 70-207** 

EPA Est. No. 70-KY-1

**NET CONTENTS 400-4 OZ. PACS** 

3061-796

## **DIRECTIONS FOR USE:** FOR CONTROL OF NORWAY AND ROOF RATS

Place 1 to 4 KILL-KO THRO PAC next to borrows, in runways or where rats are accustomed to feeding. Check these treated bait stations daily to assure an uninterrupted supply of bait for a period of not less than 12 days. Continue baiting until all signs of feeding have stopped.

Stale, damp or moldy bait should be replaced with fresh bait promptly. Treated bait must be placed at locations not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes. One KILL-KO THRO PAC contains adequate bait for one or two rats.

ACTIVE INGREDIENT Sodium salt of Diphacinone (2-Diphenylacety

See back panel for additional cautions

EPAREG. NO. 70-207 EPA EST.


NET WEIGHT 4 02.

lo. 70-KY-1

3061-796

N: KEEP OUT OF REACH )F CHILDREN





## CAUTION

Keep away from children, pets, wildlife and domestic animals. In case baits are eaten by humans, call physician at once. Treat as for overdose of Dicoumarol\*.

# ENVIRONMENTAL CAUTIONS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Use this product only as specified on this !abel.