

R I G O

HOUSEHOLD SPRAY

INSECTICIDE

contains Durshan(R)\*

Controls Numerous Pests in and Around Households

{	<b>ACTIVE INGREDIENTS:</b>	
	Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) . . . . .	0.50%
	Xylene range aromatic solvent. . . . .	0.33%
	<b>INERT INGREDIENTS:</b> . . . . .	<u>99.17%</u>
	<b>TOTAL</b>	<b>100.00%</b>

EPA Reg. No. 70-228

EPA Est. No. 70-KY-1  
CONTENTS: 1 Gallon

(R)\*Trademark of The Dow Chemical Company

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or spray mist. Do not wear contaminated clothing. Wash thoroughly after handling. Keep away from feed, foodstuffs and water supplies.

**Statement of Practical Treatment**

**If Swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.  
**If on Skin:** In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. **If in Eyes:** Flush eyes with plenty of water.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

**PHYSICAL OR CHEMICAL HAZARDS**

**Do Not Use or Store Near Heat or Open Flame**  
**Do Not Store Below 32 Degrees F**

Not Reviewed. Registrant claims to be in accordance with...  
...Guidance for Phase 2...  
...Inert Change in Status.

## Environmental Hazards

This pesticide is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

## USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## PESTS INDOORS

General Information: Use RIGO HOUSEHOLD SPRAY Insecticide to control the pests indicated in the areas listed below by application of the product as an undiluted spray (0.5% chlorpyrifos). Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

Application Within Food Handling Establishments (Places Other Than Private Residences in Which Food is Held, Processed, Prepared or Served) Including, But Not Limited to: Restaurants, Grocery Stores, Bakeries, Bottling Plants, Canneries and Grain Mills: Use as a spot treatment in and around both food and nonfood areas to control cockroaches (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish, spiders, and stored product insects such as confused flour beetles, saw-toothed grain beetles, Indian meal moths, rice weevils, Mediterranean flour moths, and red flour beetles. Apply as a coarse, low pressure (20 psi or less) spray to localized areas. Do not introduce the spray into the air or allow the spray to contact food or food-contacting surfaces. Areas treated may include dark corners or rooms and closets; along and behind baseboards; beneath and behind stoves, refrigeration units and similar food preparation areas and equipment; floor drains; and around plumbing and other utility installations. For ants apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors. Equipment capable of delivering a pin stream of insecticide should be used.

Repeat treatment as needed but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (callback), RIGO HOUSEHOLD SPRAY may be applied after 2 days from the last treatment, but emergency use should be limited to once per month.

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Application Within Residential Buildings Including Homes and Apartment Buildings and Within Nonfood Areas of Industrial, Institutional, and Commercial Buildings Including hospitals, Stores, Manufacturing Plants and Warehouses: For Spot Treatment Only - Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to other insecticides), ants, clover mites, crickets, firebrats, silverfish, and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply as a spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

For control of fleas and brown dog ticks, thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

#### PESTS OUT-OF-DOORS

Flies, mosquitoes: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

Ants, brown dog ticks, crickets, fleas and earwigs: For treatment of localized infestation of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestation occur.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by

RIGO COMPANY  
A Division of Wilbur-Ellis Company  
BUCKNER, KENTUCKY 40010

4/85

5 }  
ATTACHMENT I

A. ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate)	0.5%
Inert ingredients	99.5%
Total	<u>100.0%</u>

B. (pg. 4) Rigo Company  
A Division of Wilbur-Ellis Company  
Buckner, Kentucky 40010