

RIGO'S GARDEN DUST SPECIAL

Contains Dipel*, and Sevin® Brand Carbaryl Insecticide

This product contains DIPEL for biological control of chewing caterpillars, and carbaryl, a broad spectrum insecticide

Active Ingredients:

Bacillus thuringiensis, Berliner Potency of 240 International Units per mg. Equivalent to Potency of 0.11 billion International Units per pound of this product	0.048%
Carbaryl (1-naphthyl N-methyl carbamate).....	5.000%
Inert Ingredients:	<u>94.952%</u>
Total:	100.000%

Sevin® is a registered trademark of Rhone Poulenc for carbaryl insecticide

*Dipel is a registered trademark of Abbott Laboratories

EPA Reg. No. 70-234

EPA Est. No. 769-GA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel For Additional Precautionary Statements

Manufactured by:
Rigo Company
Louisville, KY 40222

PRECAUTIONARY STATEMENTS Hazards To Humans and Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not take internally. Avoid skin contact. Avoid getting in eyes. Wash hands before eating. Wash all contaminated clothing with soap and water before reuse. Avoid contamination of foodstuffs, feed, troughs, and water receptacles.

Note To Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply respiration if indicated.

If On Skin: Wash promptly with soap and water. Rinse thoroughly.

If In Eyes: Rinse eyes with plenty of water and call a physician immediately.

ACCEPTED

JAN 13 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 70-234

PM 19

76-234

1/3

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. Do not apply directly to water. Do not clean equipment or dispose of waste in or near water source.. Avoid drift by applying only in favorable weather conditions. Apply this product only as specified on the label. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

STORAGE AND DISPOSAL

Store original container only in a cool dry location away from children and domestic pets. Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a combination of *Bacillus thuringiensis* a biological insecticide, specifically for control of chewing caterpillars and Carbaryl, a broad spectrum insecticide, and will control the following insect pests on vegetables in the home garden:

Mexican Bean Beetle	Bean Leaf Beetle
Cucumber Beetle	Leafhoppers
Flea Beetle	Japanese Beetle
Lygus Bug	Stink Bug
Lima Bean Pod Borer	Corn Earworm
Sap Beetle	Harlequin Bug
Armyworms	Imported Cabbageworm
Diamond-back Moth Larvae	Cabbage Looper
Tarnished Plant Bug	Pickleworm
Melonworms	Squash Bug
European Corn Borer	Fall Armyworm
Spittlebug	Tomato Fruitworm
Tomato Hornworm	Colorado Potato Beetle

FOLIAGE APPLICATION: Apply dust at the rate of 2 oz per 50 feet of row at the first site of insects. Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height,

consider using a liquid carbaryl product. Do not repeat application more than once a week.

The number in () following each crop indicates days required between last application and harvest; (0) indicates it may be used up to and including day of harvest. This product may be used on the following vegetables:

Beans (0), Cabbage (3), Broccoli (3), Brussels Sprouts (3), Cauliflower (3), Kohlrabi (3), Collards (14), Garden Beets (roots 3, tops 14), Kale (14), Lettuce (head 3, leaf 14), Mustard Greens (14), Radishes (3), Rutabaga (3), Spinach (14), Turnips (root 3, tops 14), Cucumbers (0), Squash (0), Cantaloupe (0), Pumpkins (0), Melons (0), Corn (0), Carrots (0), Okra (0), Tomato (0), Eggplants (0), Peppers (0), Potatoes (0).

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than stated on the label. Buyer assumes all risk of use and/or handling of the material when such use and/or handling is contrary to label instructions.