

**PRECAUTIONARY STATEMENTS
DANGER POISON**

HAZARDS TO HUMANS

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through the skin. Do not get in eyes, on skin. Do not breathe dust. Wear protective clothing and cotton or paper rubber gloves. If cotton gloves are used, they must be discarded after each day's use. Do not wear the same gloves for other uses. Rubber gloves should be washed with soap and water after use. When using INSYST-D 15 Granular Systemic Insecticide, wear a mask or respirator (not approved by the Mine Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II).

Do not contaminate food or food containers. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

SYMPTOMS OF POISONING: A sense of tightness in the chest, sweating, contracted pupils, stomach pain, vomiting and diarrhea.

STATEMENT OF PRACTICAL TREATMENT: In Case Of Poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If On Skin, remove contaminated clothing, and wash skin immediately with soap and warm water. If Eyes Are Contaminated, wash with flowing water for at least 15 minutes.

NOTE TO PHYSICIAN: Antidote -- Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinergic transmission of impulses of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds and other wildlife. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

RESTRICTIONS: Not for home garden use. In commercial topping of flowers by hand, clean gloves should be worn. Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Apply this product only as specified on the label. Do not apply this product with a knapsack or other equipment that is placed on the user's body.

DIRECTIONS FOR USE


Use in accordance with Federal law (see the pesticide label) and with its labeling.

INSYST-D 15% granular systemic insecticide is used to control aphids and flea beetles on tobacco. Apply to the soil in the row between the plants. Do not apply to the plants themselves. Do not apply to the soil in the row between the plants if the plants are in the row. Do not apply to the soil in the row between the plants if the plants are in the row. Do not apply to the soil in the row between the plants if the plants are in the row.

As a precaution, do not apply to the soil in the row between the plants if the plants are in the row. Do not apply to the soil in the row between the plants if the plants are in the row. Do not apply to the soil in the row between the plants if the plants are in the row.

RECOMMENDED APPLICATIONS

TOBACCO Transplant Beds
Apply to the soil in the row between the plants. Do not apply to the plants themselves. Do not apply to the soil in the row between the plants if the plants are in the row.



TOBACCO Field Application
Apply to the soil in the row between the plants. Do not apply to the plants themselves. Do not apply to the soil in the row between the plants if the plants are in the row.

IN ROW CROPS WHERE ROW SPACING IS EXTREMELY NARROW, DO NOT PLACE TREATED ZONES BAND OR FURROW CLOSER TOGETHER THAN 8 INCHES.

NOTICE: The warnings, actually expressed or implied concerning the use of this product, are those shown on the label. Buyer assumes all risk of use and is hereby deemed to have read and understood the label directions.

READ LABEL BEFORE USE

2183 522



INSYST-D™

**For Use In TOBACCO BEDS and FIELDS
To Control APHIDS & FLEA BEETLES**



Apply to the soil in the row between the plants. Do not apply to the plants themselves. Do not apply to the soil in the row between the plants if the plants are in the row. Do not apply to the soil in the row between the plants if the plants are in the row.

**DANGER
POISON**



**KEEP OUT OF REACH
OF CHILDREN**

**NET WEIGHT
9 OUNCES**

Manufactured for RIGO COMPANY • BUCKNER, KENTUCKY 40019

**DOSEAGE
INSYST-D**

REMARKS
Commercial Growers or Professional Applicators Only. Apply to the soil in the row between the plants. Do not apply to the plants themselves. Do not apply to the soil in the row between the plants if the plants are in the row.

Buyer assumes all risk of use and is hereby deemed to have read and understood the label directions.

READ LABEL BEFORE USE

2183 522

RIGO COMPANY • BUCKNER, KENTUCKY 40019


Apply to
Tobacco
Transplant
Beds

Apply to
Tobacco
Field

Apply to
Tobacco
Field

Apply to
Tobacco
Field

Apply to
Tobacco
Field



INSYST-D™

15% Granular Systemic Insecticide
contains D-SYSTON™

**DANGER
POISON**



For Agricultural,
Commercial
Grower Or
Professional
Applicator Use
Only Not For Use
Or Storage In Or
Around The Home.

KEEP OUT OF REACH OF CHILDREN

Do not let crops grow
in the greenhouse