

**PRECAUTIONARY STATEMENTS**  
**DANGER POISON**

**HAZARDS TO HUMANS**

Poisonous if swallowed. Irritant to eyes. May be absorbed through the skin. Do not breathe dust. Wear protective clothing and gloves. If clothing becomes soiled, it must be removed and washed after each day's use. Do not wear the same clothes from day to day. Rubber gloves should be washed with soap and water after each use.

When using INSYST-D in agricultural areas, wear a mask or respirator jointly approved by the Mining Enforcement and Safety Administration, the U.S. Bureau of Mines and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

**SYMPTOMS OF POISONING:** A sense of tightness in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

**STATEMENT OF PRACTICAL TREATMENT:** In Case of Poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed, call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**NOTE TO PHYSICIAN:** Antidote - Administer atropine sulfate in therapeutic doses. Repeat as necessary to the point of tolerance. PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase, resulting in blockade of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, invertebrates and birds. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not contaminate water, machinery, equipment and point of wastes.

**DISPOSAL**

Do not reuse empty container. Wrap container and put in trash collection.

**RESTRICTIONS**

Do not use on ornamental flowers for food or on plants used for food or on plants used for medicinal purposes. Do not use on plants used for medicinal purposes. Apply at rates above those listed. Do not use on plants used for medicinal purposes. Apply the product only as directed on the label. Do not apply in spray with a knapsack or other equipment that is placed in the user's hand. Do not treat crops grown in the greenhouse.

**DIRECTIONS FOR USE**

Apply granules to soil in rows, beds and around plants. Do not apply to plants or soil in greenhouses. Do not apply to plants in greenhouses.


As a preplant treatment for ornamental flowers, shrubs and trees, apply granules evenly to seed bed and to soil around plants. Do not apply to plants or soil in greenhouses. Do not apply to plants in greenhouses.

**RECOMMENDED APPLICATIONS**

Apply granules to soil in rows, beds and around plants. Do not apply to plants or soil in greenhouses. Do not apply to plants in greenhouses.

**TOBACCO Transplant Beds**

Apply granules to soil in rows, beds and around plants. Do not apply to plants or soil in greenhouses. Do not apply to plants in greenhouses.



READ LABEL BEFORE USE



**INSYST-D™**  
Granular systemic insecticide  
contains 15% DI-SYSTON\*\*

**For Use In TOBACCO BEDS and FIELDS  
To Control APHIDS & FLEA BEETLES**

For Agricultural Use Only  
For Use on Tobacco  
Apply Granules to Soil  
Do Not Apply to Plants in Greenhouses

As a Health Hazard, this product is toxic to fish, invertebrates and birds. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not contaminate water, machinery, equipment and point of wastes.

ACTIVE INGREDIENT  
DI-SYSTON (15%)  
INERT INGREDIENTS  
85%

DI-SYSTON is a registered trademark of Farbwerke Bayer, Leverkusen, Germany.

**DANGER POISON**

**KEEP OUT OF REACH OF CHILDREN**

**NET WEIGHT 9 OUNCES**

EPA Reg. No. 70-236  
EPA Est. No. KY-1

Made by Rigo Company, Buckner, Kentucky 40010