

R I G O

5% SEVIN<sup>(R)</sup> BAIT

FOR CONTROL OF LISTED  
INSECT PESTS

70-244

ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl methylcarbamate)..... 5%

INERT INGREDIENTS:..... 95%

TOTAL 100%

(R)SEVIN is the registered trademark of Union Carbide Corporation  
for carbaryl insecticide.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements.

EPA Reg. No. 70-244  
EPA Est. No. 70-KY-1

NET CONTENTS  
THREE POUNDS

Manufactured by

R I G O COMPANY

BUCKNER, KENTUCKY 40010

3  
P  
O  
U  
N  
D  
S

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

HARMFUL IF SWALLOWED OR INHALED. Avoid Breathing of Dust. Do Not Take Internally. Avoid Contact with Skin. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling. AVOID CONTAMINATION OF FOOD AND FEED.

Keep pets off treated areas.

Statements of Practical Treatment

If on Skin: Wash thoroughly with soap and water.

If in Eyes: Flush with water for at least 15 minutes and get medical attention.

If Swallowed: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger or blunt object. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase-inhibiting drugs.

Environmental Hazards

This pesticide is toxic to aquatic organisms. Do not apply directly to lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Before applying, warn beekeepers to locate hives beyond bee flight range until 1 week after application or to take other equally effective precautions.

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS.

IMPORTANT PRE-HARVEST AND  
GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable SEVIN residues when SEVIN is used in accordance with label directions. If SEVIN insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea

vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk or meat in excess of established tolerances.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** Reclose opened containers of bait and store in a dry place.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

Broadcast application treatments may be repeated as necessary. Dosages of bait from  $\frac{1}{4}$  to 1 pound per 1000 square feet will control cutworms, armyworms, field crickets, darkling beetles, grasshoppers, sowbugs and ants.

**NOTE:** To avoid possible injury to tender foliage, do not apply when foliage is wet or when rain or excessive humidity is expected during the next two days.

CROP	DOSAGE RATE Pounds/ 1000 Sq. Ft.	Days Between Final Application and Harvest
Cucumber, squash, melons, peanuts	$\frac{1}{4}$	None
Peas	$\frac{1}{4}$	None
Beans, carrots, eggplants, okra, peppers, potatoes, tomatoes	1	None
Corn and sweet corn	$\frac{1}{4}$ -1	None
Asparagus, strawberries	1	1 Day

CROP	DOSAGE RATE Pounds/ 1000 Sq. Ft.	Days Between Final Application and Harvest
Broccoli, brussels sprouts, cabbage, cauliflower, head lettuce, garden beets (roots), horseradish, parsnips, radishes rutabagas, and turnips (roots)	1	3 Days
Collards, endive (escarole), garden beets (tops), kale, leaf lettuce, parsley, spinach, swiss chard and turnips (tops)	1	14 Days
Dandelions	1	14 Days
All insects listed above (except darkling beetles) for the following crops:		
Apples, cherries, peaches, pears, plums	1	1 Day
To avoid possible injury to McIntosh and York apples, do not apply before the 2nd cover. To avoid thinning apples, delay use at least 30 days following full bloom.		
Apricots, nectarines	1	3 Days
Citrus	1	5 Days
Grapes	1	None
Annual plants, herbaceous plants and shrubs, lawns or turf, flower and herb gardens, ornamental trees, shrubs, and flowers, and soil surfaces around the outside of buildings (including houses)	1	None

NOTICE: Seller makes no warranty, expressed or implied, concerning the use  
of this product other than stated on the label. Buyer assumes all risk of  
use and/or handling of this material when such use and/or handling is contrary  
to label instructions.

OCT 5 1982

Mr. J. T. Gregory  
Rigo Company  
P.O. Box 89  
Buckner, KY 40010

Dear Mr. Gregory:

Subject: Rigo 5% Sevin Bait  
EPA Registration No. 70-244  
Application dated August 31, 1982

The amendment referred to above, submitted in connection with registration under Section 3(c)(7)(A) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, ~~will~~<sup>is</sup> be acceptable provided that you:

1. Agree in writing that you will submit and/or cite all data required for registration/reregistration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) final printed labels (labeling) within 75 days. (If finished labeling cannot be furnished within the 75-day period, an extension should be requested.)

Sincerely yours,

/s/  
Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

TS-767;Ellenberger;DCR-24753;WANG-0431C;pjb;Raven;479-2013; 9/28/82

BEST DOCUMENT AVAILABLE