



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (checked)

OPP Identifier Number 237124

Application for Pesticide - Section I

1. Company/Product Number 70-244
2. EPA Product Manager Dennis H. Edwards, Jr.
3. Proposed Classification None (checked)
4. Company/Product (Name) Rigo 5% Sevin Bait
5. Name and Address of Applicant SureCo, Inc.
6. Expedited Review (checked)

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and II) NOTIFICATION

Compliance with PR Notice 93-3 NOV 6 1996

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Stacy A. Schmidt, Title Registration Specialist, Telephone No. (813) 960-8333. Certification: I certify that the statements I have made on this form... 2. Signature Stacy A. Schmidt, 3. Title Registration Specialist, 4. Typed Name Stacy A. Schmidt, 5. Date 10/15/96, 6. Date Application Received (Stamped)

295

RIGO 5% SEVIN® BAIT

For Control of Listed Insect Pests

Active Ingredient:	
Carbaryl ((1-Naphthyl N-methylcarbamate)	5%
Inert Ingredients:	95%
Total:	100%

Sevin® is a registered trademark of Rhone-Poulenc for carbaryl insecticide

EPA Reg. No. 70-244

EPA Est. No. 769-GA-1

NOTIFICATION
KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

If On Skin: Wash thoroughly with soap and water.


If In Eyes: Flush with water for at least 15 minutes and get medical attention.

If Swallowed: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger or blunt object. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

Note To Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase-inhibiting drugs.

Net Contents: _____

Manufactured By:
Rigo Company
Louisville, KY 40222



PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals
CAUTION

Harmful if swallowed or inhaled. Avoid breathing of dust. Do not take internally. Avoid contact with skin. Avoid contamination of food and feed.

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Before spraying, warn beekeepers to locate hives beyond bee flight range until 1 week after application or to take other equally effective precautions.

READ ENTIRE LABEL... USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable SEVIN residues when SEVIN is used in accordance with label directions. If SEVIN insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for

495
7

use as feed for dairy and meat animals without resulting in residue in milk or meat in excess of established tolerances.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

Crop	Dosage Rate Pounds/1000 sq. ft.	Days Between Final Application and Harvest
Cucumber, Squash, Melons, Peanuts	1/2	None
Peas	1/4	None
Beans, Carrots, Eggplants, Okra, Peppers, Potatoes, Tomatoes	1	None
Corn and Sweet Corn	1/2 - 1	None
Asparagus, Strawberries	1	1 Day
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce, Garden Beets (roots), Horseradish, Parsnips, Radishes, Rutabagas, Turnips (roots)	1	3 Days
Collards, Endive (escarole), Garden Beets (tops), Kale, Leaf Lettuce, Parsley, Spinach, Swiss Chard, Turnips (tops)	1	14 Days
Dandelions	1	14 days

Crop	Dosage Rate Pounds/1000 sq. ft.	Days Between Final Application and Harvest
All insects listed above (except darkling beetles) for the following crops: Apples, Cherries, Peaches, Pears, Plums To avoid possible injury to McIntosh and York apples, do not apply before the 2nd cover. To avoid thinning apples, delay use at least 30 days following full bloom	1	1 Day
Apricots, Nectarines	1	3 Days
Citrus	1	5 Days
Grapes	1	None
Annual plants, herbaceous plants and shrubs, lawns or turf, flower and herb gardens, ornamental trees, shrubs, and flowers, and soil surfaces around the outside of buildings (including houses)	1	None

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than stated on the label. Buyer assumes all risk of use and/or handling of the material when such use and/or handling is contrary to label instructions.