

PM-19

Reg # 70-244

5514734 300

196¹⁷

JAN 16 1997

Stacy A. Schmidt
Registration Specialist
SureCo
10012 N. Dale Mabry Hwy, Suite 221
Tampa, FL 33618

Subject: Rigo 5% Sevin® Bait
EPA Registration No. 70-244
Submission dated October 15, 1996
Response to Carbaryl Label Requirements letter dated 10/1/96

Dear Ms. Schmidt:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) Because your product is a bait instead of a dust, please modify the following statements to provide more appropriate instructions for a granular product:

1. In the Environmental Hazards Statement, change "Before spraying, warn beekeepers..." to "Before application, warn beekeepers..."

2. In the Directions for Use, change the paragraph "Wearing household latex or rubber gloves..." to

"Wearing household latex or rubber gloves, use a shaker can or rotary type applicator. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces. Allow any dust to settle in treated areas before reentering. For plants above chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week."

Edwards A: 70/244.1 1/15/97

296

b) The proposed label lacks appropriate storage and disposal instructions. Please add a STORAGE AND DISPOSAL section to your label as follows:

"STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place out of the reach of children and pets.

DISPOSAL: Do not reuse empty container. Wrap empty container in newspaper and put in trash."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

376

RIGO 5% SEVIN® BAIT

For Control of Listed Insect Pests

Active Ingredient:

Carbaryl ((1-Naphthyl N-methylcarbamate)	5%
Inert Ingredients:	95%
Total:	100%

Sevin® is a registered trademark of Rhone-Poulenc for carbaryl insecticide

EPA Reg. No. 70-244

EPA Est. No. 769-GA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

If On Skin: Wash thoroughly with soap and water.

If In Eyes: Flush with water for at least 15 minutes and get medical attention.

If Swallowed: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger or blunt object. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

Note To Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase-inhibiting drugs.

Net Contents: _____

Manufactured By:
Rigo Company
Louisville, KY 40222

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 16 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

70-244

PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals
CAUTION

Harmful if swallowed or inhaled. Avoid breathing of dust. Do not take internally. void contact with skin. Avoid contamination of food and feed.

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Before spraying, warn beekeepers to locate hives beyond bee flight range until 1 week after application or to take other equally effective precautions.

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable SEVIN residues when SEVIN is used in accordance with label directions. If SEVIN insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for

use as feed for dairy and meat animals without resulting in residue in milk or meat in excess of established tolerances.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

Crop	Dosage Rate Pounds/1000 sq. ft.	Days Between Final Application and Harvest
Cucumber, Squash, Melons, Peanuts	1/2	None
Peas	1/4	None
Beans, Carrots, Eggplants, Okra, Peppers, Potatoes, Tomatoes	1	None
Corn and Sweet Corn	1/2 - 1	None
Asparagus, Strawberries	1	1 Day
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce, Garden Beets (roots), Horseradish, Parsnips, Radishes, Rutabagas, Turnips (roots)	1	3 Days
Collards, Endive (escarole), Garden Beets (tops), Kale, Leaf Lettuce, Parsley, Spinach, Swiss Chard, Turnips (tops)	1	14 Days
Dandelions	1	14 days

Crop	Dosage Rate Pounds/1000 sq. ft.	Days Between Final Application and Harvest
All insects listed above (except darkling beetles) for the following crops: Apples, Cherries, Peaches, Pears, Plums To avoid possible injury to McIntosh and York apples, do not apply before the 2nd cover. To avoid thinning apples, delay use at least 30 days following full bloom	1	1 Day
Apricots, Nectarines	1	3 Days
Citrus	1	5 Days
Grapes	1	None
Annual plants, herbaceous plants and shrubs, lawns or turf, flower and herb gardens, ornamental trees, shrubs, and flowers, and soil surfaces around the outside of buildings (including houses)	1	None

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than stated on the label. Buyer assumes all risk of use and/or handling of the material when such use and/or handling is contrary to label instructions.