R I G O

ANTO MICH ANTO CHANTS Long a Laure Direct

3-in-1

Vegetable Dust

### Controls Insects and Diseases

### In Home Vegetable Gardens

ACTIVE INGREDIENTS:	
*Methoxychlor, technical	5.00%
Maneb (Manganese ethylene bisdithiocarbamate)	6.00%
Rotenone	1.00%
INERT INGREDIENTS:	
. TOTAL	100.00%

\*Equivalent to 4.4% 2,2-bis(p-methoxyphenyl)-1,1,1-tricholorethane and 0.6% other isomers and related compounds.

# KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for additional precautionary statements. (EPA File Symbol 70-ELG)

EPA Reg. No. 70-EPA Est. No. 70-KY-1 NET CONTENTS 12 OUNCES

Manufactured By

RIGO COMPANY

BUCKNER, KENTUCKY 40010

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Do not breathe dust. Do not take internally. Avoid skin contact. Avoid getting in eyes. Wash hands after use. Wash all contaminated clothing with soap and water before reuse. Avoid contamination of foodstuffs, feed, troughs, and water receptacles.

STATEMENT OF PRACTICAL TREATMENT: If Swallowed - Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. If Inhaled - Remove victim to fresh air and apply respiration if indicated. If On Skin - Wash thoroughly with soap and water. If In Eyes - Flush with plenty of water.

# ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

Rigo 3-in-l Vegetable Dust is specially formulated for the control of many insects and diseases on vegetables as shown.

To apply dust, open top of container and squeeze sides.

For best results, dust in early morning or late evening when the temperature if low and the air is still. Apply dust so all exposed parts of plants are contacted, especially upper and lower leaf surfaces... Apply when disease or insect damage appears and repeat at 7 to 10 day intervals or more often if infestation warrants.

RIGO 3-in-1 Vegetable Dust Page 3

This product can be used on Potatoes within 1 day of harvest; on Beans within 4 days of harvest; on Cabbage, Cantaloupes, Carrots, Cauliflower, Corn, Cucumbers, Eggplant, Kohlrabi, Melons, Peppers, Pumpkins, Squash, Tomatoes and Watermelon within 7 days of harvest; on Beets, Broccoli, Brussels Sprouts, Collards, Grapes, Kale, Lettuce, Spinach, and Turnips within 14 days of harvest. Remove residues from food crops by washing before use.

Before using on fruits, contact your Cooperative Extension Service for schedule.

PLANT INSECTS: Aphids, Bean leaf beetle, Blister beetle, Cabbage Looper, Colorado potato beetle, Corn earworm, Cross-striped cabbageworm, Cucumber beetle, Eggplant lace bug, Fall armyworm, Flea beetle, Imported cabbageworm, Japanese beetle, Leafhopper, Melonworm, Mexican bean beetle, Rose chafer, Squash vine borer, Thrips, Tomato fruitworm, Tomato hornworm, Webworms.

PLANT DISEASES: Alternaria leaf spot and downy mildew on Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, and Turnips; Downy mildew on Cantaloupes; Leaf spot diseases on Carrots; Anthracnose and Downy mildew on Cucumbers and Squash; Anthracnose and fruit rot on Eggplants and Peppers; Downy mildew on Lettuce; Early and late blight on Potatoes; Angular leaf spot and downy mildew on Pumpkins; Downy mildew (blue mold) and white rust on Spinach; Helminthosporium on Corn; Anthracnose, early and late blight, gray leaf spot (Stemphylium) and Septoria leaf spot on Tomatoes; Anthracnose, Cercospora leaf spot, downy mildew and gummy stem blight on Watermelon; and Black rot (bunch rot) on Grapes.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

11/82

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (184-567)	,	
REGISTRATION DIVISION (HH-567)		
	TERM OF ISSUANCE	
AASHINGTON C.C. 21417		
NOTICE OF DESTICIDE. THE REGISTRATION	NAME OF PESTICIDE PRODU-	СТ
ROTICE OF FESTICION REHEGISTRATION		
(Under the Federal Insection). FunSicide, and Rodentie the Act, as amended)		
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
_	_	
Г	1	
1	r	
<b>-</b>	J	
NOTE: Changes in labeling formula differing in substance, ubmitted to and accepted by the Registration Division prioroductalways refer to the above U.S. EPA registration nu	or to use of the label in commer	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.		by Registered/Reregistered und
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is ret	urned herewith.
		. this According to select the selection
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his moti		
icide in accordance with the Act. The acceptance of any n	on, may at any time suspend or a	cancer the registration of a pes- stration of a oroduct under this
Act is not to be construed as giving the registrant a right:		
by others.	•	
ATTACHMENT IS APPLICABLE		
\  		LOATE
ATTACHMENT IS APPLICABLE		DATE