RIGO

HOME PEST CONTROL

ACCEPTED

JUN - 4 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

Ready to Use Spray - Residually Kills: Roaches, Ants, Ticks, Fleas, and others listed

For Use in Homes and Food and Non-Food Areas of Kennels, Commerical Buildings: Warehouses, Theatres, Office Buildings, Schools, Motels, Hotels, Restaurants and Food Processing Facilities.

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	0.050%
Related compounds	0.004%
*N-Octyl bicycloheptene dicarboximide	0.400%
*Chloropyrifos [0,0-diethyl 0-(3,5,6-trichloro	
2-pyridyl) phosphorothicate	0.500%
•	

INERT INGREDIENTS: 99.046%
TOTAL 100.000%

CAUTION KEEP OUT OF REACH OF CHILDREN

PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing. Wash skin with soap and OR CLOTHING: warm water. Get medical attention if irritation persists.


IF INHALED: Remove to fresh air if effects occur, and call Physician.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person or convulsing person.

EPA Reg. No. 70-255 EPA Est. No. 70-KY-1 NET CONTENTS
l gallon____

Manufactured by:

RIGO COMPANY A Division of Wilbur-Ellis Co. Buckner, KY 40010



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and water after handling. If poisoning occurs, get prompt medical aid.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is antidote of choice.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying. Do not allow children or pets to contact treated surface until spray has dried.

Physical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage:

Store in a cool dry area away from heat or open flame.

Disposal:

Do not reuse emtpy container. Wrap container and put in

trash collection.

General: Use Rigo Home Pest Control and Crevice treatment to control cockroaches, waterbugs, silverfish, ticks, fleas and other insects listed below. Apply this product as a coarse spray to localized areas where pests are found or may occur. Spray surfaces until wet. Repeat as needed.

343

For Spot Treatment .

To Kill Cockroaches, Ants, Crickets, Silverfish, Spiders and Sowbugs: Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat as necessary.

To Kill Brown Dog Ticks and Fleas: Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present Old bedding should be removed and replaced with clean, fresh bedding after treatment. Do not spray pets with this product.

To control the source of your flea infestation treat your pets with a product registered for application to animals.

For Crack and Crevice - apply as follows:

Application within food handling establishments (places other than private sidences in which food is held, processed, prepared or served) including, but not limited to, restaurants, gracery stores, bakeries, bottling plants, canneries and grain mills: To kill ants, roaches, crickets, silverfish, sowbugs, spiders, earwigs, brown dog ticks, fleas, carpet beetles and dermestids: Apply as a coarse low pressure spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners of rooms and closets; along and behind baseboards; floor drains, and around plumbing and other utility installations. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE AND SPOT TREATMENT ARE NOT PERMITTED.

Flies and Mosquitoes: Use only out of doors as an aid in reducing annoyance from these insects. Spray outside surfaces of window and door frames, as well as other areas where these pests may enter the home. .. Also spray.dark corners and localized resting areas (such as under eaves) or porches, patios and garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment as necessary.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all sisk of use and/or handling of this material when such use and/or handling is contrary to label instructions.