

ATTACHMENT 1

A. ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	0.060%
Related compounds	0.005%
*Piperonyl butoxide, technical	0.120%
N-Octyl bicycloheptene dicarboximide	0.200%
Cyano (3-phenoxyphenyl)methyl 4-chloro-alpha-(1-methylethyl) benzeneacetate	0.200%
Inert Ingredients:	99.415%
	100.000%
Total	

\* Equivalent to 0.096% (butylcarbityl) (6-propylpiperonyl) ether and 0.024% related compounds.

B. Rigo Company  
A Division of Wilbur-Ellis Company  
Buckner, Kentucky 40010

Size: 6 oz.,

RIGO  
MIST-R-BUG TM  
INSECTICIDE

Total Release Fogger

For Use in Rooms, Apartments, Homes, Attics, Basements,  
Campers, Boats, Household Storage Areas, Garages, Pet  
Sleeping Areas, Cabins

Kills Flies, Cockroaches, Fleas, Ticks,  
and other listed insects.

One Can Treats Up To 5,000 Cubic Feet

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%	} A
Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1- methylethyl) benzeneacetate.....	0.400%	
Petroleum distillate.....	14.278%	
INERT INGREDIENTS:.....	85.122%	
TOTAL.....	100.000%	

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 70-257  
EPA Est. No. 334-KY-1

NET WEIGHT  
6 Ounces

Manufactured For  
RIGO COMPANY  
BUCKNER, KENTUCKY 40010

← B

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid  
contact with skin, eyes or clothing. Wash contaminated skin  
promptly with soap and warm water. For eyes, flush with  
plenty of water. Get medical attention if irritation  
persists. Avoid contamination of food and feedstuffs.

Reviewed. Registrant claims to be in accordance with  
Registration of Pesticide Product Guidance for Phase 2  
Case, Page 2.12, Active to Inert Change in Status.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

#### Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 OF may cause bursting.

#### STATEMENT OF PRACTICAL TREATMENT

**If Swallowed:** Do not induce vomiting because of aspiration hazard. Get medical attention.

**In On Skin:** Wash off with soap and water. Get medical attention if irritation persists.

**If In Eyes:** Flush with plenty of water. Get medical attention if irritation persists.

#### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Storage and Disposal

**Storage:** Store in a cool, dry area away from heat or open flame.

**Disposal:** Do not re-use empty container. Wrap container and put in trash collection.

This Product Will Kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO DISPENSE MIST:** Place fogger on stand or table in the center of the room, placing several layers of newspaper or pad under fogger. Remove cap, turn it upside down, and snap cap back on top of can, taking care to avoid being sprayed. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and

Rigo Mist-R-Bug Insecticide (labels\mistbug)  
PAGE 3

allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**To Kill Ticks and Fleas:** Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.