


1/10

R I G O

FIRE ANT KILLER

Wettable Powder

Kills Many Pests
Indoors and Outdoors



ACTIVE INGREDIENT:

Bendiocarb (2,2-dimethyl-1, 3-benzodioxol-4-ol methylcarbamate+)..... 20%

INERT INGREDIENTS:..... 80%

TOTAL 100%

+Protected by U.S. Patent No. 3,736,338

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by administration of syrup of ipecac or by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove to fresh air. If necessary, keep patient at rest and transfer to hospital immediately to get medical attention.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and warm water.

NOTE TO PHYSICIAN: Contains anticholinesterase carbamate insecticide. In case of overexposure, atropine sulfate - 2 mg. (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

See Side Panel For Additional Precautionary Information.

EPA Reg. No. 70-260
EPA Est. No. 70-KY-1

NET CONTENTS:
1 pound

Manufactured by:

RIGCO COMPANY
CORNELIUS, KENTUCKY 40014

2

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing dust or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly before eating, drinking or smoking and after spraying or handling. Wash all contaminated clothing before reuse. Do not apply to humans, their clothing or bedding. Do not allow children or pets to contact treated surfaces until they are dry.

USE PRECAUTIONS

With proper spraying FIRE ANT KILLER Wettable Powder does not result in a visible deposit. However, if unevenly applied, or sprayed to run-off, a visible deposit may occur on some dark surfaces.

Do not spray where electrical short circuits might result.

Do not use on or contaminate fruit, vegetables or other feed or food crops.

Do not store near feed or food products and do not contaminate these or food preparation surfaces, dishes, kitchen utensils and food containers with either concentrate or spray.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Keep pesticide in original container. Store in a dry, cool place, preferably in a locked storage area. Do not store diluted spray.

Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse. Discard bag in trash.

2/b

DIRECTIONS FOR USE cont.'d

FIRE ANT KILLER Wettable Powder is for residual pest control on buildings and structures and for control of ornamental plant and turf pests.

DO NOT USE THIS PRODUCT ON EDIBLE PLANTS.

DO NOT APPLY TO SURFACES WHICH COME INTO CONTACT WITH FOOD.

FIRE ANT KILLER Wettable Powder is intended for dilution with water for application with hand-held, hose-end or power sprayers.

Do not use strainers finer than 100 mesh size.

When using hand sprayers, fill with the desired volume of water, add FIRE ANT KILLER Wettable Powder, close and shake before use to insure proper suspension of the wettable powder. Shake or re-agitate sprayer before use if spraying is interrupted.

When using hose-end sprayers, carefully follow the manufacturer's directions for use in order to obtain the correct amount of pesticide required. FIRE ANT KILLER Wettable Powder should be added after the water and then strongly shaken to insure good suspension.

INDOOR USE

Mix 2 oz. of FIRE ANT KILLER Wettable Powder per gallon and apply as a coarse low pressure spray.

Cockroaches: Apply as a spot or crack and crevice spray to areas where the pests hide, such as baseboards, around water pipes and docts and window frames. For heavy infestations, mix 3 oz. of FIRE ANT KILLER Wettable Powder in one gallon of water and apply as a coarse low pressure spray.

Flies and Brown Dog Ticks: Thoroughly apply spray to infested areas such as pet beds and resting quarters, adjacent cracks and crevices, rugs and floor coverings, and under their edges, between and under cushions of upholstered furniture and other areas where these pests may be present.

Entire rugs may be treated. Apply the spray evenly (approx. 1 gal./800 ft.²) to rugs and furniture. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Additionally, insure that pets are treated for flea control with an EPA-approved product registered for such use. Do not treat pets or their bedding with bendiocarb. DO NOT PERMIT CHILDREN OR PETS NEAR TREATED SURFACES UNTIL SPRAY HAS DRIED COMPLETELY.

4

Spiders, Sowbugs, Pillbugs, Silverfish, Firebrats, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions: Apply around doors, window frames and other places where these pests may enter premises. Spray baseboards, storage areas and other locations where these pests are found.

Ants: Apply to ant trails, around doors and window frames and other areas where ants enter premises. For carpenter ants, also apply to any nest or infested wood if possible.

Wasps: It is best to treat wasp nests at night when insects are less active and have returned to the nest. Do not wear loose-fitting clothing - take necessary precautions to avoid stings. For best results, carefully spray nest and check one or two days after treatment to insure complete kill, and retreat if necessary. If possible remove and destroy nest to prevent hatching of new insects. For ground nests, carefully spray entrances and surrounding areas. Retreat in one or two days if wasp activity is still present.

OUTDOOR USE

Perimeter Treatment: To help prevent infestation of buildings by ants, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders and wasps:

Mix 2 oz. of product per gallon of water and apply as a residual spray or with a paintbrush to places where pests congregate or can gain entry. Treat the building foundation to a height of 2-3 feet.

Chinch Bugs, Sod Webworms and Leafhoppers: Apply 2-4 oz. of product in sufficient water to cover 1000 sq.ft. of turf.

White Grubs: In localized areas of grub infestation, FIRE ANT KILLER Wettable Powder may be applied by watering can. Add 8 oz. of product to 1-2 gallons of water, thoroughly agitate and then apply over 1000sq.ft. of turf. Follow this chemical treatment with thorough irrigation ($\frac{1}{2}$ - $\frac{3}{4}$ inch of water).

Fire Ants: Mix 0.4 oz. or 3 level tablespoons of FIRE ANT KILLER Wettable Powder in two gallons of water. Two gallons of mixture are recommended for mounds 8 inches or larger in diameter. Less mixture can be used on smaller mounds; however, thorough penetration of insect galleries must be achieved. Apply a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate insect galleries. A second treatment may be necessary if complete control is not obtained.

Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. For best results apply in cool weather, 65-80^o, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

1 of 6

ORNAMENTAL PESTS

Use FIRE ANT KILLER Wettable Powder to control specified pests on non-edible flowers, shrubs and trees.

Important: FIRE ANT KILLER Wettable Powder has demonstrated excellent plant safety, however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full-scale application.

Caution: This product is highly toxic to bees exposed to direct treatment or to residues on plants.

GYPSY MOTH:

Egg Mass Treatment - Mix 2 oz. of FIRE ANT KILLER Wettable Powder per 10 gallons of water and apply to egg masses until saturation. Applications can be made up to 3 weeks before Gypsy moth hatch.

Larvae Treatment:

Residual Foliar and Contact Spray: Mix 1.25 oz. of FIRE ANT KILLER Wettable Powder per 10 gallons of water and apply to the whole tree (wood and leaves). This will control all larvae stages. An application may be required as frequently as every two weeks to control heavy infestations.

Supplementary Residual Trunk Spray: When large larvae (1-2½") are mobile and seeking resting places and a foliage spray is impractical, mix 1 lb. (.25% a.i.) of FIRE ANT KILLER Wettable Powder per 10 gallons of water and apply to tree trunks until fully saturated, making sure to treat cracks and crevices. A harborage (burlap or tape bands) is recommended to keep the larvae on the treated surface. If required for optimum control in heavily infested areas, applications can be made every two weeks.

OTHER PESTS:

Apply FIRE ANT KILLER Wettable Powder to the point of run-off using the recommended rates below:

DOSAGES AND DIRECTIONS FOR USE
ON ORNAMENTAL PLANTS


PEST	Amount of Product Per Gallon
Japanese beetle, Eastern tent caterpillar, Bagworm, Fall Webworm, Thrips, Lacebugs, Spring cankerworm, Mealybugs, Hemispherical scale, Florida wax scale, Soft brown scale, Tea scale, Euonymus scale, Elm leaf beetle, Willow leaf beetle (larvae), Poplar tentmaker, Yellownecked caterpillar, Azalea caterpillar, Chrysanthemum aphid, Green apple aphid, Spirea aphid	0.4 oz.

6

PEST	Amount of Product Per Gallon
Mimosa webworm, Obscure root weevil (adults), Greenhouse whitefly, Citrus blackfly (larvae), Black vine weevil, Pine spittlebug	0.8 oz.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

1/84



60/k