

Vegetables Grown in Commercial Greenhouses: Apply to give complete coverage.

CROP	PESTS CONTROLLED	RATE/100 GAL.	INTERVAL (DAYS) BETWEEN LAST APPLICATION AND HARVEST
Cucumbers	Aphids Armyworms Cabbage loopers Earwigs Garden fleahoppers Mealybugs Spider mites Thrips Whiteflies	1 $\frac{1}{2}$ -2 pts.	Spray plants thoroughly. Do not apply to cucumber unless plants are dry. Do not apply within 1 day of harvest.
Endive	Aphids Armyworms Cabbage loopers Serpentine leaf miners Thrips Whiteflies	1 $\frac{1}{2}$ -2 pts.	Spray plants thoroughly. Do not apply within 7 days of harvest.
Lettuce	Aphids Armyworms Cabbage loopers Serpentine leaf miners Thrips Whiteflies	1 $\frac{1}{2}$ -2 pts.	Spray plants thoroughly. Do not apply within 14 days of harvesting leaf lettuce or within 7 days of harvesting head lettuce.
Radish	Aphids Flea beetles	1 $\frac{1}{2}$ -2 pts.	Spray plants thoroughly. Do not apply within 7 days of harvest.
Tomato	Aphids Armyworms Cabbage loopers Cutworms Drosophila Garden fleahoppers Mealybugs Serpentine leaf miners Spider mites Thrips Tomato russet mites Whiteflies	1 $\frac{1}{2}$ -2 pts.	Spray plants thoroughly. Do not apply within 1 day of harvest.
Watercress	Aphids Serpentine leaf miners Thrips	1 $\frac{1}{2}$ -2 pts.	Spray plant thoroughly. Do not apply within 7 days of harvest.

Fruit and Nut

CROP	PESTS CONTROLLED	RATE/100 GAL.	RATE/A	INTERVAL (DAYS) BETWEEN LAST APPLICATION AND HARVEST
Almonds	Aphids Spider mites	1-2 pts.	2-4 pts.	May be applied on the day of harvest.
	Peach twig borer	1-1 1/2 pts.	2-3 pts.	Apply during the petal fall period or during the period appropriate for spraying larvae of the May brood. May be applied on the day of harvest.

The rates for use on almonds are based on a standard of 200 gallons per acre dilute spray for mature trees. Do not apply more than 8 lbs. actual CORNBELT MALATHION 57 per acre to almond trees.

Apples

Apples	Budmoth Forbes scale Woolly apple aphid	1 pt.	4 pts.	Do not apply within 5 days of harvest.
	Eastern tent caterpillar	1-1 1/2 pts.	4-6 pts.	
	Green apple aphid Rosy apple aphid	1 1/2 pts.	6 pts.	
	Codling moth Plum curculio Red-banded leafroller	2 pts.	8 pts.	
	Leafybug Mites, such as Clover mite, European red mite, Twospotted spider mite, Willamette mite	1-2 pts.	4-8 pts.	

The rates for use on apples are based on a standard of 100 gallons per acre dilute spray for mature trees pruned 20 to 22 feet high in rows 40 feet apart.

CORNBELT MALATHION 57 Emulsifiable concentrate may cause fruit injury to McIntosh and Cortland varieties if spray is applied within 7 weeks of harvest.

Dormant or Delayed Dormant Sprays

Aphids Mites Red-banded leafrollers	1 pt. 4-1 gal. superior oil		Make full coverage dormant or delayed dormant application only.
---	--------------------------------	--	---

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION REGISTRATION DIVISION WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: This notice is issued to inform you that the pesticide product described below has been registered under the Federal Insecticide, Fungicide, and Rodenticide Act.	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NAME AND ADDRESS OF REGISTRANT:		
<p style="text-align: center;"> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </p>		
<p>NOTE: Changes in labeling formula different in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of the product by this Agency in order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

d. Revise your "Environmental Hazards" paragraph to read as follows:

This product is toxic to fish, birds and other wildlife. Use of this product may be fatal to birds and other wildlife in treated areas. Do not spray over lakes, streams, ponds, tidal marshes and estuaries. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Overspray of this product into water at application rates recommended on this label may be fatal to shrimp and crab; do not apply where these are important resources. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Lilensberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (15-757)

enclosure