

ACCEPTED
 DEC 13 1983
 EPA Reg. No. 70-269

R I G O

NEAT 'N CLEAN™
 Extra Strength
 Systemic
 Weed & Grass Killer

- Kills Weeds and Grasses On Contact - Roots and All
- Doesn't Affect The Soil

Active Ingredient:

Glyphosate, Isopropylamine Salt of
 N-(Phosphonomethyl)Glycine.....0.96%

Inert Ingredients:99.04%

100.00%

Keep Out Of Reach Of Children

CAUTION

See Back Panel For Additional Precautionary Statements

EPA Reg. No. 70- ^{File Symbol 70-EAD} (-269) Net Contents
 EPA Est. No. 70-KY-1 _____ Ounces

Manufactured By

RIGO COMPANY

Buckner, Kentucky 40010

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION! Keep Out Of Reach Of Children. May Cause Eye Irritation - Avoid Contact With Eyes.

FIRST AID: In case of eye contact, flush with plenty of water for at least 15 minutes. Call a physician. Flush skin with water. Wash clothing before reuse.

Environmental Hazards

Keep out of lakes, streams, and ponds. Do not contaminate water by disposal of waste or cleaning of equipment.

Storage and Disposal

Avoid contamination of seed, feed, and foodstuffs. Keep container closed to prevent spills and contamination. Do not freeze.

When empty container is discarded, wrap container and put in trash collection.

READ THE ENTIRE LABEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. When used as directed, this product controls most weeds, grasses, sedges or brush species, including hard-to-control broadleaf weeds like dandelion and thistle and grasses such as fescues, bermudagrass, and crabgrass.

This product is absorbed by foliage and moves throughout the plant resulting in destruction of both the treated foliage and its supportive root system. Visual effects are a gradual wilting and yellowing which generally develop in five to ten days and advance to a complete browning or deterioration of foliage and underground plant parts.

This product does not harm adjacent desirable plants that are not sprayed. It has no residual soil activity so plants that are seeded or emerged after application will not be affected.

Where To Apply

Ornamentals: Apply this product to control undesirable plants growing around ornamentals, trees or shrubs. Spray contact, other than with mature bark of desirable plants may cause injury.

Trimming and Edging: Apply this product to control undesirable plants growing along the edges or in cracks or crevices of sidewalks, driveways, curbs, patios or similar areas.

Landscaping: Apply this product to control undesirable weeds or grasses growing in areas where plantings or ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

Lawns: Apply this product to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the area. Larger spots will require reseeding to provide complete grass cover and help prevent reinfestation by undesirable plants.

General Weed Control: Apply this product to control undesirable plants growing in fences, around physical ornaments, buildings, tool sheds or other areas where control is desired.

When To Apply

Apply this product when weeds, grasses or undesirable plants are actively growing. Performance may be reduced if weeds are wilted, have insect damage, or have recently been clipped or mowed. Adequate foliage must be present to receive the spray.

If rainfall occurs within six hours after application, the product may be washed off treated foliage requiring a repeat application.

Avoid making application during windy conditions that may result in spray drift to desirable plants.

How To Apply

This product is supplied ready to use without further mixing or dilution. It should be applied using the applicator-container as a foliage spray to weeds and grasses. Do not add water or other materials to the product. **TO REFILL:** Add 1 part of NEAT 'N CLEAN Concentrate Systemic Weed & Grass Killer to this empty container and add 4 parts of clean tap water to make the finished spray solution. Example: 3 ounces of Concentrate plus 12 ounces of water. Use according to directions on this label.

Spray directly on the foliage of weeds or other undesirable plants. The spray should be directed and the nozzle tip adjusted so that only undesirable plants receive spray. The sprayer tip should be held approximately six inches from the foliage. Coverage should be complete and uniform stopping just before the spray begins to drip or run off the foliage.

Avoid spray contact with desirable plants. If desirable plants are accidentally sprayed, injury may be reduced or prevented by thoroughly flushing with water immediately.

Treated plants should not be mowed or disturbed by tillage, digging or slicing for seven days after application to allow time for the product to be absorbed and moved to the root systems.

KILLS ANNUAL WEEDS

Annual Bluegrass	Henbit	Red Dead Nettle
Common Fiddleneck	Lambsquarter	Redroot Pigweed
Common Ragweed	Large Crabgrass	Sandspur
Chickweed	London Rocket	Shepherdspurse
Cudweed*	Mayweed	Sowthistle
Evening Primrose	Oxalis	Smartweed
Florida Pusley	Prickly Lettuce	Smooth Crabgrass
Garden Spurge	Prostrate Knotweed	Velvetweed
Goosegrass	Prostrate Pigweed	Wild Geranium*
Green Foxtail	Purslane	
Hairy Crabgrass	Puncture Vine	*Annual or Biennial

KILLS BIENNIAL AND PERENNIAL WEEDS

Bahiagrass	Common Mullein	Poison Oak
Bermudagrass	Common Plantain	Quackgrass
Bentgrass	Dandelion	Ragweed
Blackseed Plantain	Dogfennel	Spurge
Broadleaf Plantain	Field Bindweed	St. Augustinegrass
Buckhorn Plantain	(Wild Morningglory)	Tall Fescue
Brownseed Paspalum	False Dandelion	Tall Thistle
Bull Thistle	Hypericum	(Field Thistle)
Canada Thistle	Johnsongrass	Torpedograss
Centipedegrass	Kentucky Bluegrass	Virginia Creeper
Clover	Nimblewill	Wild Blackberry
Creeping Beggarweed	Nutgrass	Wild Carrot
Creeping Charlie	(Nutsedge)	Yellow Oxalis
Creeping Lantana	Orchardgrass	Zoysiagrass
Sour Dock	Poison Ivy	

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.