Hs. Joanne Pratt Wilbur-Ellis Company P.O. Box 16458 Tresno, CA 93755

bear Ms. Pratt:

Subject: Rigo Neat 'N Cleans Systemic Weed & Grass Killer Ready-to-Use EPA Reg. No. 70-269 Your application of April 6, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

kobert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

RD:RTaylor:eja:6/5/92:3056800

BEST AVAILABLE COPY

PM 25 7

Revised Label

14.1: ---- 4 1: 25-

RIGO


NEAT 'N CLEANTM

Systemic

Weed & Grass Killer Ready-to-Use

Kills Weeds and Grasses On Contact - Roots and All

Deesn't Affect Tae Soil



.

Active Ingredient:

Keep Out Of Reach Of Children

3

CAUTION

See Back Panel For Additional Precautionary Statements

EPA Reg. No. 70-269

EPA Est. No. 70-KY-1

Net Contents

<u>24</u> Ounces

Manufactured By

·: 1



RIGO COMPANY A Division of Wilbur-Ellis Company Buckner, Kentucky 40010

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION! Keep Out Of Reach Of Children. May Cause Eye Irritation - Avoid Contact With Eyes.

FIRST AID: In case of eye contact, flush with plenty of water for at least 15 minutes. Call a physician. Flush skin with water. Wash clothing before reuse.

Environmental Hazards

Keep out of lakes, streams, and ponds. Do not contaminate water by disposal of waste or cleaning of equipment.

Storage and Disposal

Avoid contamination of seed, feed, and foodstuffs. Keep container closed to prevent spills and contamination. Do not freeze.

When empty container is discarded, wrap container and put in trash collection.

READ THE ENTIRE LABEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. When used as directed, this product controls most weeds, grasses, sedges or brush species, including hard-to-control broadleaf weeds like dandelion andthistle and grasses such as fescues, bermudagrass, and crabgrass.

This product is absorbed by foliage and moves throughout the plant resulting in destruction of both the treated foliage and its supportive root system. Visual effects are a gradual wilting and yellowing which generally develop in five to ten days and advance to a complete browning or deterioration of foliage and underground plant parts.

This product does not harm adjacent desirable plants that are not sprayed. It has no residual soil activity so plants that are seeded or emerged after application will not be affected.

Where To Apply

Ornamentals: Apply this product to control undesirable plants growing ground ornamentals, trees or shrubs. Spray contact, other than with mature bark of desirable plants may cause injury.

Trimming and Edging: Apply this product to control undesirable plants growing along the edges or in cracks or crevices of sidewalks, driveways, curbs, patios or similar areas.

BEST AVAILABLE COPY

7 (

Landscaping: Apply this product to control undesirable weeds or grasses growing in areas where plantings or ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

Lawns: Apply this product to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the area. Larger spots will require reseeding to provide complete grass cover and help prevent reinfestation by undesirable plants.

General Weed Control: Apply this product to control undesirable plants growing in fences, around physical ornaments, buildings, tool sheds or other areas where control is desired.

When To Apply

Apply this product when weeds, grasses or undesirable plants are actively growing. Performance may be reduced if weeds are wilted, have insect damage, or have recently been clipped or mowed. Adequate foliage must be present to receive the spray.

If rainfall occurs within six hours after application, the product may be washed off treated foliage requiring a repeat application.

Avoid making application during windy conditions that may result in spray drift to desirable plants.

1

How To Apply

This product is supplied ready to use without further mixing cr dilution. It should be applied using the applicator-container.as a foliage spray to weeds and grasses. Do not add water or other materials to the product. TO REFILL: Add 1 part of NEAT 'N CLEAN <u>Concentrate</u> Systemic Fred & Grass Killer to this empty container and add 4 parts of clean tap water to make the finished spray solution. Example: 3 ounces of <u>Concentrate</u> plus 12 ounces of water. Use according to directions on this label.

BEST AVAILABLE COPY

Spray directly on the foliage of weeds or othe - undesirable plants. The spray should be directed and the nozzle tip adjusted so that only undesirable plants receive spray. The sprayer tip should be held approximately six inches from the foliage. Coverage should be complete and uniform stopping just before the spray begins to drip or run off the foliage.

Avoid spray contact with desirable plants. If desirable plants are accidentally sprayed, injury may be reduced or prevented by thoroughly flushing with water immediately.

Treated plants should not be mowed or disturbed by tillage, digging or slicing for seven days after application to allow time for the product to be absorbed and moved to the root systems.

KILLS ANNUAL WEEDS

| Annual Bluegrass | Henbit | Red Dead Nettle |
|--|--|--|
| Common Fiddleneck | Lambsquarter | Redroot Pigweed |
| Common Ragweed | Large Crabgrass | Sandspur |
| Chickweed | London Rocket | Shepherdspurse |
| Cudweed* | Mayweed | Sowthistle |
| Evening Primrose | Oxalis | Smartweed |
| Florida Pusley | Prickly Lettuce | Smooth Crabgrass |
| Garden Spurge | Prostrate Knotweed | Velvetweed |
| Goosegrass | Prostrate Pigweed | Wild Geranium* |
| Green Foxtail | Purslane | |
| Hairy Crabgrass | Puncture Vine | *Annual or Biennial |
| Florida Pusley Garden Spurge Goosegrass Green Foxtail | Prickly Lettuce Prostrate Knotweed Prostrate Pigweed Purslane | Smooth Crabgrass Velvetweed Wild Geranium* |

KILLS BIENNIAL AND PERENNIAL WEEDS

| Bahiagrass | Common Mullein | Poison Oak |
|---------------------|---------------------|--------------------|
| Bermudagrass | Common Plantain | Quackgrass |
| Bentgrass | Dandelion | Ragweed |
| Blackseed Plantain | Dogfennel | Spurge |
| Broadleaf Plantain | Field Bindweed | St. Augustinegrass |
| Buckhorn Plantain | (Wild Morningglory) | Tall Fescue |
| Brownseed Paspalum | False Dandelion | Tall Thistle |
| Bull Thistle | Bypericum | (Field Thistle) |
| Canade Thistle | Johnsongrass | Torpedograss |
| Centipedegrass | Kentucky Bluegrass | Virginia Creeper |
| Clover | Nimblewill | Wild Blackberry |
| Creeping Beggarweed | Nutgrass | Wild Carrot |
| Creeping Charlie | (Nutsedge) | Yellow Oxalis |
| Creeping Lantana | Orchardgrass | Zoysiagrass |
| Sour Dock | Poison Ivy | |

NOTICE: Seller makes no warranty, expressed or implied, conversing the use of this product other than indicated on the label. Buyer assumes sha risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST AVAILABLE COPY

5

3/92