

RESTRICTED USE PESTICIDE (14 pt.)

The use of this product may be hazardous to your health. This product contains lindane, which has been determined to cause tumors in laboratory animals. Risks can be reduced by closely following the use directions and precautions, and by wearing the protective clothing specified elsewhere on this label.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

70-273 PM-15 RIGO

12/31/89 15/8 LINDANE

MULTI-PURPOSE SPRAY

For Beef Cattle, Horses, Sheep, and Hogs. Also for use as a residual spray or paint to control Flies, Roaches, Ants and Mosquitoes.

ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene Hexachloride).... 20.0%
Naphtha..... 38.2%

INERT INGREDIENTS:..... 41.8%

TOTAL 100.0%

Keep Out Of Reach Of Children (10 pt.)

CAUTION (14 pt.)

See back panel for additional precautionary statements.

EPA Reg. No. 70-273
EPA Est. No. 70-KY-1

NET CONTENTS

Manufactured by

RIGO COMPANY
BUCKNER, KENTUCKY 40010

Not Reviewed. Registrant claims to be in accordance with... Product Guidance for Phase 2... Page 2.12. A live to Inert Change in Status.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION

Keep out of reach of children. Children should not be allowed to handle or apply this product. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. Harmful vapors may be absorbed through the skin. Wash thoroughly with soap and water after using and before eating or smoking. Avoid contamination of food or feedstuffs. Food utensils such as teaspoon or measuring cup should not be used for food purposes after using with insecticide.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetland. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, spray, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store product in original container only. Avoid contamination of other pesticides or fertilizer.

3 5 5

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

Note precautionary statements and read directions thoroughly before using. Apply this product only as specified on the label. Before using this product on livestock animals, it is recommended that you consult your State Agricultural Extension Service for specific instructions for applying in your locality.

Aerial application of lindane is prohibited.

DILUTION TABLE

Amount of water to use	Amount of this product to Use			
	Dilution 1	Dilution 2	Dilution 3	Dilution 4
1/2 gal.	1/2 Teaspoonful	3/4 Teaspoonful	1 Teaspoonful	2 Tablespoonfuls
1 gal.	1 Teaspoonful	1 1/2 Teaspoonfuls	2 Teaspoonfuls	4 Tablespoonfuls
5 gals.	.5 Teaspoonfuls	2 Tablespoonfuls	3 1/2 Tablespoonfuls	12 Ounces
50 gals.	8 Ounces	12 Ounces	1 Pint	7 Pints

LIVESTOCK USES

PROTECTIVE CLOTHING: For use of this product on livestock, and as a residual spray or paint, applicators must wear water resistant hat, lightweight protective suit or coveralls, unlined waterproof gloves (natural rubber, neoprene, or polyethylene), and unlined lightweight boots. Mixer/loaders must wear goggles or a face shield, waterproof apron, and unlined waterproof gloves.

BEEF CATTLE & HORSES: For ticks, lice and horn fly use Dilution No. 3. Apply to adult animals at the rate of about two gallons of diluted spray per head with only two sprays, a week apart.

SHEEP & SHEEP LAMBS: For ticks spray with Dilution No. 2. For Sheep Scab (Psoroptic & Sarcoptic) spray with Dilution No. 3. Repeat applications at weekly intervals for two or more treatments as needed. High pressure sprayer is particularly desirable for sheep.

HOGS: For mange (Sarcoptic), lice and ticks spray thoroughly with Dilution No. 1. Repeat application at weekly intervals for two or more treatments as needed.

RESIDUAL SPRAY OR PAINT

NOTE: MSHA/OSHA approved respirators are required for applications in enclosed areas such as crawl spaces.

RESIDUAL SPRAY: For use in barns, calf pens and manure piles, in the control of flies, stable flies, roaches, ants and mosquitoes, treat walls, cracks and crevices with Dilution No. 4.

RESIDUAL PAINT: Dilute one part this product with nine parts of water and use as a paint. Paint windows, doors and other places where flies congregate.

RESTRICTIONS

Do not use in poultry houses, dairy barns, milk rooms nor on dairy cattle or poultry. Do not use this product as a dip or in back rubbers. Do not apply with lime in fresh whitewash or with other alkaline materials. Treatment may be advisable to prevent infestation of the herd. In such case the amount per animal should be no more than a quart and proportionately less for small animals. Do not treat animals under three months of age. Do not treat sows within 2 weeks of farrowing nor for at least 3 weeks thereafter. Avoid treating animals in cold stormy weather. Do not exceed Dilution "1" on young animals such as calves. Avoid treating overheated or sick animals. Do not spray animals within 30 days of slaughter.

TOBACCO TRANSPLANTING

PROTECTIVE CLOTHING: Mixers and loaders of transplant water containing lindane must wear the following protective clothing: a lightweight protective suit or coveralls; waterproof apron; water-resistant hat; unlined, waterproof gloves; unlined, lightweight boots; and goggles or a face shield.

For protection of roots of newly set plants against wireworms and cutworms, mix and apply as follows:

MIXING: Mix 1 fluid ounce (2 Tablespoons) of this product in each 50 gallons of transplanting water.

APPLICATION: Apply this mixture at a rate of $\frac{1}{2}$ pint per plant or about 250 gallons of the mixture per acre. From tobacco setter water tank, move transplanting water through hose to setter shoe, and dispense onto roots of plant mechanically as setter fingers release plant and plant roots are covered with soil inside setter shoe.

RESTRICTIONS: Do not dip tobacco roots directly into solution as root damage may occur. Do not apply in soil which will be planted to root crops (except potatoes) within 1 year. Do not use in soil which will be planted to potatoes within 2 years. Do not plant any food or feed crop in rotation after a field treatment with lindane unless it is a registered use for lindane.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

5
9
5

Attachment (70-273)

A. ACTIVE INGREDIENTS:
Lindane (Gamma Isomer of Benzene Hexachloride)..20%
INERT INGREDIENTS*:.80%
TOTAL 100%

*Contains Heavy Aromatic Naphtha

B. Rigo Company
A Division of Wilbur-Ellis Company
Buckner, KY 40010