

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION! Keep Out Of Reach Of Children. May Cause Eye Irritation - Avoid Contact With Eyes.
FIRST AID: In case of eye contact, flush with plenty of water for at least 15 minutes. Call a physician. Flush skin with water. Wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Get out of lakes, streams, and ponds. Do not contaminate water by disposal of waste or cleaning of equipment.

STORAGE AND DISPOSAL

Avoid contamination of seed, feed and foodstuffs. Keep container closed to prevent spills and contamination. Do not freeze.

Do not reuse empty container. Wrap container and put in trash or incinerate.

READ THE ENTIRE LABEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When used as directed, this product controls most weeds, grasses, sedges or brush species, including hard-to-control broadleaf weeds like dandelion and fleas and grasses such as fescues, bermudagrass, and crabgrass.

This product is absorbed by foliage and moves throughout the plant resulting in destruction of both the treated foliage and its supportive root system. Visual effects are a gradual wilting and yellowing which generally develop in five to ten days and advance to a complete browning or deterioration of foliage and underground plant parts. Repeat treatments may be necessary to control perennial species regrowing from disconnected underground parts.

This product does not harm adjacent desirable plants that are not sprayed. It has little or no residual soil activity so plants that are seeded or emerge after application are not affected.

**NET CONTENTS
ONE PINT**

Manufactured by
RIGO COMPANY
BUCKNER, KY 40010



2213 89C


**NEAT 'N CLEAN
CONCENTRATE**



CAUTION
KEEP OUT OF REACH OF CHILDREN
← See additional precautionary statements on side panel

ACTIVE INGREDIENT: Glyphosate, Isopropylamine Salt of N-(Phos-phonoethyl) Glycine 6.0%
INERT INGREDIENTS: 95.0%
TOTAL: 100.0%

EPA Reg. No. 70-284
EPA Est. No. 70-KY-1



Apply to lawn areas up to 250 sq. ft.

Ornamentals: Apply this product to control undesirable plants growing around ornamentals, trees or shrubs. Contact other than with mature bark of desirable plants may cause injury.

Trimming and Edging: Apply this product to control undesirable plants growing along the edges of or in cracks or crevices of sidewalks, driveways, curbs, patios or similar areas.

Landscaping: Apply this product to control undesirable weeds or grasses growing in areas where plantings of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

Lawns: Apply this product to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the area. Larger spots will require reseeding or sodding. Do not use on lawns that have been recently seeded or sodded.

BEST AVAILABLE COPY

NOT RE
In Accord
Based on Draft Lab

**INGREDIENT STATEMENT
COMPLETE PRECAUTIONARY
STATEMENTS.**

READ THE ENTIRE LABEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When used as directed, this product controls most weeds, grasses, sedges or brush species, including hard-to-control broadleaf weeds like dandelion and thistle and grasses such as fescues, bermudagrass, and crabgrass.

This product is absorbed by foliage and moves throughout the plant resulting in destruction of both the treated foliage and its supportive root system. Visual effects are a gradual wilting.

and yellowing which generally develop in five to ten days and advance to a complete browning or deterioration of foliage and underground plant parts. Repeat treatments may be necessary to control perennial species regrowing from disconnected underground parts.

This product does not harm adjacent desirable plants that are not sprayed. It has little or no residual soil activity so plants that are seeded or emerge after application will not be affected.

WHERE TO APPLY

Ornamentals: Apply this product to control undesirable plants growing around ornamentals, trees, or shrubs. Contact other than with mature bark of desirable plants may cause injury.

Trimming and Edging: Apply this product to control undesirable plants growing along the edges or in cracks or crevices of sidewalks, driveways, curbs, patios, or similar areas.

Landscaping: Apply this product to control undesirable weeds or grasses growing in areas where plantings of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds, or similar plantings will be made.

Lawns: Apply this product to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the area. Larger spots will require reseeding to

provide complete grass cover and help prevent reinfestation by undesirable plants.

General Weed Control: Apply this product to control undesirable plants growing in lawns around physical ornaments, buildings, tool sheds, or other similar areas where control is desired.

WHEN TO APPLY

Apply this product when weeds, grasses, or undesirable plants are actively growing. Performance may be reduced if weeds are wilted, have insect damage, or have recently been clipped or mowed. Adequate foliage must be present to receive the liquid.

- If rainfall occurs within six hours after application, the product may be washed off treated foliage requiring a repeat application.

- Avoid making application during windy conditions that may result in spray drift to desirable plants.

HOW TO APPLY

AS A SPRAY

This product requires dilution with water before use as a spray. To apply with a plastic, aluminum, or stainless steel tank type sprayer mix 16 fl. oz. of this product per 1 gallon of water (covers approx. 250 sq. ft.). **NOTE:** We do not recommend a galvanized or unlined steel sprayer. Never store unused spray. Rinse sprayer after use. To apply with a hose-end type sprayer pour this product undiluted directly into sprayer jet. Do not add water to jet.

4 of 5

One pint of this product covers approximately 250 sq ft

Spray directly on the foliage of weeds or other undesirable plants. The spray should be directed and the nozzle tip adjusted so that only undesirable plants receive spray. The sprayer tip should be held approximately six inches from the foliage. Coverage should be complete and uniform stopping just before the spray begins to drip or run off the foliage. Spray that runs off onto the soil is wasted.

Avoid spray contact with desirable plants. If desirable plants are accidentally sprayed injury may be reduced or prevented by thoroughly flushing with water immediately.

Treated plants should not be mowed or disturbed by tillage, digging or stoking for seven days after application to allow time for the product to be absorbed and moved to the root systems.

KILLS ANNUAL WEEDS

- | | |
|-------------------|--------------------|
| Annual Bluegrass | Lamb's-quarter |
| Common Fiddleneck | Large Crabgrass |
| Common Ragweed | London Rocket |
| Chickweed | Mayweed |
| Cudweed | Oxalis |
| Evening Primrose | Frickly Lettuce |
| Florida Pusley | Prostrate Knotweed |
| Garden Spurge | Prostrate Pigweed |
| Goosegrass | Purslane |
| Green Foxtail | Puncture Vine |
| Hairy Crabgrass | Red Dead Nettle |
| Henbit | Redroot Pigweed |

- Sandspur
- Shepherdspurse
- Southwest
- Smartweed
- Annual or biennial

- Smooth Crabgrass
- Velvetweed
- Wild Geranium

KILLS BIENNIAL AND PERENNIAL WEEDS

- | | |
|---------------------|---------------------|
| Bahagrass | Hypocotyl |
| Bermudagrass | Johnsongrass |
| Bentgrass | Kentucky Bluegrass |
| Blackseed Plantain | Nimblewill |
| Broadleaf Plantain | Nutgrass |
| Buckhorn Plantain | (Nutsedge) |
| Brownsweed | Orchardgrass |
| Paspalum | Parson Oak |
| Bull Thistle | Parson Ivy |
| Canada Thistle | Quackgrass |
| Cent-a-degrass | Ragweed |
| Clover | Spurge |
| Creeping Begganweed | St. Augustine grass |
| Creeping Charlie | Tall Fescue |
| Creeping Lantana | Tall Thistle |
| Sour Dock | (Field Thistle) |
| Common Mullen | Torpedograss |
| Common Plantain | Virginia Creeper |
| Dandelion | Wild Blackberry |
| Dogfennel | Wild Carrot |
| Field Bindweed | Yellow Oxalis |
| (Wild Morningglory) | Zoysagrass |
| False Dandelion | |

5065

TO PREPARE REFILL for NEAT 'N CLEAN
Extra Strength Systemic Weed & Grass
Killer: Add 1 part of this product to the empty
container and add 4 parts of clean tap water
to make the finished spray solution. Example
3 ounces of this product plus 12 ounces of
water. Follow label use directions on the
applicator bottle for NEAT 'N CLEAN Extra
Strength Systemic Weed & Grass Killer.

NOTICE: Seller makes no warranty, expressed or
implied, concerning the use of this product other
than indicated on the label. Buyer assumes all risk of
use and/or handling of this material when such use
and/or handling is contrary to label instructions.

2211 895

R I G O

NEAT 'N CLEAN™
CONCENTRATE
SYSTEMIC
WEED & GRASS KILLER

ACCEPTED
MAY 31 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 70-284

Kills Weeds and Grasses On Contact - Roots and All

Doesn't Affect The Soil

ACTIVE INGREDIENT:

Glyphosate, Isopropylamine Salt of
N-(Phosphonomethyl)Glycine..... 5.0%

INERT INGREDIENTS:..... 95.0%
TOTAL 100.0%

Keep Out Of Reach Of Children (10 pt.)

CAUTION (14 pt.)

See Back Panel For Additional Precautionary Statements


EPA Reg. No. 70-
EPA Est. No. 70-KY-1

Net Contents
Ounces

Manufactured By

RIGO COMPANY

BUCKNER, KENTUCKY 40010



PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION! Keep Out Of Reach Of Children. May Cause Eye Irritation - Avoid Contact With Eyes.

FIRST AID: In case of eye contact, flush with plenty of water for at least 15 minutes. Call a physician. Flush skin with water. Wash clothing before reuse.

Environmental Hazards

Keep out of lakes, streams, and ponds. Do not contaminate water by disposal of waste or cleaning of equipment.

Storage and Disposal

Avoid contamination of seed, feed, and foodstuffs. Keep container closed to prevent spills and contamination. Do not freeze.

Do not reuse empty container. Wrap container and put in trash collection.

READ THE ENTIRE LABEL

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. When used as directed, this product controls most weeds, grasses, sedges or brush species, including hard-to-control broadleaf weeds like dandelion and thistle and grasses such as fescues, bermudagrass, and crabgrass.

This product is absorbed by foliage and moves throughout the plant resulting in destruction of both the treated foliage and its supportive root system. Visual effects are a gradual wilting and yellowing which generally develop in five to ten days and advance to a complete browning or deterioration of foliage and underground plant parts. Repeat treatments may be necessary to control perennial species regrowing from disconnected underground parts.

This product does not harm adjacent desirable plants that are not sprayed. It has no residual soil activity so plants that are seeded or emerged after application will not be affected.

Where To Apply

Ornamentals: Apply this product to control undesirable plants growing around ornamentals, trees or shrubs. Contact other than with mature bark of desirable plants may cause injury.

Trimming and Edging: Apply this product to control undesirable plants growing along the edges or in cracks or crevices of sidewalks, driveways, curbs, patios or similar areas.

Landscaping: Apply this product to control undesirable weeds or grasses growing in areas where plantings of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

Lawns: Apply this product to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the area. Larger spots will require reseeding to provide complete grass cover and help prevent reinfestation by undesirable plants.

General Weed Control: Apply this product to control undesirable plants growing in fences, around physical ornaments, buildings, tool sheds or other areas where control is desired.

When To Apply

Apply this product when weeds, grasses or undesirable plants are actively growing. Performance may be reduced if weeds are wilted, have insect damage, or have recently been clipped or mowed. Adequate foliage must be present to receive the liquid.

If rainfall occurs within six hours after application, the product may be washed off treated foliage requiring a repeat application.

Avoid making application during windy conditions that may result in spray drift to desirable plants.

How To Apply

AS A SPRAY

This product requires dilution with water before use as a spray. To apply with a plastic, aluminum, or stainless steel tank type sprayer, mix 16 fl. oz. of this product per 1 gallon of water (covers approx. 250 sq. ft.). NOTE: We do not recommend a galvanized or unlined steel sprayer. Never store unused spray. Rinse sprayer after use. To apply with a hose-end type sprayer, pour this product undiluted directly into sprayer jar. Do not add water to jar. One pint of this product covers approximately 250 sq. ft.

Spray directly on the foliage of weeds or other undesirable plants. The spray should be directed and the nozzle tip adjusted so that only undesirable plants receive spray. The sprayer tip should be held approximately six inches from the foliage. Coverage should be complete and uniform stopping just before the spray begins to drip or run off the foliage. Spray that runs off onto the soil is wasted.

Avoid spray contact with desirable plants. If desirable plants are accidentally sprayed, injury may be reduced or prevented by thoroughly flushing with water immediately.

Treated plants should not be mowed or disturbed by tillage, digging or slicing for seven days after application to allow time for the product to be absorbed and moved to the root systems.

KILLS ANNUAL WEEDS

Annual Bluegrass	Henbit	Red Dead Nettle
Common Fiddleneck	Lambsquarter	Redroot Pigweed
Common Ragweed	Large Crabgrass	Sandspur
Chickweed	London Rocket	Shepherdspurse
Cudweed*	Mayweed	Sowthistle
Evening Primrose	Oxalis	Smartweed
Florida Pusley	Prickly Lettuce	Smooth Crabgrass
Garden Spurge	Prostrate Knotweed	Velvetweed
Goosegrass	Prostrate Pigweed	Wild Geranium*
Green Foxtail	Purslane	
Hairy Crabgrass	Puncture Vine	*Annual or Biennial

KILLS BIENNIAL AND PERENNIAL WEEDS

Bahiagrass	Common Mullein	Poison Oak
Bermudagrass	Common Plantain	Quackgrass
Bentgrass	Dandelion	Ragweed
Blackseed Plantain	Dogfennel	Spurge
Broadleaf Plantain	Field Bindweed	St. Augustine grass
Buckhorn Plantain	(Wild Morningglory)	Tall Fescue
Brownseed Paspalum	False Dandelion	Tall Thistle
Bull Thistle	Hypericum	(Field Thistle)
Canada Thistle	Johnsongrass	Torpedograss
Centipedeagrass	Kentucky Bluegrass	Virginia Creeper
Clover	Nimblewill	Wild Blackberry
Creeping Beggarweed	Nutgrass	Wild Carrot
Creeping Charlie	(Nutsedge)	Yellow Oxalis
Creeping Lantana	Orchardgrass	Zoysiagrass
Sour Dock	Poison Ivy	

