

PM 25

70-284

10/28/97

page 1 of 5

**RIGO NEAT 'N CLEAN™ CONCENTRATE**

**SYSTEMIC WEED & GRASS KILLER**

Kills and Grasses On Contact - Roots and All

Has Little or No residual Soil Activity

**Active Ingredient:**

Glyphosate, Isopropylamine Salt of N-(Phosphonomethyl) Glycine .....	5.0%
Inert Ingredients: .....	95.0%
<b>TOTAL:</b>	<b>100.0%</b>

**KEEP OUT OF REACH OF CHILDREN (10 pt.)**

**CAUTION (14 pt.)**


See Back Panel for Additional Precautionary Statements

EPA Reg. No. 70-284

EPA Est. No. 769-GA-1

NET CONTENTS: 16 ounces

Manufactured By:  
SureCo, Inc.  
Fort Valley, GA 31030



**PRECAUTIONARY STATEMENTS**

**Hazards To Humans and Domestic Animals**

**CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

If In Eyes: Flush with plenty of water. Call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**READ ENTIRE LABEL**

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**Storage:** Avoid contamination of seed, feed, and foodstuffs. Keep container closed to prevent spills and contamination. Do not freeze.

**Pesticide Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

**Container Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

When used as directed, this product control most weeds, grasses, sedges or brush species, including hard-to-control broadleaf weeds like dandelion and thistle and grasses such as fescues, bermudagrass, and crabgrass.

This product is absorbed by foliage and moves throughout the plant resulting in destruction of both the treated foliage and its supportive root system. Visual effects are a gradual wilting and yellowing which generally develop in five to ten days and advance to a complete browning or deterioration of foliage and underground plant parts. Repeat treatments may be necessary to control perennial species regrowing from disconnected underground parts.

This product does not harm adjacent desirable plants that are not sprayed. It has little or no residual soil activity so plants that are seeded or emerge after application will not be affected.

### WHERE TO APPLY

**Ornamentals:** Apply this product to control undesirable plants growing around ornamentals, trees or shrubs. Contact other than with mature bark of desirable plants may cause injury.

**Trimming and Edging:** Apply this product to control undesirable plants growing along the edges or in cracks or crevices of sidewalks, driveways, curbs, patios or similar areas.

**Landscaping:** Apply this product to control undesirable weeds or grasses growing in areas where plantings of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

**Lawns:** Apply this product to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the area. Larger spots will require reseeding to provide complete grass cover and help prevent reinfestation by undesirable plants.

**General Weed Control:** Apply this product to control undesirable plants growing in fences, around physical ornaments, buildings, tool sheds or other similar areas where control is desired.

**WHEN TO APPLY**

Apply this product when weeds, grasses or undesirable plants are actively growing. Performance may be reduced if weeds are wilted, have insect damage, or have recently been clipped or mowed. Adequate foliage must be present to receive the liquid.

If rainfall occurs within six hours after application, the product may be washed off treated foliage requiring a repeat application.

Avoid making application during windy conditions that may result in spray drift to desirable plants.

**HOW TO APPLY**

**AS A SPRAY**

This product requires dilution with water before use as a spray. To apply with a plastic, aluminum, or stainless steel tank type sprayer, mix 16 fl. oz. of this product per 1 gallon of water (covers approx. 250 sq. ft.). NOTE: We do not recommend a galvanized or unlined steel sprayer. Never store unused spray. Rinse sprayer after use. To apply with a hose-end type sprayer, pour this product undiluted directly into sprayer jar. Do not add water to jar. One pint of this product covers approximately 250 sq. ft.

Spray directly on the foliage of weeds or other undesirable plants. The spray should be directed and the nozzle tip adjusted so that only undesirable plants receive spray. The sprayer tip should be held approximately six inches from the foliage. Coverage should be complete and uniform stopping just before the spray begins to drip or run off the foliage. Spray that runs off onto the soil is wasted.

Avoid spray contact with desirable plants. If desirable plants are accidentally sprayed, injury may be reduced or prevented by thoroughly flushing with water immediately.

Treated plants should not be mowed or disturbed by tillage, digging or slicing for seven days after application to allow time for the product to be absorbed and moved to the root systems.

**KILLS ANNUAL WEEDS**

Annual Bluegrass	Henbit	Red Dead Nettle
Common Fiddleneck	Lambsquarter	Redroot Pigweed
Common Ragweed	Large Crabgrass	Sandspur
Chickweed	London Rocket	Shepherdspurse
Cudweed*	Mayweed	Sowthistle
Evening Primrose	Oxalis	Smartweed
Florida Pusley	Prickly Lettuce	Smooth Crabgrass
Garden Spurge	Prostrate Knotweed	Velvetweed
Goosegrass	Prostrate Pigweed	Wild Geranium*
Green Foxtail	Purslane	*Annual or
Hairy Crabgrass	Puncture Vine	Biennial

**KILLS BIENNIAL AND PERENNIAL WEEDS**

Bahiagrass	Common Mullein	Poison Oak
Bermudagrass	Common Plantain	Quackgrass
Bentgrass	Dandelion	Ragweed
Blackseed Plantain	Dogfennel	Spurge
Broadleaf Plantain	Field Bindweed	St. Augustine
Buckhorn Plantain	(Wild Morningglory)	grass
Brownseed Paspalum	False Dandelion	Tall Fescue
Bull Thistle	Hypericum	Tall Thistle
Canada Thistle	Johnsongrass	(Field Thistle)
Centipedeagrass	Kentucky Bluegrass	Torpedograss
Clover	Nimblewill	Virginia Creeper
Creeping beggarweed	Nutgrass	Wild Blackberry
Creeping Charlie	(Nutsedge)	Wild Carrot
Creeping Lantana	Orchardgrass	Yellow Oxalis
Sour Dock	Poison Ivy	Zoysiagrass

**TO PREPARE REFILL FOR NEAT 'N CLEAN Systemic Weed & Grass Killer Ready-to-Use:** Add 1 part of this product to the empty container and add 4 parts of clean tap water to make the finished spray solution. Example: 3 ounces of this product plus 12 ounces of water. Follow label use directions on the applicator bottle for NEAT 'N CLEAN Systemic Weed & Grass Killer Ready-to-Use.

595

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of such use and/or handling of this material when such use and/or handling is contrary to label instructions.