



~~543801A~~ / 165
18

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> x </u> Registration <u> </u> Reregistration</p> <p><small>(under FIFRA, as amended)</small></p>	<p>EPA Reg. Number: 70-292</p>	<p>Date of Issuance: SEP 24 1993</p>
	<p>Term of Issuance: Conditional</p>	
<p>Name of Pesticide Product: Rigo 3-in-1 Vegetable Dust</p>		
<p>Name and Address of Registrant (include ZIP Code):</p> <p>Wilbur-Ellis Company P.O. Box 16458 Fresno, CA 93755</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Revise the label by the following: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 70-292". b. Under Environmental Hazards, delete "...or wetlands (swamps, bogs, marshes, potholes)". This phrase is not required for homeowner products. <p>H7505C:J.Fairfax:70-292:9/22/93</p>		
<p>Signature of Approving Official:</p> 	<p>Date: SEP 24 1993</p>	

c. For grapes, the preharvest interval is included only for California. Add 66 days in the appropriate column or in the footnote.

d. For kale, change the preharvest interval to 10 days.

e. Under potatoes, footnote 6, you may add the states of Delaware, Michigan, Ohio, and Rhode Island to the list of states with a 3 day preharvest interval.

3. Submit five copies of the final printed label for the record.

4. You must submit product specific acute toxicity data and product chemistry data within eight (8) months of the issuance of this registration.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Clarence O. Lewis, III
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

RIGO

3-in-1

Vegetable Dust

Controls Insects and Diseases
In Home Vegetable Gardens

ACCEPTED
with COMMENTS
in EPA Label File:

SEP 24 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

70-292

ACTIVE INGREDIENTS:

Methoxychlor [1,1,1-trichloro-2,2-bis (p-methoxyphenyl) ethane].....	4.40%
Other isomers and related compounds.....	0.60%
Maneb (Manganese ethylenebisdithiocarbamate)..	6.00%
(equivalent to manganese metallic 1.2%)	
Rotenone.....	1.00%
Other Associated Resins.....	2.00%
INERT INGREDIENTS:.....	86.00%
TOTAL.....	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

EPA Reg. No. 70-253
EPA Est. No. 70-KY-1

NET WEIGHT
12 OUNCES

RIGO COMPANY
A Division of Wilbur-Ellis Company
BUCKNER, KENTUCKY 40010

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Do not breathe dust. Do not take internally. Avoid skin contact. Avoid getting in eyes. Wash hands after use. Wash all contaminated clothing with soap and water before reuse. Avoid contamination of foodstuffs, feed, troughs, and water receptacles.

STATEMENT OF PRACTICAL TREATMENT: If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. If Inhaled: Remove victim to fresh air and apply respiration if indicated. If On Skin: Wash thoroughly with soap and water. If In Eyes: Flush with plenty of water and call a physician immediately.

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARDS

This sticide is extremely toxic to fish and aquatic invert :ates. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Avoid drift by applying only in favorable weather conditions. Apply this product only as specified on the label.

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry, locked location away from children. **Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rigo 3-in-1 Vegetable Dust is specially formulated for the control of many insects and diseases on vegetables as shown.

PROTECTIVE MEASURES: Always apply with your back to the wind. Home gardeners applying this product must wear a long-sleeved shirt, long pants, and chemical-resistant gloves. Wash gloves thoroughly with soap and water before removing. Change your clothes immediately after using this product and launder separately from other laundry items before reuse. Shower immediately after use.

To apply dust, open top of container and squeeze sides.

For best results, dust in early morning or late evening when the temperature is low and the air is still. Apply dust so all exposed parts of plants are contacted, especially upper and lower leaf surfaces. Apply when disease or insect damage appears and repeat at the day intervals indicated in the table below.

BEST AVAILABLE COPY

USE RESTRICTIONS:

<u>CROP</u>	<u>APPLICATION INTERVAL (DAYS)</u>	<u>MAXIMUM NO. OF APPLICATIONS PER SEASON</u>	<u>MINIMUM PREHARVEST INTERVAL</u>
Beans (dry)	5-7	6	30
Broccoli, Brussels Sprouts, Cabbage ¹ , Cauliflower	7-10	6	7
Cantaloupes	7-10	8	5
Corn (sweet & pop)	3-10	2	7
Cucumbers, Squash (summer & winter), Pumpkins, Watermelon	7-10	8	5
Eggplant	7-10	7	5
Grapes	7-10	3	4
Kale	7-10	2 per cutting	5
Kohlrabi	7-10	6	7
Lettuce (head & leaf)	7-10	6 (4 in CA)	10 (14 in CA)
Peppers	7-10	6	7
Potatoes ⁵	5-10	7	14 ⁶
Tomatoes	7-10	7	5

- ¹ Tight-headed varieties only
- ² 15 applications in states east of the Mississippi River, and Arkansas and Louisiana; 5 applications in rest of states west of the Mississippi River.
- ³ 6 applications east of the Rocky Mountains
3 applications west of the Rocky Mountains
- ⁴ In California, no treatment may occur after bloom.
- ⁵ It is recommended that this product be used within an Integrated Pest Management Program. Also, vine-kill should occur 14 days before harvest.
- ⁶ 3 days in Connecticut, Florida, Maine, Massachusetts, New Hampshire, New York, Pennsylvania, Vermont and Wisconsin.
- ⁷ 4 applications west of the Mississippi River.
7 applications east of the Mississippi River.

Before using on fruits, contact your Cooperative Extension Service for schedule.

PLANT INSECTS: Aphids, Bean leaf beetle, Blister beetle, Cabbage Looper, Colorado potato beetle, Corn earworm, Cross-striped cabbageworm, Cucumber beetle, Eggplant lace bug, Fall armyworm, Flea beetle, Imported cabbageworm, Japanese beetle, Leafhopper, Melonworm, Mexican bean beetle, Rose chafer, Squash vine borer, Thrips, Tomato fruitworm, Tomato hornworm, Webworms.

PLANT DISEASES: Alternaria leaf spot and downy mildew on Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Kohlrabi; Downy mildew on Cantaloupes; Anthracnose and Downy

REGISTERED TRADE NAME COPT

mildew on Cucumbers and Squash; Anthracnose and fruit rot on Eggplants and Peppers; Downy mildew on Lettuce; Early and late blight on Potatoes; Angular leaf spot and downy mildew on Pumpkins; Helminthosporium on Corn; Anthracnose, early and late blight, gray leaf spot (*Stemphylium*) and Septoria leaf spot on Tomatoes; Anthracnose, Cercospora leaf spot, downy mildew and gummy stem blight on Watermelon; Black rot (bunch rot) on Grapes.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

R-392