

KWIK-TOX INSECT DUSm (4% Malathion)

Reg no: 72 - 156

ACCEPTED

JAN 23 1989

*O,O-diethyl phosphorodithioate of diethyl mercaptosuccinate

EPA Reg. No. 72-156

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not

induce vomiting. Gastric lavage is indicated if taken internally.

Do not give anything by mouth to an unconscious or convulsing

person.

IF INHALED:

Remove victim to fresh air.

IF ON SKIN:

Remove contaminated clothing. Wash affected area with soap and

water. Launder clothing before reusing.


IF IN EYES:

Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be an effective adjunct to atropine.

MILLER CHEMICAL & FERTILIZER CORPORATION
P.O. Box 353
Hanover, Pennsylvania 17331

NET WEIGHT: 50 POUNDS



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION—May be harmful if swallowed or absorbed through the skin. May cause irritation of eyes, nose, skin and throat. Avoid contact with eyes and skin. Avoid breathing vapors or spray mist. Wear gloves and long-sleeved work clothing. Change to clean clothing daily. Wash thoroughly after handling. Wash hands and face before eating or smoking. Keep pets and children out of treated areas. Avoid contamination of feed and foodstuffs. Food utensils such as a teaspoon or measuring cup should not be used for food after use with a pesticide. DO NOT Allow Entry into Treated Areas Until Dust has settled unless full protective clothing is worn.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, boys, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

/ This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

/ Do not store near heat.

DIRECTIONS FOR USE

, It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RE-ENTRY AND ADDITIONAL APPLICATION RESTRICTIONS FOR AGRICULTURAL CROPS REQUIRING FARMWORKER HAND LABOR TASKS

Do not apply this product in such a manner as to directly, or through drift, expose workers or other persons. The area treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing, until dust has settled. Protective clothing means at least a hat or other suitable head covering, a long-sleeved shirt and long-legged trousers or a coverall type garment (all closely woven fabric covering the body), shoes and socks.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated area or in an area about to be treated with this product. Instruct workers of the area or fields that must be vacated and not re-entered until the dust has settled.

Acquaint workers with the information appearing on this label under "Hazands to Humans and Domestic Animals" and "Statement of Practical Treatment". Wren eral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following

information: 1) The name of this product; 2) Date of application; 3) The statement: "Do not enter without appropriate protective clothing until sprays have dried."; 4) The information given under "Hazards to Humans and Domestic Animals" and "Statement of Practical Treatment" that is appropriate in case of accidental exposure.

DIRECTIONS

Application of MALATHION DUST should follow the recommendations of State Agricultural Experiment Stations. Rate of Application: Apply 4% MALATHION DUST at the rate of 20-35 lbs. per acre, depending upon the size of plants and degree of infestation. Repeat application as needed. Cover plants thoroughly. Apply when foliage is dry or plant injury may occur.

SNAPBEANS AND LIMA BEANS: Apply as directed above for use against Mexican Bean Beetle, Red Spider Mite, Leafhopper, and Aphid. Apply when insects first appear and repeat as needed. Do not apply within 24 hours of harvest.

TOMATOES AND POTATOES: Apply as directed above for use against Aphid and Rep Spider. Begin applications when plants are small (before insects appear) and repeat at 10-14 day intervals through the growing season. Do not apply within 1 day of harvest on tomatoes. No time limit for potatoes.

PEAS: Apply as directed for use against Pea Aphid when insects first appear. Repeat as needed. Do not apply within 3 days of harvest.

CUCUMBERS, SQUASH AND MELONS: For use against Aphids and Spider Mites, apply as directed when insects first appear and repeat as needed. Do not apply within 1 day of harvest.

Do not apply within the specified time limit of harvest. Wash edible portions of fruit after harvest to remove any remaining residues.

Use of this material at a time or in a manner other than in accordance with directions may produce plant injury. Federal Food and Drug Administration has set official tolerances for pesticide residues. Crops having excess of these tolerances should not be marketed without removal of such excess.

LIMITED WARRANTY: The use of this material being beyond our control and involving elements of rick to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions on this label.

