Aver anser hist dist. De not conter hete and the second and the second and the strength of the party party and the state of the second state of the second : •

The present the mathematical approximation of a time other than in Alcordance with directions mey moduce plant an any. The une of this material being regime cut control and intulying where entry of the thick manufacture rescanded shand veretellar, de du not make anv darrante express or inclusion as to the effects of such a wave the product is not used in accordin making the area to plas stated on this linel.

MILER

For Use Against ANTS, SPIDERS, CHIGGERS, BROWN DOG TICKS, SILVERFISH, WATERBUGS, ROACHES, CARPET BEETLES, CRICKETS, and certain other Garden and Household Insects.

ACTIVE INGREDIENT: Technical Chlordane* INERT INGREDIENTS: *Equivalent to 3.6% Octachloro-4, 7-Metha 2.4% related compounds

Manufactured By MILLER CHEMICAL & FERTILIZER CORPORATION Hanover, Pennsylvania 17331, U.S.A. . Subsidiary of Alco Standard Corporation

BATCH NO.

NET WEF HT ONE POUND

-

. N

	6.0%
anotetrahyd:oinda	

BROWN DUG LICKS IN HUME

· · · • the state of the second s · 111 · 114 Telpaced and shime lost term 4 council test ment be NOT meat pets on effect animals.

F

-__₽

AN

• < SC

M

·2

()

W

sp

GF

10

de

CF

pe

ŗŗ

.1"

M:

es

sp

N(

tre

•11

(0)

111

: e

ROACHES. SILVERFISH, WATERBUGS, BLACK WIDOW SPIDERS: For spot treatment apply Dust to infested cracks and other hiding or resting places and on exposed surfaces where insects will crawl when they come cut of miding. For silverfish control. Laseburg areas, Lehind shelving, bookcases, and storage areas should receive particular attention. Avoid applications to areas where contamination of foodstuffs in it. result. Repeat as offer as necessary to mainten effective control.

CARPET BEETLES: Apply Dast to infested see information and areas of floors and them the prove of anti- complex and complex sectors , **,**

Avoid inhalation of dust. Do not contaminate feed or foodstuffs. Keep out of reach of children. Toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner or to any area not specified on this label.

The use of this material in a manner or at a time other than in accordance with directions may produce plant injury. The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label. or Um Apploit ANTS. MUDEUS, C DOG MENS. SELECTION, WATER CARPET DESTILES, CONCRETS, and o

ANTE MULLES, CHARGERS, MOUNT IN SECONTINE, WATERBURG, ROAGHES, HELLES, CHICKETS, and certain other Garden and Housebold Insects.

ACTIVE MURRERCENT:	
Technical Chierdane*	6.8%
INERT INGREDIENTS:	94.0%
*Equivalent to 3.6% Octachloro-4, 7-Methanototrahydroind: 2.4% related compounds	ane and

MILLER



BATCH NO.

ACCERED N. ... 18 1168 150 1)

98M2.5NLS US

USDA Reg. No. 72-250

NET WEICHT ONE POUND

ANTS: Apply to ant trails and areas around door and window frames where ants may enter the house. It is frequently desirable to treat the openings around water pipes, heat ducts, electric outlets, and baseboards where anis come out into rooms from wall spaces. For control of ants in lawns, apply directly to ant hills. Repeat applications as often as needed. Wľ

ca ef

CR

cl

pia

to

CH

AN 1,0

wa SO MI 32 Co Wi

spi Gr

to

de

CR

pe

gra

are

Ma

est

spi NO

tre

the

C01

me

be

Ι


BROWN DOG TICKS IN HOMES: Apply Dust around baseboards, windows, door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings where insects are present. The number of applications required will depend upon the source and degree of infestation. Fresh bedding should be placed in animal quarters following treatment. Do NOT treat pets or other animals.

ROACHES, SILVERFISH, WATERBUGS, BLACK WIDOW SPIDERS: For spot treatment, apply Dust to infested cracks and other hiding or resting places and on exposed surfaces where insects will crawl when they come out of hiding. For silverfish control, baseboard areas, behind shelving, bookcases, and storage areas should receive particular attention. Avoid applications to areas where contamination of foodstuffs may result. Repeat as often as necessary to maintain effective control.

CARPET BEETLES: Apply Dust to infested area of carpets, localized areas of floors and baseboards, and into cracks and under carpets F.N. 2371

R CORPORATION

NET WEICHT ONE POUND



BATCH NO.

CHIED

31768

11 250

ANTS: Apply to ant trails and areas around door and window frames where ants may enter the house. It is frequently desirable to treat the openings around water pipes, heat ducts, electric outlets, and baseboards where ants come out into rooms from wall spaces. For control of ants in lawns, apply directly to ant hills. Repeat applications as often as needed.

BROWN DOG TICKS IN HOMES: Apply Dust around baseboards, windows, door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings where insects are present. The number of applications required will depend upon the source and degree of infestation. Fresh bedding should be placed in animal quarters following treatment. Do NOT treat pets or other animals. ROACHES, SILVERFISH, WATERBUGS, BLACK **WIDOW SPIDERS:** For spot treatment, apply Dust to infested cracks and other hiding or resting places and on exposed surfaces where insects will crawl when they come out of hiding. For silverfish control, baseboard areas, behind shelving, bookcases, and storage areas should receive particular attention. Avoid applications to areas where contamination of foodstuffs may result. Repeat as often as necessary to maintain effective control.

CARPET BEETLES: Apply Dust to infested area of carpets, localized areas of floors and baseboards, and into cracks and under carpets F.N. 2371

where these pests may be found. Repeat application as often as necessary to maintain effective control.

CRICKETS: Apply Dust to baseboards, floors of closets and storage places and other hiding places. Repeat application as often as necessary to maintain effective control.

CHIGGERS AND BROWN DOG TICKS IN LAWNS AND OUTSIDE AREAS: Apply 1 lb. of Dust to 1,000 sq. ft. Complete coverage bordering pathways and walkways is necessary.

SOIL INSECT PESTS ON LAWNS AND IN ORNA-MENTAL PLANT BEDS: Apply 1 lb. of Dust to 325 sq. ft. of lawn or plant bed area for the control of Ants, Japanese Beetle Grubs and White Grubs. Wash Dust into ground with sprinkler.

GROUND MOLES: Controlling soil insects helps to eliminate ground moles from an area due to destroying their food supply.

CRABGRASS PREVENTION: Apply 21/2 lbs. of Dust per 100 sq. ft. of lawn area to suppress crabgrass seedlings before germination. In many areas application should be made April 15 to May 1. This treatment will not burn or injure established lawn. Wash Dust into ground with sprinkler.

NOTE: Children and pets should be kept off treated areas until this material has been thoroughly washed into the soil and grass has completely dried. Do not contaminate ornamental fish ponds. Birds feeding on lawn may be killed.