MILLER THIODAN® 3% DUST

ACTIVE INGREDIENT: Hexachlorohexahydromethano-2,4,3benzodioxathiepin oxide (Endosulfan)

INERT INGREDIENTS:

97%

DIRECTIONS

THIODAN 3% DUST is effective against a wide variety of insects and is approved for use on crops as listed. Make the first application when insects are first noted and repeat at 7 to 10 day intervals as necessary. Apply with suitable duster to insure thorough coverage, particularly to the undersides of the leaves.

ARTICHOKE: For Control of Artichoke Aphid and Green Peach Aphid: Use 30 to 35 lbs. per acre when aphids first appear and repeat as required. Dust plants thoroughly. Do not apply after buds start to form.

BEANS (Succulent Type): For Control of Mexican Bean Beetle: Use 15 to 20 lbs. per acre. Do not apply more than 3 times per season. Do not apply within 3 days of harvest. Do not feed treated threshings to livestock or allow to graze in treated fields.

BROCCOLI, CABBAGE AND CAULIFLOWER: For Control of Cabbage Looper, Imported Cabbage worm and Diamond-back Moth larvae: Use 15 to 20 lbs. per acre. Do not apply within 14 days of harvest on Cauliflower or within 7 days of harvest on Broccoli and Cabbage.

CUCUMBERS, MELONS, SUMMER AND WINTER SQUASH: For Control of Aphids: Use 25 to 30 lbs, per acre.

PEPPERS AND TOMATOES: For Control of Green Peach Aphid: Use 15 to 20 lbs. per acre. Do not apply within 1 day of harvest.

POTATOES: For Control of Colorado Potato Beetle, Potato Flea Beetle, Potato Leafhopper and Aphids: Use 30 to 35 lbs. per acre.

ORNAMENTALS: For Control of Aphids (except Cabbage Aphids and Wooley Apple Aphids): Dust lightly, but uniformly using 34 lb. to 1,000 sa. ft. On chrysanthemums best results will be obtained if applied before plants flower.

TOBACCO: For Control of Flea Beetle, Hornworm, Budworm, and Green Peach Aphid: Use 20 to 35 lbs. per acre. Do not apply within 5 days of

COTTON: For Control of Boll Weevil, Cotton Stink Bugs, Lygus Bugs, Bollworms and Cabbage Looper: For Boll Weevil, use 20 to 45 lbs. per acre. and for other insects use 35 lbs, per acre. Begin applications when an infestation reaches the point where control is required. Apply at 3 to 5 day intervals, depending upon the severity of the infestation and local conditions. Do not apply after bolls begin to open. Do not feed treated plants to meat or dairy animals.

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid inhalation of dust. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing. Workers entering treated areas the day of application should wear protective clothing. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Avoid contamination of feed and foodstuffs.

This product is toxic to fish and wildlife. Keep out of lakes, streams or punds.

The use of this material in a manner or at a time other than in accordance with directions may produce plant injury. Federal Food and Drug Adminisration has set official tolerances for pesticide residues. Crops having residues in excess of these tolerances should not be marketed without removal of such excess.

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the direction, as stated on this label.

CAUTION: KEEP OUT OF REACH OF CHILDREN **NET WEIGHT 50 POUNDS**

Manufactured By

Handver, Pennsylvania 17331 / Subsidiary of Alco Standard Corporation

ACCEPTE MILLER CHEMICAL & FERTILIZER CORPORATION

NOTE: Tobacco Seed Beds: Use 2 lbs. per 100 sq. vards.

FPA Rea No 12 -05

"Thiodan is a registered tradeing k of Canadian Hoechst Limited

US PATENT No. 27994685 PEDFRA FUNGICIE AND POLUNIBLE ACT FOR FOUNDMENT PURCH PURCHER ED UNLIN FOR STRIECT TO ATTA THE COMMENTS

F. N. 2441A

BATCH NO.

EPA Est No 72 MC ? 44M FN!