

Net Weight 50 Pounds

MILLER WEED FREE

FOR PRE-EMERGENCE CRABGRASS CONTROL IN TURF
APPLICATION FOR UP TO 3 MONTHS CONTINUED
REPAIR WEEDS IN ORNAMENTAL PLANTINGS
AND LISTED CROPS

ACCEPTED
MAY 13 1975
United States Department of Agriculture
Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 106-107-0100

GENERAL INFORMATION

Miller Weed Free is a pre-emergence herbicide for crabgrass control in turf, ornamental plantings, and listed crops. It is applied to the soil and remains active for up to 3 months. It prevents crabgrass from germinating and growing. It is safe for use on lawns, golf courses, and other areas where crabgrass is a problem. It is also safe for use on ornamental plants and listed crops.

DIRECTIONS

Apply Miller Weed Free to the soil in the areas to be treated. Use the recommended rate of application. Water the treated area thoroughly after application. Do not apply to wet soil. Do not apply to areas where crabgrass is already established. Do not apply to areas where other weeds are present.

CAUTION: KEEP OUT OF REACH OF CHILDREN

REGISTERED TRADEMARK

DIRECTIONS

Ornamental Turf, Lawns, Nurseries and Ornamental Plantings:

Apply evenly and broadcast at the rate of 200 lbs. per acre or 4 lbs. per 1,000 sq. ft. of area to be treated. For standard broadcast application, use a broadcast spreader. For spot application, use a hand spreader. For application to lawns, nurseries and ornamental plantings, use a broadcast spreader. For application to ornamental plantings, use a hand spreader. For application to lawns, nurseries and ornamental plantings, use a broadcast spreader. For application to ornamental plantings, use a hand spreader.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Apply evenly and broadcast at the rate of 200 lbs. per acre or 4 lbs. per 1,000 sq. ft. of area to be treated. For standard broadcast application, use a broadcast spreader. For spot application, use a hand spreader. For application to lawns, nurseries and ornamental plantings, use a broadcast spreader. For application to ornamental plantings, use a hand spreader.

SPREADER SETTINGS: The spreader should be set to apply 4 lbs. per 1,000 sq. ft. of area to be treated.

SUGGESTED SPREADER SETTINGS

SPREADER	SETTING
Hand	4 lbs. per 1,000 sq. ft.
Broadcast	4 lbs. per 1,000 sq. ft.
Spot	4 lbs. per 1,000 sq. ft.
Hand	4 lbs. per 1,000 sq. ft.
Broadcast	4 lbs. per 1,000 sq. ft.
Spot	4 lbs. per 1,000 sq. ft.

CAUTION

Manufactured By
MILLER CHEMICAL & FERTILIZER CORPORATION

2000 B. B. Road, P.O. Box 100, St. Louis, Mo. 63103