

SEVIN® #2 AQUA



ONLY FOR SALE TO, STORAGE AND USE BY SERVICE PERSONS  
OR FOR AGRICULTURAL USES.  
(Statement For Over 1 Gallon)

Contains 2 Lbs. Sevin Insecticide Per Gallon

SHAKE OR STIR WELL BEFORE USING

Protect From Temperatures Below 32° F.

READ ENTIRE LABEL.

Close Container Immediately After Use To Prevent  
Evaporation or Drying Of This Material.

**ACCEPTED**  
**JAN 31 1985**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 72-500

ACTIVE INGREDIENT:	BY WEIGHT
Carbaryl (1-Naphthyl Methylcarbamate).....	21.50%
INERT INGREDIENTS:.....	78.50%
TOTAL.....	100.00%

® Trademark of Union Carbide Corp. for active ingredient  
(1-Naphthyl Methylcarbamate)

EPA Reg. No. 72-500

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta  
que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by  
touching back of the throat with finger. Call a physician  
or poison control center immediately. Do not induce  
vomiting or give anything by mouth to an unconscious or  
convulsing person.

IF INHALED: Remove victim to fresh air. If not breathing, give  
artificial respiration, preferably mouth-to-mouth.

IF IN EYES: Immediately flush eyes with plenty of water. Call a physician.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap  
and water. Launder clothes before reusing.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase  
inhibitor. Atropine administered intravenously is  
antidotal. Do not use 2-PAM, opiates, or cholinesterase  
inhibiting drugs.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MILLER CHEMICAL & FERTILIZER CORPORATION  
Hanover, Pennsylvania 17331

NET CONTENTS:	8 OUNCES LIQUID	1 GALLON LIQUID
	1 PINT LIQUID	5 GALLONS LIQUID
	1 QUART LIQUID	50 GALLONS LIQUID

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION--May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Change to clean clothing daily. Wash hands and face before eating or smoking. Do not contaminate food or feed. Avoid storage near food or feed products. Avoid contamination of feed, feeding troughs and watering receptacles.

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## STORAGE & DISPOSAL (for sizes 1 Gallon and under)

Do not contaminate water, food or feed by storage or disposal. Store in tightly closed, original container in a locked area away from children and domestic animals. Do not reuse empty container. Securely wrap closed container in several layers of newspaper and discard in trash.


## STORAGE & DISPOSAL (for sizes over 1 Gallon)

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may be also disposed of by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

## DIRECTIONS

ORNAMENTAL PLANTS, FLOWERS, SHRUBS AND SHADE TREES: Rose, Chrysanthemum, Arbor Vitae, Juniper, Azalea, Elm, Oak, Maple, Dogwood, and Pines. (DO NOT USE ON BOSTON IVY).

TO CONTROL: Aphid, Bagworm, Flea Beetles, Japanese Beetle, Lace Bugs, Leafhoppers, Mealy Thrips (exposed): Apply 4 pts. per 100 gals. water (4 level teaspoonsful per gal.) when insects or their damage appear. To maintain control for 3 to 4 weeks: Add 1 pt. of Nu-Film-17 per 100 gals. of water (1 teaspoonful per 1 gal.)



RE-ENTRY AND ADDITIONAL APPLICATION RESTRICTIONS FOR AGRICULTURAL CROPS REQUIRING FARMWORKER HAND LABOR TASKS

Do not apply this product in such a manner as to directly, or through drift, expose workers or other persons. The area treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing, until sprays have dried. Protective clothing means at least a hat or other suitable head covering, a long-sleeved shirt and long-legged trousers or a coverall type garment (all closely woven fabric covering the body), shoes and socks.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated area or in an area about to be treated with this product. Instruct workers of the area or fields that must be vacated and not re-entered until the sprays have dried. Acquaint workers with the information appearing on this label under "Hazards to Humans and Domestic Animals" and "Statement of Practical Treatment". When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: 1) The name of this product; 2) Date of application; 3) The statement: "Do not enter without appropriate protective clothing until sprays have dried."; 4) The information given under "Hazards to Humans and Domestic Animals" and "Statement of Practical Treatment" that is appropriate in case of accidental exposure.

DIRECTIONS FOR USE ON AGRICULTURAL CROPS REQUIRING FARMWORKER HAND LABOR TASKS

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

VEGETABLES: Beans, Corn, Pepper, Tomato and Potatoes: To control Potato Beetle, Mexican Bean Beetle, Flea Beetles, Japanese Beetle, Armyworms, Tomato Hornworm, and Tomato Fruit Worm: Mix 4 to 6 standard teaspoonsful in each gallon of water. Use 1 gallon of dilute spray to 430 sq. ft. Apply when insects or damage appears and repeat in 7 to 10 days, as necessary. POTATOES: Foliage application only.

LIMITED WARRANTY: The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

