



• : • • •

Toxicus Broadleaf Weeds - To control certain deep-rooted perennial weeds such as field bindweed, leafy spurge, Canada thistle, Russian knapweed, bur ragweed, yellowweed, and climbing milkweed, apply 5 to 10 gals. "Fen-All" (10 to 20 lbs. acid equivalent) per acre. For small areas, use 1 to 2 pts. per 1,000 sq. ft. For round weed patches, mix "Fen-All" at rate of $\frac{1}{2}$ to 1 gal. per 15 gals. of water and apply spray mixture at following rate:

DISTANCE ACROSS AREA TO BE TREATED (weed patch plus 10 ft. each side)	AMOUNT OF SPRAY MIXTURE
25 Feet	2 Gallons
50 Feet	7 Gallons
75 Feet	15 Gallons
100 Feet	25 Gallons

Mixed Broadleaf Weeds - To control a wide range of perennial and annual broad-leaf weeds for one year or longer, apply 10 to 15 gals. "Fen-All" (20 to 30 lbs. acid equivalent) per acre. Weeds controlled include the above toxicus perennials and others such as dandelion, plantain, dock, dock mallow, ragweed, and wild lettuce. For small areas, use 2 to 3 pts. per 1,000 sq. ft.

Woody Vines - To control certain woody vines such as trumpet vine, crossvinkle, kudzu, and smilax, apply 5 to 10 gals. "Fen-All" (10 to 20 lbs. acid equivalent) per acre.

Woody Brush - To control certain species such as conifers (spruce, balsam fir, cedar, and pine), wild roses (including Macartney or Cherokee rose), sumac, persimmon, sassafras, black locust, and hawberry - use 2 gals. "Fen-All" (4 lbs. acid equivalent) per 100 gals. of water. Thoroughly spray foliage and stems, as well as the ground under the plants.

CAUTION.

Avoid contact with skin, eyes or clothing in case of contact, plus with plenty of water; for eyes, get medical attention.

Harmful if swallowed.

Keep out of reach of children.

Fen-All is toxic to fish.

Keep out of any body of water.

Apply Fen-All only as specified on this label.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by peeling holes in them and burying with wastes.

DO NOT BURN CONTAINERS.

Spray drift, and possibly vapors from treated areas, may injure susceptible crops such as beans of all types, melons, peas, cotton, tobacco, sorghums, ornamental plants, orchard and nursery trees. DO NOT APPLY to areas where nearby fields are to be used for highly susceptible crops.

DO NOT APPLY, or drain off, or spray, or pour, or pour down drains, or on other plants, or in areas where the plants are exposed, or on ornamentals, or the chemical can be washed off, or contact with the plants, or on lawns, walks, driveways, or on other plants, or similar areas, or on other plants actually treated for crop protection.

DO NOT use this spray for other purposes.

Do not contaminate water used for drinking or other purposes.

Do not store near food, feed, or other products, or insecticides, or other chemicals.

NOTICE

Advanced Chemicals, Inc. makes no warranty beyond the descriptions for use under normal conditions of use, nor any warranty of merchantability, and disclaims any liability for consequential or incidental damages arising out of the sale or use of this material. Buyer's sole remedy shall be refund or replacement.