

Containers in Nurseries

Subdue provides control of *Phytophthora* root rot of conifers.

Seedbeds and Plug-Plantings Apply 2 1/2 pts. of Subdue 2E as a broadcast spray over the beds in at least 50 gals. of water per acre at the time of seeding or transplanting. Additional applications should be made at approximately six month intervals.

2-0 Transplants* Apply 5 pts. of Subdue 2E as a broadcast spray over the beds in at least 50 gals. of water per acre at the time of transplanting. Additional applications should be made at approximately six month intervals.

*Newly transplanted two-year old seedlings

Turf

Subdue controls *Pythium* blight and *Pythium* damping off in turf. Apply as a spray to established turf to control *Pythium* blight, or apply as a spray at time of seeding to control *Pythium* damping-off. Within the rate range given for turf, use the lower rate for the shortest interval listed and the higher rate for the longest interval. Under severe disease conditions, use the highest rate and shortest interval specified.

Established Turf: *Pythium* Blight Apply as a preventative treatment at 1-2 fl. ozs. in 3-5 gals. of water per 1,000 sq. ft. Re-treat at 10-21 day intervals during periods favorable for disease development.

Newly Seeded Areas: *Pythium* Damping-Off and *Pythium* Blight Apply 1-2 fl. ozs. in 5-10 gals. of water per 1,000 sq. ft. immediately after seeding. Irrigate with 1/2 inch water. Re-treat at 7-14 day intervals if conditions remain favorable for disease.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse container. Pesticide spray mixture, or residue that cannot be used according to label instructions must be disposed of according to federal, state, or local procedures under the Resource Conservation and Recovery Act. Triple rinse for equivalent and offer for recycling or reconditioning or dispose of in a sanitary landfill, or by incineration if permitted by state and local authorities. Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

Store at temperatures above 32 F.

Precautionary Statement

Hazards to Humans and Domestic Animals

DANGER

Corrosive, causes eye damage and skin irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapors or spray mist. Remove and wash contaminated clothing before reuse. Do not store near food or feed.

First Aid: In case of eye contact, flush with plenty of water for 15 minutes and get medical attention. In case of skin contact, wash thoroughly with soap and water. If swallowed, give water or milk if conscious and get medical attention, do not induce vomiting. If inhaled, move to fresh air, if not breathing, give artificial respiration and get medical attention.

Environmental Hazards

Do not apply directly to lakes, streams or ponds. Apply only as specified on this label. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

Subdue* trademark of CIBA-GEIGY for metolaxyl U.S. Patent No. 4,151,299

Diazinon* trademark of CIBA-GEIGY

D-2-n* trademark of CIBA-GEIGY

Act-Dione TGF* trademark of Upjohn Company

Baconil 2787* trademark of Diamond Shamrock Corp. for chlorothalonil

Dyrene* trademark of Mobay Chemical Corporation for anilazine

Fore* trademark of Rohm and Haas Co. for mancozeb

Tersan 1991* trademark of E. I. duPont de Nemours & Co. Inc. for tenosyl

Tersan LER* trademark of E. I. duPont de Nemours & Co. Inc. for maneb

© 1981 CIBA-GEIGY Corporation

Agricultural Division

CIBA-GEIGY Corporation

Greensboro, North Carolina 27403

CGA 443-051