

1985 1-18-89

ACCEPTED
MAR - 3 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 100-445

Y2

D·z·n®

diazinon 2D

Insecticide Dust

For control of household pests

Recommended for Commercial/Industrial Use Only

50 Pounds
Net Weight

Active Ingredient:	
Diazinon: O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	2%
Inert Ingredients:	98%
Total:	100%

D·z·n diazinon 2D is a 2% insecticidal dust.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements on back panel.

EPA Reg. No. 100-445

See directions for use on panel at right.

CIBA-GEIGY

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire **Directions for Use** and the **Conditions of Sale and Warranty** before using this product

Conditions of Sale and Warranty

The **Directions for Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use** subject to the inherent risks referred to above. **CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product.** CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing **Conditions of Sale and Warranty**, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

General Information

Do not apply where children are likely to come in frequent contact with treated surfaces. Do not contaminate food, food containers, or cooking utensils. Repeat application as necessary.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Household Insects**Cockroaches (Waterbugs)**

Dust thoroughly all areas where roaches crawl and hide, such as around water pipes, in cracks and crevices, under and behind cabinets, refrigerators, and sinks.

Ants and Silverfish

Dust thoroughly areas around water pipes, in cracks, under and behind cabinets, refrigerators, and sinks, around doors, windows, and bookcases.

Carpet Beetles

Dust along baseboards, under carpeting, rugs, furniture, and wherever these insects are seen or suspected.

Spiders and Scorpions

Dust around windows, doors, and along baseboards. Make spot applications to surfaces over which these pests crawl, particularly in crawl spaces under houses or buildings.

Food/Feed Handling Establishments—Places other than private residences in which exposed food or feed is held, processed, prepared, or served. For use in food/feed and non-food/non-feed areas (see definitions below) for control of cockroaches (waterbugs), ants, spiders, and silverfish, and as an aid in control of pantry pests—exposed stages of sawtooth grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth. Apply D-z-n diazinon 2D with a bulb duster or other suitable equipment as a spot and/or crack and crevice treatment as directed below. Follow specified limitations when applying in food or feed areas (see definitions below). Do not apply to areas, surfaces, or utensils which will come in contact with food or feed. Take extreme care to avoid contamination of food or feed, or food or feed contact surfaces, or introduction of the material into the air.

Food/Feed Areas—Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrup). Serving areas, when food is exposed and facility is in operation, also would be considered a food area.

Non-Food/Feed Areas—Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Spot Treatment—As a spot treatment, dust floor areas around water pipes and door frames, surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas where cockroaches, ants, spiders and silverfish hide. In food areas—application is limited to floor surfaces only, and to no more than 20% of the surface area; any individual spot treatment must not exceed 2 square feet.

Crack and Crevice Treatment—As a crack and crevice treatment, use a bulb duster or other suitable equipment capable of delivering the dust directly into cracks and crevices in such areas as expansion joints between different elements of construction and between equipment bases and the floor, wall boards, or hollow equipment legs.

These treatments also aid in the control of pantry pests (exposed stages of sawtooth grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth) which come into contact with treated surfaces. Repeat application as necessary.

Storage and Disposal**Site**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or incinerate, or if allowed by state and local authorities, dispose of by open burning. Stay out of smoke from burning containers.

Precautionary Statements**Hazards to Humans and Domestic Animals****CAUTION**

Harmful if swallowed. May be absorbed through skin. Avoid contamination of food and feed. Avoid inhalation of dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling.

Statement of Practical Treatment

If swallowed, call a physician immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

If inhaled, remove victim to fresh air and apply artificial respiration if indicated.

If on skin, wash promptly with soap and water. Rinse thoroughly.

If in eyes, rinse eyes with plenty of water and call a physician immediately.

Note to Physician: This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.

D-z-n* trademark of CIBA-GEIGY for diazinon.

© 1989 CIBA-GEIGY Corporation

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, North Carolina 27419
CGA 1L115B 019