

D·z·n[®]

diazinon 2D

Insecticide Dust

For control of household pests and pests in feed and food handling establishments as specified in label directions.

**50
Pounds**

Net Weight

Recommended for
Commercial/Industrial
Use Only

Active Ingredient:
Diazinon: O, O-Diethyl O-
(2-isopropyl-6-methyl-4-
pyrimidinyl) phosphoro-
thioate 2%

Inert Ingredients: 98%

Total: 100%

D·z·n diazinon 2D is a
2% insecticidal dust.


**KEEP OUT OF REACH
OF CHILDREN.**

CAUTION

See additional precau-
tionary statements at
end of booklet.

EPA Reg. No. 100-445

See directions for use
on panel at right.



CIBA-GEIGY

D-z-n * diazinon 2D

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

General Information

D-z-n diazinon 2D insecticide is a dust intended for use by pest control operators. Apply with a bulb duster or other suitable equipment to control the pests specified on this label.

This product may be used in households, apartments, and other structures including schools, hospitals, office buildings, museums, libraries, sports facilities, stores, warehouses, and food and feed handling establishments (except USDA Meat and Poultry Plants). Read and follow the "Precautions" listed below when applying this product in any of these indoor areas. In food and feed areas of food/feed handling establishments, D-z-n diazinon 2D may be applied only as a crack and crevice treatment or limited spot treatment - see the specific directions for use for treatment of these areas.

This product controls:

- | | | |
|----------------|-------------------------|------------|
| ants | cockroaches (waterbugs) | silverfish |
| carpet beetles | scorpions | spiders |

In households and in food and feed areas of food/feed handling establishments, this product also aids in the control of the following exposed stages of pantry pests which come into contact with treated surfaces:

- | | | |
|------------------|------------------|-----------------------|
| drugstore beetle | flour beetle | rice weevil |
| cigarette beetle | Indian meal moth | sawtooth grain beetle |

Precautions: (1) Take care not to introduce the product into the air during application, use only in well-ventilated areas. (2) Do not apply where children are likely to frequently contact treated surfaces. (3) Remove or cover fish bowls and remove pets before application. (4) Do not treat plants or pets with this product. (5) Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. (6) Do not apply to classrooms when in use. (7) In institutions (including, but not limited to office buildings, museums, libraries, and sports facilities) do not apply this product when occupants are present in the immediate area. (8) Do not apply to areas, surfaces, or utensils which will contact food or feed. (9) Exposed food should be covered or removed during application. (10) All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. (11) DO NOT USE THIS PRODUCT IN USDA MEAT AND POULTRY PLANTS.

Application

INDOOR USE - EXCEPT FOOD AND FEED HANDLING ESTABLISHMENTS

Households, Apartments, and non-food areas of Offices, Schools, Libraries, Hospitals, Museums, and Sports Facilities (See "Indoor Use - Food and Feed Handling Establishments for special directions when applying this product in food handling or serving areas in non-residential buildings.)

Cockroaches (Waterbugs)

Dust thoroughly all areas where roaches crawl and hide, such as around water pipes, in cracks, and crevices, under and behind cabinets, refrigerators, and sinks.

Ants and Silverfish

Dust thoroughly areas around water pipes, in cracks; under and behind cabinets, refrigerators, and sinks; around doors, windows, and bookcases.

Carpet Beetles

Dust along baseboards, under carpeting, rugs, furniture, and wherever these insects are seen or suspected.

Spiders and Scorpions

Dust around windows, doors, and along baseboards. Make spot applications to surfaces over which these pests crawl, particularly in crawl spaces under houses or buildings.

Pantry Pests (Exposed Stages Only) Drugstore Beetle, Cigarette Beetle, Flour Beetle, Indian Meal Moth, Rice Weevil, Sawtooth Grain Beetle

Dust under and behind cabinets and sinks. D-z-n diazinon 2D aids in control of these pests when they come into contact with treated surfaces.

INDOOR USE - FOOD AND FEED HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is held, processed, prepared, or served (includes restaurants, canneries, bakeries, food processing plants, mills, dairies, etc.) D-z-n diazinon 2D may be used in the food/feed areas and the non-food/non-feed areas of these establishments. Apply D-z-n diazinon 2D as either a spot or crack and crevice treatment as directed below.

Food/Feed Areas of Food/Feed Handling Establishments: Include areas for receiving, serving, storage (dry, cold, frozen, or raw), packaging (canning, bottling, wrapping, and boxing), preparing (cleaning, slicing, cooking, and grinding); enclosed processing systems (mills, dairies, and systems for processing edible oils, and syrups).

APPLICATION OF THIS PRODUCT IN THE FOOD/FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT OR LIMITED SPOT TREATMENT IS NOT PERMITTED.

Limited Spot Treatment

Dust floor areas around water pipes and door frames, surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas where the pests hide. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20% of the surface area. Any individual spot treatment must not exceed 2 square feet.

Crack and Crevice Treatment

Apply the product so that it delivers a small amount of the dust directly into cracks and crevices in such areas as expansion joints, spaces between equipment and the floor, openings leading to voids, and hollow spaces in walls and equipment legs and bases.

Non-Food/Non-Feed Areas of Food/Feed Handling Establishments: Include garbage rooms, lavatories, toilet rooms (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage areas (after dunnage or bottling).

BEST AVAILABLE COPY

D-z-n[®] diazinon 2D

Spot Treatment

Apply this product along baseboards, to areas around water pipes, beneath cabinets, to surfaces behind and beneath sinks, lockers, and pallets; and to storage areas where cockroaches, ants, scorpions, silverfish and spiders hide.

Storage and Disposal

Pesticide

Store in a dry place. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or incinerate, or if allowed by state and local authorities, dispose of by open burning. Stay out of smoke from burning containers.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill or accident, contact CIBA-GEIGY for assistance at 1-800-888-8372 day or night.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid contamination of food and feed. Avoid inhalation of dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. May cause sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician.

Statement of Practical Treatment

If swallowed: Call a physician immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

If inhaled: Remove victim to fresh air and apply artificial respiration if indicated.

If on skin: Wash promptly with soap and water. Rinse thoroughly.

If in eyes: Rinse eyes with plenty of water and call a physician immediately.

Note to Physician: This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine

D-z-n[®] trademark of CIBA-GEIGY for diazinon

©1990 CIBA-GEIGY Corporation

Agricultural Division

CIBA-GEIGY Corporation

Greensboro, North Carolina 27419

CGA 1L115C

040