

Atra-borTM

8P

Granular Herbicide

For nonselective or industrial weed control on noncrop land such as: industrial plant sites, rights-of-way, lumber yards, petroleum tank farms, and similar areas.

Active Ingredients:	94%
Atrazine, 2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine	7.6%
Related Compounds	.4%
D-sodium tetraborate decahydrate ($\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$)	86.0%
Inert Ingredients:	6%
Total:	100%

Atra-bor 8P is an 8% granular herbicide.

Important: This material is a soil sterilant and should not be used on agricultural land. It is not selective in action, may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years.

Caution:

Keep out of the reach of children.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid inhalation of dust.

Do not contaminate water used for irrigation or domestic purposes.

Do not reuse container. Destroy when empty.

Geigy

55

00-447

**DIRECTIONS FOR USE AND
CONDITIONS OF SALE AND
WARRANTY**

IMPORTANT: Read the entire **Directions For Use** and the **Conditions Of Sale And Warranty** before using this product.

Conditions Of Sale And Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application all of which are beyond the control of Geigy or the Seller. All such risks shall be assumed by the Buyer.

Geigy warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks referred to above. **Geigy makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty.** In no case shall Geigy or the Seller be liable for conse-

quential, special or consequential damages resulting from the handling of the product and the Seller and the Buyer shall be held subject to the **Conditions Of Sale** which may be varied in writing by the Seller or its authorized representative.

General Information

Atra-bor 8P is a selective leaf and grass herbicide effective against weeds emerging after application of Atra-bor 8P. It is effective primarily through its effect on weeds upon adequate soil moisture. The chemical is not persistent. At least one application is necessary after the Atra-bor 8P application. In excessively dry conditions, the absence of rain may require weed control measures to be taken to avoid crop injury. Use of Atra-bor 8P where a high percentage of trees, shrubs or other woody plants are present is not recommended. Use of Atra-bor 8P for complete control of weeds is desired.

Directions for Use

Apply 1.0 to 1.5 lbs. as described on the label to the surface with

ACCEPTED
MAY 11, 1971

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire **Directions For Use** and the **Conditions Of Sale And Warranty** before using this product.

Conditions Of Sale And Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application all of which are beyond the control of Geigy or the Seller. All such risks shall be assumed by the Buyer.

Geigy warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks referred to above. **Geigy makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty.** In no case shall Geigy or the Seller be liable for conse-

quential, special or indirect damages resulting from the use or handling of this product. Geigy and the Seller offer this product and the Buyer and user accept it subject to the foregoing **Conditions Of Sale And Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Geigy.

General Information

Atra-bor 8P controls most broadleaf and grassy weeds. It is most effective when applied before weeds emerge, but applications of Atra-bor 8P made 3 or 4 weeks after weeds emerge are also effective. Since Atra-bor 8P acts primarily through the roots, its effect on weeds is dependent upon adequate rainfall to move the chemical into the root zone. At least 1/2 inch of rainfall is necessary after application to carry the Atra-bor 8P into the soil. Excessively dry soil conditions and absence of rain may result in poor weed control. Care should be taken to avoid the use of Atra-bor 8P where a permanent desirable crop, shrubs or plants may be injured. Use only in areas where complete control of vegetation is desired.

Directions for Use

Apply 1/2 to 1 1/2 lbs per 100 sq ft as described below over the soil surface with the Cyclone applicator.

Such as a Cyclone-type of fertilizer spreader before weeds emerge or within 3 or 4 weeks after weeds emerge.

Apply 1/2 lb per 100 sq ft for the control of most annual broadleaf and grassy weeds, such as barnyardgrass, cheatgrass, crabgrass, lambsquarters, green foxtail, ragweed, puncturevine and turkey mullein.

Apply 1/2 to 1 1/2 lbs per 100 sq ft for the control of many perennial broadleaf and grassy weeds, such as quackgrass, bluegrass, redtop, burdock, Canada thistle, orchardgrass, purple top, smooth brome, dog fennel and plantain.

Apply 1/2 to 1 1/2 lbs per 100 sq ft for the control of hard-to-kill perennial weeds such as Bermuda grass, Canada thistle, bull thistle and sow thistle.

For longer residual control in regions of high rainfall and a long growing season, apply 1/2 to 1 1/2 lbs per 100 sq ft.

USDA Reg. No. 100-447

U.S. Patent No. 2,891,855

Geigy Agricultural Chemicals
Division of CIBA-GEIGY
Corporation
Ardsley, New York 10502

ACCEPTED

MAY 11, 1971