

DIRECTIONS FOR USE

GENERAL INFORMATION

1. Prentox is a systemic insecticide which is effective against a wide range of insects and mites. It is used for the control of insects and mites on lawns, gardens, and ornamental plants.

2. Prentox is a systemic insecticide which is effective against a wide range of insects and mites. It is used for the control of insects and mites on lawns, gardens, and ornamental plants.

STORAGE & DISPOSAL

1. Prentox is a highly flammable liquid. It should be stored in a cool, dry place away from heat and open flames. It should be stored in its original container and should be kept out of the reach of children.

2. Prentox is a systemic insecticide. It should be disposed of in accordance with the instructions on the label. Do not pour it down the drain or into the water supply.

3. Container Disposal — LESS THAN 30 GALS. — If the container is less than 30 gallons, it should be triple-rinsed and then disposed of in accordance with the instructions on the label.

4. Container Disposal — 30 GALS. OR LARGER. — If the container is 30 gallons or larger, it should be triple-rinsed and then disposed of in accordance with the instructions on the label.

DIRECTIONS FOR USE (CONTINUED)

For Lawns: Apply Prentox to the lawn at a rate of 1.0 to 1.5 lbs. per 1,000 sq. ft. of lawn area. Water the lawn thoroughly after application.

For Gardens: Apply Prentox to the garden at a rate of 1.0 to 1.5 lbs. per 1,000 sq. ft. of garden area. Water the garden thoroughly after application.

For Ornamentals: Apply Prentox to the ornamentals at a rate of 1.0 to 1.5 lbs. per 1,000 sq. ft. of ornamental area. Water the ornamentals thoroughly after application.

CAUTION

COMBUSTIBLE

MIXTURE

N.Y.F.D. C. of A. No. 4116

DIRECTIONS FOR USE

HOUSEHOLD USE: Apply Prentox to the lawn at a rate of 1.0 to 1.5 lbs. per 1,000 sq. ft. of lawn area. Water the lawn thoroughly after application.

Commercial Use: Apply Prentox to the lawn at a rate of 1.0 to 1.5 lbs. per 1,000 sq. ft. of lawn area. Water the lawn thoroughly after application.

prentox

DIAZINON 4E INSECTICIDE

For Control of Cockroaches, Ants, Fleas, Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS	Per Cent
Diazinon 4E Insecticide	47.5
Inert Ingredients	30.0
TOTAL	100.0

DIAZINON 4E INSECTICIDE IS A REGISTERED TRADEMARK OF CIBA-GEIGY

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink a glass of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit is clear. Do not induce vomiting if you are unconscious or if you are taking any medicine.

If inhaled: Move to fresh air. Apply artificial respiration if needed.

If on skin: Wash immediately with plenty of water. Wash affected areas with soap and water.

If on eyes: Flush eyes with water. Call a physician for further treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

This product is highly flammable. It should be stored in a cool, dry place away from heat and open flames. It should be stored in its original container and should be kept out of the reach of children.

ENVIRONMENTAL HAZARDS

This product is highly flammable. It should be stored in a cool, dry place away from heat and open flames. It should be stored in its original container and should be kept out of the reach of children.

PHYSICAL OR CHEMICAL HAZARDS

This product is highly flammable. It should be stored in a cool, dry place away from heat and open flames. It should be stored in its original container and should be kept out of the reach of children.

CONTENTS

LOT #

EPA REG. NO. 135-152

EPA EST. NO. 035-NJ-1



prentiss

Diazinon 4E Insecticide

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001

Diazinon

4E INSECTICIDE

FOR PROFESSIONAL USE ONLY

Flies, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests

4-Dimethylphosphorothioate	100.0
TOTAL:	100.0

OUT OF REACH OF CHILDREN

WARNING

SYMPTOMS OF PRACTICAL TREATMENT

May irritate and induce vomiting by touching the back of the throat with fingers. Avoid contact with eyes. Do not induce vomiting or give anything by mouth to anyone who has been treated. Seek medical attention if symptoms persist. Wash affected areas with soap and water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

Do not apply where it will contact humans or animals. Do not apply where it will contact children. Do not apply where it will contact pets. Do not apply where it will contact food, feed, or other articles of food. Do not apply where it will contact water. Do not apply where it will contact crops or other plants. Do not apply where it will contact ornamentals. Do not apply where it will contact lawns. Do not apply where it will contact turf. Do not apply where it will contact other areas where it is not intended to be used.

PHYSICAL OR CHEMICAL HAZARDS

See Material Safety Data Sheet for information on physical and chemical hazards.

USE IN RESIDENTIAL AREAS

Do not use in residential areas where it will contact humans, animals, children, or pets. Do not use in residential areas where it will contact food, feed, or other articles of food. Do not use in residential areas where it will contact water. Do not use in residential areas where it will contact crops or other plants. Do not use in residential areas where it will contact ornamentals. Do not use in residential areas where it will contact lawns. Do not use in residential areas where it will contact turf. Do not use in residential areas where it will contact other areas where it is not intended to be used.

USE IN COMMERCIAL AREAS

Do not use in commercial areas where it will contact humans, animals, children, or pets. Do not use in commercial areas where it will contact food, feed, or other articles of food. Do not use in commercial areas where it will contact water. Do not use in commercial areas where it will contact crops or other plants. Do not use in commercial areas where it will contact ornamentals. Do not use in commercial areas where it will contact lawns. Do not use in commercial areas where it will contact turf. Do not use in commercial areas where it will contact other areas where it is not intended to be used.

EPA REG. NO. 100-10000

LOT #

Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105
Office: 363 7th Avenue
New York, N.Y. 10001

Directions For Use (Cont'd)

Cygnets and Scorpions—Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

Pantry Pests—exposed stages (Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, and the Mill Mite). Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

Brown Dog Ticks in Buildings—Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

ORNAMENTAL INSECTS

Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

Millipede Webworms—Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

INSECTS

Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

INSECTS	Apply Diazinon 4E liquid per 1000 sq ft	per 1000 sq ft
Flies	1/2 to 1	1/2 to 1
Carpet Beetles	1/2 to 1	1/2 to 1
Spiders	1/2 to 1	1/2 to 1
Scorpions	1/2 to 1	1/2 to 1
Turf and Ornamental Pests	1/2 to 1	1/2 to 1

ORNS INSECTS

Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

INSECTS

Apply to areas where they are present. Use 1/2 to 1 gallon per 1000 sq ft. Repeat applications as needed.

INSECTS	Rate per 1000 sq ft	per 1000 sq ft
Flies	1/2 to 1	1/2 to 1
Carpet Beetles	1/2 to 1	1/2 to 1
Spiders	1/2 to 1	1/2 to 1
Scorpions	1/2 to 1	1/2 to 1
Turf and Ornamental Pests	1/2 to 1	1/2 to 1

