

504025

APR 17 1996

Ms. Carolyn Bussey  
Ciba-Geigy Corporation  
Ciba Crop Protection  
P.O. Box 18300  
Greensboro, NC 27419

Dear Ms. Bussey:

Subject: Amendment - Add 15 Ornamentals, European Sawfly  
Reformat precautions  
Revise per Agency letter of 9/24/93  
D.z.n diazinon 4E .  
EPA Registration Number 100-463  
Your revised submission dated May 26, 1995

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. In the Environmental Hazards, you may want to revise "If waterfowl, i.e, ducks or geese," to read "If waterfowl (ducks or geese)" as you have done for your other products.
  - b. Capitalize the "F" of "Federal" under the heading DIRECTIONS FOR USE.
  - c. Under General Information, add "(including Federally inspected meat and poultry plants)" to appear after "and food and feed handling establishments". Delete "This product is also approved for use in USDA Meat and Poultry Plants."

- d. In the first blocked precautions section , revise the heading to "Indoor Use Precautions". To be consistent with the similar Indoor/Outdoor WBC product, add "Do:" directly under the heading "Application Method and Location Precautions", revise item "3" to read "Cover or remove exposed food during application.", and revise item "4" to read "Cover all food processing surfaces and utensils during application or thoroughly wash surfaces and utensils with soap and water before use.". Please note the revision to the end of item "4", i.e., "before use" rather than "after application". "Before use" has appeared on previous 4E labels and seems most in agreement with USDA's letter to registrants getting approval for use in Federally inspected meat and poultry plants which specifies "and cleaned thoroughly before processing operations are resumed". The heading "Do not:" should appear as "DO NOT:".
- e. Add a colon after "Indoor Use - Except Food and Feed Handling Establishments".
- f. Under the heading Food and Feed Handling Establishments, revise "and USDA Meat and Poultry Plants)" to "and Federally inspected meat and poultry plants)".
- g. Under the heading Food/Feed Areas of Food/Feed Handling Establishments, add a comma after "... is in operation)", change the semicolon to a comma after "...boxing)", and add a comma after "edible waste storage".
- h. Add the heading OUTDOOR USE above the beginning of that section, i.e., above the Outdoor Use Precautions block.
- i. In the Outdoor Use Precautions, under the heading Location Precautions, relocate "Do not" up from the beginning of the sentence to directly under the heading to appear as "DO NOT:" and revise the entry to "Use this product on ornamentals or on turf areas other than around the home.".
- j. In the Outdoor Use Precautions, under the heading Protecting Non-target Species/Application Precautions, the heading "Do not:" should appear as "DO NOT:".
- k. In item 3 of the Protecting Non-target Species/Application Precautions, add a comma before and after "such as ducks or geese".

- 1. Under the heading **Pests of Ornamental Plants**, relocate "Try to spray underside of leaves and penetrate dense foliage." to the end of the first paragraph. Also, add "Spray when listed pests first appear. Repeat as necessary." to appear at the end of the first paragraph, i.e., after "Try to spray underside of leaves and penetrate dense foliage."
- m. In the list of the pests of ornamental plants, revise "Twospotted spider mites" to "Two-spotted spider mites", and revise "Sowfly" to "Sawfly".
- n. In the Home Lawn Pests table, you may want to revise the **Remarks** about Frit flies to read "For frit flies, before treatment mow grass and water well but delay application until grass is dry." to avoid possible misinterpretation of "well before treatment" as indicating some sort of extended time delay.
- o. At the end of the Nuisance Pests Outside the Home, add as a separate last paragraph "Do not apply to animals. Do not treat plants (other than tree trunks) at this nuisance pest rate."
- p. Under the heading **Pesticide** in the **Storage and Disposal** directions, capitalize the "F" of Federal.
- 3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca  
 Product Manager (13)  
 Insecticide-Rodenticide Branch  
 Registration Division (7505C)

DRAFT/ORNAMENTALS

D·z·n® diazinon 4E

INSECTICIDE

Recommended for commercial/industrial use only.

For pest control indoors, including food and feed handling establishments. Outdoors use only on home lawns and landscaped areas around the home.

This product must not be used on golf courses and sod farms.

Active Ingredient:

Diazinon O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate .....	47.5%
Inert Ingredients*:	52.5%
Total:	100.0%

\*Contains xylene range aromatic solvent.

D·z·n diazinon 4E contains 4 lbs. of diazinon per gallon

See directions for use on panel at right.

EPA Reg. No. 100-463

EPA Est. 655-GA-1

One Gallon  
and  
Five Gallons

U.S. Standard Measure

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

APR 17 1996

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

100-463

5/19

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

---

Conditions of Sale and Warranty

---

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Ciba-Geigy or the Seller. All such risks shall be assumed by the Buyer.

Ciba-Geigy warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. Ciba-Geigy makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Ciba-Geigy or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Ciba-Geigy and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Ciba-Geigy.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of food and feed. Food utensils such as tablespoons or measuring cups must not be used for food purposes after use in measuring pesticides. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto treated areas until spray has dried. Do not contaminate ornamental fish ponds.

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Do not give anything by mouth if person is unconscious or convulsing.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on skin: Wash promptly with plenty of soap and water. Rinse thoroughly. Get medical attention.

If in eyes: Rinse eyes with plenty of water. Call a physician if irritation persists.

Note to Physician: Solvent may present aspiration hazard. Gastric lavage may be indicated if product was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

7/19

Environmental Hazards

This product is highly toxic to birds, fish, and other wild-life. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. For lawns, if waterfowl, i.e., ducks and geese, can be expected in the treated area after treatment (except spot treatment), water lawn with at least 1/4 inch of water immediately after spraying this product, however, stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water; to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this pesticide or allow it to drift to blooming plants if bees are visiting the treatment area.

Physical or Chemical Hazards

Do not use, pour, spill, or store near heat or open flame.

---

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

---

General Information

D·z·n diazinon 4E is an emulsifiable concentrate and is intended for use by pest control operators. Apply the product after dilution with water according to the directions for use for the control of those pests specified on this label. D·z·n diazinon 4E is not intended for use in preparing oil base sprays.

This product may be used indoors in households, apartments, and other structures, including schools (except classrooms in use), hospitals (except in patient rooms while occupied), office

buildings, museums, libraries, sports facilities, stores, warehouses, and food and feed handling establishments. Read and follow the "Precautions" listed below when applying this product in any of these indoor areas. This product is also approved for use in USDA Meat and Poultry Plants. In food and feed areas of food/feed handling establishments, D·z·n diazinon 4E may be applied only as a crack and crevice treatment or limited spot treatment. See the specific directions for use for treatment of these areas.

D·z·n diazinon 4E may also be used outdoors only on home lawns and ornamentals around the home. See the specific directions for use for treatment of these areas.

INDOOR USE

Indoors D·z·n diazinon 4E controls:

- |                         |           |
|-------------------------|-----------|
| ants                    | scorpions |
| brown dog ticks         | spiders   |
| carpet beetles          |           |
| cockroaches (waterbugs) |           |

In households and in food and feed areas of food/feed handling establishments, this product also aids in the control of the following exposed stages of pantry pests which come into contact with treated surfaces:

- |                  |                       |
|------------------|-----------------------|
| drugstore beetle | Indian meal moth      |
| cigarette beetle | rice weevil           |
| flour beetle     | sawtooth grain beetle |

Precautions:

Applicator Safety

If clothing is sprayed during application, remove clothing immediately after spraying. Wash affected body areas with soap and water and launder clothing before wearing again.

Application Method and Location Precautions

1. Apply only in well-ventilated areas.
2. Remove or cover fish bowls and remove pets before application.
3. Exposed food must be covered or removed during application.
4. All food processing surfaces and utensils must be covered during application or thoroughly washed with soap and water after application.



10/19

Gals. of finished spray	Amount D·z·n diazinon 4E to use for	
	1/2% spray	1% spray
1	1 1/4 fl. oz.*	2 1/2 fl. oz.
2	2 1/2 fl. oz.	5 fl. oz.
3	3 3/4 fl. oz.	7 1/2 fl. oz.
10	12 1/2 fl. oz.	25 fl. oz. (1 3/5 pts.)
25	32 fl. oz. (2 pts.)	64 fl. oz. (4 pts.)

\*2 1/2 tablespoons = 1 1/4 fl. oz.

Indoor Use - Except Food and Feed Handling Establishments  
Households, Apartments, and Non-Food Areas of Offices, Schools  
(except classrooms in use), Libraries, Hospitals (except patient  
rooms while occupied), Museums, and Sports Facilities (See Food  
and Feed Handling Establishments for special directions when  
applying this product in food handling or serving areas in  
non-residential buildings).

Cockroaches (Waterbugs), Ants, Silverfish: Make spot applica-  
tions of 1/2% coarse spray or apply with a paintbrush to  
baseboards, areas around water pipes, cracks and crevices, sur-  
faces behind and beneath cabinets, refrigerators, sinks, stoves,  
and similar areas where these insects hide.

For heavy cockroach infestations, make the first application at  
a strength of 1%, followed by monthly applications of 1/2%  
spray.

Brown Dog Ticks: Make thorough application of a 1/2% spray to  
infested areas around baseboards, window and door frames, wall  
cracks, sleeping quarters of household pets, and localized areas  
of floors and floor coverings. Do not use as an overall surface  
spray. Fresh bedding should be placed in animal quarters fol-  
lowing treatment. Do not treat animals with this product.

Carpet Beetles: Apply a 1/2% spray in spot applications along  
baseboards and edges of carpeting, under carpeting and rugs and  
furniture, in closets and on shelving, and wherever these  
insects are seen or suspected.

Spiders and Scorpions: Apply a 1/2% spray around windows,  
doors, and along baseboards. Make spot applications to other  
areas over which these pests may crawl.

11/19

Pantry Pests - Exposed Stages (Sawtoothed grain beetle, Flour beetle, Rice weevil, Cigarette beetle, Drugstore beetle, Indian meal moth): Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

---

Food and Feed Handling Establishments

Places other than private residences in which food or feed is held, processed, prepared, or served (includes restaurants, canneries, bakeries, food processing plants, mills, dairies, and USDA Meat and Poultry Plants). D·z·n diazinon 4E may be used in the food/feed areas and the non-food/non-feed areas of these establishments. Apply D·z·n diazinon 4E either as a limited spot or crack and crevice treatment as directed below.

Food/Feed Areas of Food/Feed Handling Establishments

Includes areas for receiving, storage (dry, cold, frozen, raw), preparing (cleaning, slicing, cooking, grinding), serving (when food is exposed and facility is in operation) packaging (canning, bottling, wrapping, boxing); edible waste storage and enclosed processing systems (mills, dairies, and systems for processing edible oils, and syrups).

APPLICATION OF THIS PRODUCT IN THE FOOD/FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT OR LIMITED SPOT TREATMENT IS NOT PERMITTED.

Limited Spot Treatment

Apply this product diluted to 1/2-1% as a coarse, low-pressure fan spray around water pipes and door frames, to surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit the sum of individual spot treatments to an area no larger than 20% of the floor surface area. Any individual spot treatment must not exceed 2 square feet.

Crack and Crevice Treatment

Apply this product diluted to 1/2-1% with equipment capable of delivering a pin stream of insecticide. Apply in small amounts directly into cracks and crevices in such areas as expansion joints, spaces between equipment and the floor, openings leading to voids, and hollow spaces in walls and equipment legs and bases.

Non-Food/Non-Feed Areas of Feed/Food Handling Establishments

12/19

Include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets, and storage areas (after canning or bottling).

Spot Treatment

Apply this product diluted to a 1/2-1% spray. Apply as a coarse, low-pressure fan spray as a spot treatment along baseboards, to areas around water pipes, beneath cabinets, to surfaces behind and beneath sinks, lockers, and pallets; and to storage areas where cockroaches, ants, silverfish, and spiders hide.

OUTDOOR USE

Precautions:

Location Precautions

Do not use this product on ornamentals or on turf areas other than around the home.

Protecting Non-target Species/Application Precautions

Do not:

1. Apply this product or allow it to drift to blooming plants if bees are visiting the treatment area because this product is highly toxic to bees exposed to direct treatment or residues on treated plants.
2. Apply this product to lawns in Nassau County New York between November 1 and May 20. This is to protect certain Atlantic coast migratory waterfowl.
3. Exceed maximum label rates since higher rates significantly increase the risk to birds and waterfowl. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. If waterfowl such as ducks or geese can be expected on the treated lawn after treatment (except spot treatment), water lawn with at least 1/4 inch of water immediately after spraying, but stop watering before puddling occurs.
4. Overlap sprays.
5. Apply this product through any type of irrigation system.

Applicator Safety

1. Wear a long-sleeved shirt and long-legged pants when spraying.
2. Spray with the wind to your back.
3. Do not spray on windy days.
4. If clothing becomes wet from spray, remove clothing after spraying. Wash affected body areas thoroughly with soap and water, and launder clothing before wearing again.

Pests of Ornamental Plants: To control certain pests on Arborvitae; Azalea, Birch, Boxwood, Camellia, Carnation, Chrysanthemum, Crab Apple, Dogwood, Douglas fir, Elm, Euonymus, Gladioli, Hawthorn, Holly, Honey Locust, Honeysuckle, Juniper, Lilac, Lilly, Locust, Maple, Marigold, Oak, Pansy, Petunia, Pine, Ornamental Plum, Poplar, Rhododendron, Rose, Scotch Pine, Spirea, Spruce, Sycamore, Wax Plant (Hoya), Willow, Yellowwood and Yew, apply the recommended rates indicated in the following chart.

Do not use on Ferns, Poinsettia, Hibiscus, Papaya, Pilea, and Gardenia, since injury to the plants may occur. Try to spray underside of leaves and penetrate dense foliage.

Pests	Amount D·z·n diazinon 4E to use	
	per 3 gals. water	per 100 gals. water
Aphids, Bagworms, Carnation bud mites, Carnation shoot mites, Clover mites, Cyclamen mites, Dipterous leafminers, European pine shoot moths, European red mites, Flea beetles, Holly bud moths, Leafhoppers, Obscure root weevils, Omnivorous leaftiers, Privet mites, Scale crawlers: Cottonycushion, Lecanium, Pine needle, San Jose scale, Thrips, Twospotted spider mites, Juniper Webworms, Whiteflies	1/2 fl. oz.*	1 pt.*
Apple-and-thorn skeletonizers, Cotoneaster webworms, European Pine Sawfly Fall webworms, Hemlock chermes, Oak loopers, Obliquebanded leafrollers, Pear slugs, Tent caterpillars	1 1/2 fl. oz.*	3 pts.*

\*1 fl. oz. = 2 tbsp.; 16 fl. oz. = 1 pt.

Mimosa Webworm: Mix 1/2 fl. oz. (1 tablespoon) in 3 gals. of water (or 1 pt. in 100 gals. of water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals.

Home Lawn Pests: To control the following pests, apply recommended rates.

Pests	Rate per 1,000 sq. ft		Remarks
	D.z.n diazinon 4E	Water	
Lawn chinch bugs	2-3 fl. oz.	3 gals.	Use higher rate for longer residual control and in lawns of dense growth, such as St. Augustine lawns.
Ants, Armyworms, Bermudagrass mites, Clover mites, Springtails (Collembola), Crickets, Cutworms, Digger wasps, Earwigs, Frit flies, Lawn billbugs, Leafhoppers, Sod webworms (Lawn moth), Sowbugs (pillbugs)	2-3 fl. oz.	3 gals.	Spot spray ant-hills and wasp ground nest openings.  For digger wasps, apply at dusk when the wasps are not active.  For frit flies, mow grass and water well before treatment but delay application until grass is dry.
Brown dog ticks, Chiggers, Fleas	3 fl. oz.	3 gals.	<u>Note:</u> Do not apply to animals. For brown dog ticks, spray grass and under shrubbery, particularly near house.
Hyperodes weevil	3 fl. oz.	3 gals.	Treat problem areas in mid-April and again in mid-May.

Millipedes	3 fl. oz.	3 gals.	
Rhodesgrass scales	3 fl. oz.	3 gals.	Apply when crawlers first emerge.
White Grubs (such as Japanese beetle larvae, European chafer, Southern chafer)	3 fl. oz.	3 gals.	Apply any time between late July and early October.

Nuisance Pests Outside the Home

Ants, Boxelder Bugs, Brown Dog Ticks, Chiggers, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Sowbugs (Pillbugs), Spiders, and Springtails (Collembola).

Mix 3 fl. oz. in 3 gals. of water.

Thoroughly spray window and door screens and sills, foundations, porch and patio walls, entranceways, walks, garbage cans, tree trunks, and into cracks and other places where insects can hide. Repeat application as necessary.

To prevent entry of insects into the house, spray a five-ft. band of soil around the house next to the foundation and spray the foundation of the house to a height of 2-3 feet. Repeat application as necessary.

17/19

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container: Triple rinse or equivalent. Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

D·z·n® trademark of Ciba-Geigy Corporation

©1995 Ciba-Geigy Corporation

Ciba Crop Protection  
Ciba-Geigy Corporation  
Greensboro, North Carolina 27419

CGA 1L47AA 062 (1 gal.)  
CGA 1L48AA 062 (5 gals.)



18/19

February 6, 1984  
Revisions include crack and crevice and spot treatment revisions, and PR Notice 83-3 requirements.

April 16, 1984  
Deleted petroleum distillate reference from AI, changed additional spot treatment to individual spot treatment per EPA comment, added a petroleum distillate content comment to Precautionary Statements.

Revised: April 5, 1988  
(chemigation) deleted inst. to dilute with 4S for oil spray, added avian precautions to lawn dfu, added do not use on golf courses and sod farms to front panel.

Revised: July 26, 1988 -  
Changed "Only for sale to, storage, and use by PCO's" to "Recommended for commercial/industrial use."

Accepted 11/25/88 - Data Call-In revisions - Changed Recommended for commercial/industrial use only, rinse eyes with plenty of water, revised Precautionary Statements, added spot treatment specs to dfu, added "for digger wasps apply at dusk when wasps are inactive."

Revised 11/27/89 - Reg. Standard Changes

Accepted 4/17/90 - Reg. Std. changes

April 12, 1990 revised per EPA letter of 3/15/90

April 23, 1990 revised per EPA acceptance letter of 4/17/90

Revised June 19 1992 -

revised precautionary state-  
ments per EPA letter of  
4/27/92

Revised 6/21/93 - logo change

Revised 5/17/95 - added 15  
ornamentals, changed © date,  
revised Food/Feed Area defi-  
nition per EPA letter of  
9/24/93. Reformatted Indoor  
and Outdoor Precautions

[GANNONC.LABELD] DZN4E-A - 5/22/95

Do not:

1. Use this product indoors as an overall surface or space spray.
2. Introduce the product into the air during application.
3. Apply where children are likely to frequently contact treated surfaces.
4. Allow children or pets in treated areas until spray has dried.
5. Apply in patient rooms or in any rooms while occupied by the elderly or sick.
6. Apply to classrooms when in use.
7. Apply when people are present in the area to be treated in institutions including, but not limited to office buildings, museums, libraries, and sports facilities.
8. Treat pets with this product.
9. Apply directly to conduits, motor housings, or electrical switch boxes.
10. Apply to areas, surfaces, or utensils which will contact food or feed.
11. Apply to drains or sewers because this product is toxic to some aquatic species.

Household Item Precautions

1. The solvent in this product is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials.
2. Avoid excessive wetting of carpets, floor coverings, or unfinished materials because they may be damaged.
3. Avoid spotting of walls, wall coverings, and fabrics.

Mixing Instructions

Dilute D·z·n diazinon 4E with water to make a 1/2% or 1% spray and apply as indicated below.