

# Atraton 8P

**Pelleted  
Herbicide**

## SAMPLE LABEL

For control of weeds on  
noncrop land

<b>Active Ingredients:</b>	<b>95%</b>
Atrazine (2-chloro-4-ethylamino-6-isopropylamino-s-triazine)	76%
Atrazine-related compounds	0.4%
Sodium chlorate (NaClO <sub>3</sub> )	4.0%
Sodium metaborate* (Na <sub>2</sub> B <sub>2</sub> O <sub>4</sub> · H <sub>2</sub> O)	4.7%
<b>Inert Ingredients:</b>	<b>5%</b>
<b>Total:</b>	<b>100%</b>

\*Equivalent to 4.58% boron expressed as elemental boron

### Caution:

Keep out of reach of children. Harmful if swallowed. Avoid contamination of food and feed. Avoid inhalation of dust. Avoid contact with eyes, skin, and clothing. Wash clothing after application. Wash out equipment after application. Do not use equipment to apply insecticides, fungicides, or fertilizers. Do not contaminate water intended for domestic or irrigation use. Store in a dry place. Do not reuse container. Destroy when empty.

### DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

**IMPORTANT:** See the Directions For Use, Conditions Of Sale And Warranty...

Directions For Use...

Geigy makes no express or implied warranty of Fitness or Merchantability or any other express or implied warranty...

Directions For Use...

Geigy makes no express or implied warranty of Fitness or Merchantability or any other express or implied warranty...


Conditions Of Sale And Warranty...

100-425

# Geigy

# Atrato

## Pelleted Herbicide



For control of weeds on  
noncrop land

**Active Ingredients:**  
Atrazine (2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine)  
Atrazine-related compounds  
Sodium chloride ( $\text{NaCl}$ )  
Sodium metaborate ( $\text{Na}_2\text{B}_2\text{O}_7 \cdot 5\text{H}_2\text{O}$ )

**Inert Ingredients:**  
Total:  
Equivalent to 4.58% expressed as element

100-475

**Caution:**  
Keep out of reach of children. Harmful if swallowed. Avoid contamination of feed. Avoid inhalation. Avoid contact with skin and clothing. Wash hands and clothing after application. Wash equipment to apply herbicides, or fertilizers, so they do not contaminate water for domestic or irrigation use. Store in a dry place. Do not reuse containers when empty.

# Geigy

## Atraton® 8P

### General Information

Atraton 8P is a nonselective herbicide that can be applied before or after plant growth begins. Once Atraton enters plants through their roots, its effectiveness is dependent on rainfall to move the chemical into the root zone. Very dry soil conditions and lack of rainfall may result in poor weed control.

*Important:* Use only in areas where complete control of vegetation is desired, such as industrial sites, rights-of-way, lumber yards, petroleum tank farms, around farm buildings, and

fence lines and similar areas. When applied to the soil, this product usually inhibits all plant growth for a year or more. It should not be used around or on dropped, or where adjacent, residential lawns, shrubs, or plants might be injured.

### Directions for Use

To control annual broad leaf weeds and grasses, apply 1 to 2 lb. per 100 sq. ft.

To control annual and biennial broad leaf weeds and grasses, apply 1 to 2 lb. per 100 sq. ft. where

deep rooted perennials are present, use the 2 lb. rate.

The higher rates listed above should be used if there is heavy or long growing season or high rainfall. The higher rates will last 1 to 2 weeks longer per application.

Apply to soil or foliage of weeds.  
U.S. Patent 2,811,451

W. I. I. I.  
W. I. I. I.

# Atraton 8P

## General Information

Atraton 8P is a nonselective herbicide that is absorbed by the soil after planting. It is applied to the soil. Atraton enters plants through their roots. Its effectiveness is dependent on rainfall to move the chemical into the root zone. Very dry soil conditions and lack of rainfall may result in poor weed control.

**Important:** Use only in areas where complete control of vegetation is desired. Use only in trial sites, rights of way, nurseries, yards, petroleum tank farms, around farm buildings, around

fence lines and similar areas. When applied to the soil, this product usually inhibits a plant's ability to absorb water and nutrients. It is not effective on deep rooted perennials.

## Directions for Use

To control annual broadleaf weeds and grasses: Apply 1.5 lb per 100 sq ft.

To control annual grasses and sedges: Apply 1.5 lb per 100 sq ft where

deep rooted perennials are present use the 1.5 lb rate.

The higher rates listed above should be used in areas having a long growing season or high rainfall. The higher rates will also provide more residual control.

Use Atraton 8P only in the following situations:

Use Atraton 8P only in the following situations: Apply 1.5 lb per 100 sq ft where

W. T. T. T.  
W. T. T. T.

00-475