

10F 6  
Pm 2 S  
100-479

Pramitol® 5PS ✓  
pelleted herbicide ✓  
For control of weeds in noncrop areas ✓

**ACCEPTED**  
SEP 15 1986  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 100-479

20 Pounds Net Weight and

50 Pounds Net Weight

<b>Active Ingredients:</b>	
Prometon: 2,4-bis (isopropylamino)-6-methoxy-s-triazine .....	5.00%
Simazine: 2-chloro-4,6-bis (ethylamino)-s-triazine .....	0.75%
Sodium chlorate (NaClO <sub>3</sub> ) .....	40.00%
Sodium metaborate* (Na <sub>2</sub> B <sub>2</sub> O <sub>4</sub> ·5H <sub>2</sub> O) .....	50.00%
<b>Inert Ingredients:</b>	<b>4.25%</b>
<b>Total:</b>	<b>100.00%</b>

\*Equivalent to 4.87% boron expressed as elemental boron

Danger ✓  
Keep Out of Reach of Children.

See additional precautionary statements on back of bag.

Control No. 78790 (50 Lb.)

EPA Reg. No. 100-479 ✓

Bare ground weed control

- around... buildings ✓
- storage areas ✓
- fences ✓
- pumps ✓
- machinery ✓
- fuel tanks ✓
- recreational areas ✓
- roadways ✓
- guard rails ✓

- airports ✓
- military installations ✓
- highway medians ✓
- pipelines ✓
- railroads ✓
- lumberyards ✓
- industrial sites ✓
- rights-of-way ✓
- ... or similar areas ✓

*Directions on Back of Bag*

See directions for use on back of bag.

CIBA-GEIGY

-2-

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY ✓

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. ✓

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. -- CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY. ✓

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

General Information

Pramitol 5PS is a nonselective herbicide that can be applied before or after plant growth begins. Since Pramitol enters plants through their roots, its effectiveness is dependent on rainfall to move the chemical into the root zone. Very dry soil conditions and lack of rainfall may result in poor weed control.

Important: Use only in areas where complete control of all vegetation is desired, such as industrial sites, rights-of-way, lumberyards, petroleum tank farms, around farm buildings, along fence lines, and similar areas. When applied to the soil, this product usually inhibits all plant growth for a year or more. It should not be used on land to be cropped, or near adjacent desirable trees, shrubs, plants, or in greenhouses or injury may occur.

To control annual broadleaf weeds and grasses: Apply 1/2-1 lb. per 100 sq. ft.


To control most perennial broadleaf weeds and grasses: Apply 1-2 lbs. per 100 sq. ft. Where deep-rooted perennials are present, use the 2 lb. rate.

The higher rates listed above should be used in areas having a long growing season or high rainfall. The higher rates will also provide longer residual control.

Wash out equipment after application. Do not use equipment to apply insecticides, fungicides, or fertilizers.

Storage and Disposal

Store in a dry place. Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes may be acutely hazardous. Improper disposal of unused pesticide is a violation



of federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. Stay out of smoke from burning bags.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire or other emergency, call (919) 292-7100 day or night.

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER ✓

Corrosive - causes eye and skin damage. Do not get in eyes, on skin or clothing. Wash clothing after handling. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dusts. Do not contaminate food or feed.


First Aid: In case of contact with skin, wash immediately with plenty of soap and water. In case of contact with the eyes, flush with water for at least 15 minutes and get medical attention. If swallowed drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. In case of inhalation exposure, move from the contaminated area.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Treat for circulatory shock, respiratory depression, and convulsion if needed.

Environmental Hazards

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

... Continued 5



Simazine is a chemical which can travel (seep or leach) through soil and can contaminate ground water which may be used as drinking water. Simazine has been found in ground water as a result of agricultural use. Users are advised not to apply simazine where the water table (ground water) is close to the surface and where the soils are very permeable, i.e., well-drained soils such as loamy sands. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.


Pramitol® trademark of CIBA-GEIGY for prometon

Agricultural Division  
 CIBA-GEIGY Corporation  
 Greensboro, North Carolina 27419

- CGA 27L3M 086 (20 Lb.)
- CGA 27L1N 086 (50 Lb.) valve
- CGA 27L11A 086 50 Lb. open mouth

©1985 CIBA-GEIGY Corporation

- Revised April 15, 1981
- Revised November 6, 1981
- Revised May 2, 1984
- Revised March 22, 1985
- Revised August 21, 1986



Changes made 4/15/81: Deleted patent number.

11/ 6/81: Changed zip code to 27419.

5/ 2/84: Revised storage and disposal. Moved  
Directions for Use heading.

3/22/85: Added groundwater statement.

8/21/86: Deleted drainage ditch banks and  
editorial revisions.

(

(D)

