

Pramitol® 5PS

Pelleted Herbicide

For total vegetation control  
of weeds in noncrop areas

20 Pounds  
Net Weight

and

50 Pounds  
Net Weight

Active Ingredients:

Prometon: 2,4-bis (isopropylamino)- 6-methoxy-s-triazine .....	5.00%
Simazine: 2-chloro-4,6-bis (ethylamino)-s-triazine .....	0.75%
Sodium chlorate (NaClO <sub>3</sub> ) .....	40.00%
Sodium metaborate* (Na <sub>2</sub> B <sub>2</sub> O <sub>4</sub> -5H <sub>2</sub> O) .....	50.00%

Inert Ingredients: 4.25%

Total: 100.00%

\*Equivalent to 4.87% boron expressed  
as elemental boron

DANGER

KEEP OUT OF REACH OF CHILDREN.

See additional precautionary statements  
on back of bag.

Product ID 78790 (50 Lb.)  
55620 (20 Lb.)

EPA Reg. No. 100-479

EPA Est. No. 10659-MS-1<sup>S</sup>  
EPA Est. No. 34704-MS-1<sup>P</sup>


(Superscript is first letter of lot number on bag)

Bare ground weed control

around... buildings  
storage areas  
fences  
pumps  
machinery  
fuel tanks  
recreational areas  
roadways  
guard rails

airports  
military installations  
highway medians  
pipelines  
railroads  
lumberyards  
industrial sites  
rights-of-way  
... and similar areas

CIBA-GEIGY



1966

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

---

Conditions of Sale and Warranty

---

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

---

DIRECTIONS FOR USE

---

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

General Information

Pramitol 5PS is a nonselective herbicide that can be applied before or after plant growth begins. Since Pramitol enters plants through their roots, its effectiveness is dependent on rainfall to move the chemical into the root zone. Very dry soil conditions and lack of rainfall may result in poor weed control.

Important: Use only in areas where complete control of all vegetation is desired, such as industrial sites, rights-of-way, lumberyards, petroleum tank farms, around farm buildings, along fence lines, and similar areas. When applied to the soil, this product is intended to inhibit all plant growth for a year or more.

Following many years of continuous use of this product and chemically related products, biotypes of some of the weeds listed on this label have been reported which cannot be effectively controlled by this and related herbicides. Where this is known or suspected, we recommend the use of this product in combination with other registered herbicides which are not triazines. Consult with your State Agricultural Extension Service for specific recommendations.

To control annual broadleaf weeds and grasses: Apply .35-.46 lb./100 sq. ft. (equivalent to 152-200 lb./A product).

To control most perennial broadleaf weeds and grasses: Apply .70-.92 lb./100 sq. ft. (equivalent to 304-400 lb./A product).

The higher rates listed above should be used in areas having a long growing season or high rainfall. The higher rates will also provide longer residual control.

Precautions: (1) Feeder roots of desirable plants often extend far beyond the drip line of the branches. Do not apply this product, or drain or flush application equipment in locations where the chemical may come into contact with root zones of desirable trees, shrubs, or plants, or injury may occur; (2) Do not use on land to be cropped; (3) Do not use for weed control in greenhouses. (4) Wash out equipment after application. Dispose of rinsate as indicated under Storage and Disposal section of this label. Do not use equipment to apply other pesticides or fertilizers.



Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Corrosive - causes eye and skin damage. Do not get in eyes, on skin or clothing. Wash clothing after handling. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dusts. Do not contaminate food or feed.

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and immediately wash affected areas thoroughly with soap and water.

If in eyes: Immediately flush eyes with plenty of water for 15 minutes and get medical attention.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Treat for circulatory shock, respiratory depression, and convulsion if needed.

Environmental Hazards

Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment wash waters.

Simazine is a chemical which can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Simazine has been found in ground water as a result of its use as a herbicide. Users of this product are advised not to apply simazine where the water table (ground water) is close to the surface and where the soils are very permeable, i.e., well drained soils such as loamy sands. Users are advised to consult with their local agricultural agencies to obtain information on the location of ground water and the type of soil in their area.

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

CGA 27L3Q DRAFT (20 Lb.) open mouth - converted from valve  
CGA 27L11D DRAFT (50 Lb.) open mouth

©1990 CIBA-GEIGY Corporation

[GANNONC.LABELP]PMT5PSF8  
12/20/90

	April 15, 1981
Revised	November 6, 1981
Revised	May 2, 1984
Revised	March 22, 1985
Revised	August 21, 1986
Revised	April 1, 1987
Revised	December 21, 1989
Revised	August 29, 1990
Revised	November 15, 1990

)  
)

)  
)

246

(