

100-501

04/04/1975

ACCEPTED

APR 04 1975

Under the Federal Insecticide,
Fungicide, and Plant Growth Regulator Act,
as amended, for the pesticides
registered under
EPA Reg. No. 100-501

1/2

Supracide® 2E
For Control of Certain Insects On
Peaches, Pecans, and Walnuts
EPA Reg. No. 100-501

General Information

Supracide 2E is an emulsifiable concentrate, which when diluted with water and used according to the Directions for Use, will control specific insect pests listed below on peaches, pecans, and walnuts.

Do not enter treated orchards the same day of application. Wear adequate protective clothing during the preparation of spray mixture, during application, and when entering treated orchards. Wash thoroughly before eating and at the end of each day's operation. Change clothing daily.

Directions for Use

Peaches (western U.S. only)

Peach twig borer, San Jose scale: Apply 1 qt. per 100 gals. during the dormant or delayed dormant season based on a full cover spray of 300-600 gals. per acre.

Precaution: Do not apply after buds break, as crop injury may occur.

Note: Do not graze treated areas.
Pecans: (southeastern U.S. only)

Apply the appropriate rate listed below as a foliar or full cover spray in 100 gals. of water per acre.

Yellow pecan aphid: Apply 1 qt. per 100 gals. and repeat as necessary at 14-21 day intervals.

Hickory shuckworm: Apply 1-2 qts. per 100 gals. when insects first appear and repeat as necessary at 14-21 day intervals. Use the 2 qts. per 100 gals. rate when infestations are heavy.

Precaution: Do not tank mix Supracide 2E with the fungicide, Cyprex®, as crop injury may occur.

Note: Do not apply within 60 days of harvest. Do not graze treated areas.

ACCEPTED
APR 04 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 100-501

2/2

Walnuts

Walnut aphid: Apply 1 qt. per 100 gals. when insects first appear based on a full cover spray of 400 gals. per acre. Apply only once per year.

Note: Do not apply within 7 days of harvest. Do not graze treated areas.

Supracide® trademark of CIBA-GEIGY for methidathion
Cyprex® trademark of American Cyanamid for dodine

U.S. Patent Nos. 3,230,230 and 3,240,668

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, North Carolina 27409

June 24, 1974