## 06/93/9004



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 23 2004

Mr. Thomas J. Parshley Senior Regulatory Product Manager Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

Dear Mr. Parshley:

Subject: Supplemental Label Amendment

Princep 4L Herbicide EPA Reg. No. 100-526

Your submission dated April 30, 2003

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. On page 2, make the following revisions:

Specify the 17-day or greater PHI for cherries (sour and sweet).

Increase the PHI for peaches and plums from 14-PHI to 17-PHI as cited in the ROUND-UP labeling, or provide a justification why this change is not needed.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment. The enclosed stamped label supersedes all previous labels.

Sincerely,

James A. Tompkins
Product Manager (25)
Herbicide Branch
Registration Division (7505C)

#### **PRODUCT INFORMATION**

### syngenta

Syngenta Crop Protection, Inc. Greensboro, NC 27409 www.syngenta-us.com

Princep® 4L

**HERBICIDE** 

For weed control in certain crops

ACCEPTED with COMMENTS In EPA Letter Dated: JUN 2 3 2004

Under the Federal Imeeticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Rag. No.

**Active Ingredient:** 

Simazine: 2-chloro-4,6-bis(ethylamino)-s-

 triazine
 41.9%

 Other Ingredients:
 58.1%

 Total:
 100.0%

Princep 4L contains 4 lbs. active ingredient per gallon.

#### KEEP OUT OF REACH OF CHILDREN.

#### CAUTION

All applicable directions, restrictions and precautions on the EPAregistered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

SCP 526A-S1 0403

#### **DIRECTIONS FOR USE**

(

#### Tank Mixture with Roundup®

This tank mixture is effective in grape vineyards and in the following bearing or nonbearing tree crops for control of existing vegetation and for residual control of the annual broadleaf and grass weeds claimed for this product applied alone. This combination is also effective for partial control of perennial weeds contacted by the spray mixture during application.

```
almonds** (CA only)

apples*

avocados* (CA and FL only)

cherries (sour and sweet²)

filberts**

grapefruits*** (CA, FL, and TX)

grapes*

lemons* (AZ and CA)

macadamia nuts**

pears**

peaches*¹

pears*

pecans**

plums*²

walnuts**
```

Use the appropriate rate given on the Section 3 label for Princep 4L applied alone to the crop being treated. Add to the spray tank 1-5 qts. of Roundup per acre depending on weeds present and their growth stage. Also add an agriculturally approved nonionic surfactant at 0.5% by volume of spray solution. Apply the mixture in 10-40 gals. of water per acre as a postemergence spray to the weeds at the appropriate weed growth stage given on the Roundup label.

Add Princep 4L to the spray tank first, then add Roundup. Provide constant agitation during mixing and application to keep the mixture in suspension. Refer to **Application Procedures** section on the Section 3 label for further directions.

Precaution: To avoid crop injury, take extreme care to avoid contact of herbicide solution, spray, drift, or mist with foliage or green bark of trunk, branches, suckers, fruit, or other parts of trees or vines. Observe precautions on both the Princep 4L and Roundup labels for each crop involved.

Refer to the labels of both herbicides for further directions, specific weeds controlled, and precautions and limitations on each crop.

<sup>\*</sup>Allow a minimum of 14 days between last application and harvest.

- \*\*Allow a minimum of 21 days between last application and harvest of these crops.
- \*\*\*Allow a minimum of 1 day between last application and harvest of these crops.
- <sup>1</sup>Limited to AR, CA, LA, MO, OK, TX, and states east of the Mississippi River. For CA, see specific directions in the **Almonds**, **Peaches**, and **Nectarines** (CA only) section.
- <sup>2</sup>Plums and sweet cherries: limited to MO and states east of the Mississippi River, except TN.

Princep® and the Syngenta logo are trademarks of a Syngenta Group Comapny

Roundup® trademark of Monsanto Company

© 2003 Syngenta

Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

SCP 526A-S1 0403

SUPPLEMENTAL LABELS/PRINCEP 4L 526A-S1 0403 -- pd -- 04/29/03