

Supplemental Labeling

AAtrex® 4LC Herbicide
EPA Reg. No. 100-535

It is a violation of federal law to use this product in a manner inconsistent with its labeling.



Tank Mixture with Arsenal

Use this tank mixture to provide postemergence and residual control of the weeds listed in the various categories below. This tank mixture provides quicker postemergence weed control over that of Arsenal applied alone. Use the higher rates within the rate ranges given where heavy or well established infestations of weeds occur. Apply uniformly to the noncrop land area to be treated in 30-60 gals. of water per acre with a spray pressure of 25 to 30 psi. Refer to the Arsenal label for the addition of surfactant when spray volumes over 60 gallons per acre are applied. Also refer to the AAtrex 4LC and Arsenal label for specific noncrop sites and further directions, precautions, and limitations.

Annual Weeds

Apply 4-10 qt. AAtrex 4LC plus 2-3 pints of Arsenal per acre.

- Barnyardgrass (Echinochloa crusgalli)
- Broadleaf signalgrass (Brachiaria platyphylla)
- Carpetweed (Mollugo verticillata)
- Cheat (Bromus spp.)
- Common ragweed (Ambrosia artemisifolia)
- Curly dock (Rumex crispus)
- Downy brome (Bromus tectorum)
- Fleabane (Erigeron spp.)
- Foxtails (Setaria spp.)
- Goldenrod (Solidago spp.)
- Hoary vervain (Verbena stricta)
- Jimsonweed (Datura stramonium)
- Kochia (Kochia scoparia)
- Lambsquarters (Chenopodium alba)
- Lespedeza (Lespedeza spp.)
- Marestail (Erigeron canadensis)
- Nightshade (Solanum spp.)
- Pigweed (Amaranthus spp.)



Annual Weeds (continued)

- Plaintain (Plantago spp.)
- Puncturevine (Tribulus terrestris)
- Purslane (Portulaca spp.)
- Ragweed (Ambrosia spp.)
- Sicklepod (Cassia obtusifolia)
- Smartweed (Polygonum spp.)
- Sorrel (Rumex spp.)
- Sowthistle (Sonchrus spp.)
- Sunflower (Helianthus annuus)
- Velvetleaf (Abutilon theophrasti)
- Wild buckwheat (Polygonum convolvulus)
- Wild mustard (Brassica kaber)
- Wild oats (Avena tatua)
- Yellow woodsorrel (Oxalis stricta)

Apply 4-10 qt. AAtrex 4LC plus 3-4 pints of Arsenal per acre.

- Cocklebur (Xanthium pennsylvanicum)
- Crabgrass (Digitaria spp.)
- Crotolaria (Crotolaria spp.)
- Goosegrass (Eleusine indica)
- Morningglory (Ipomoea spp.)

Biennial/Perennial Weeds

Apply 4.8-10 qt. AAtrex 4LC plus 2-3 pints of Arsenal per acre.

- Dandelion (Taraxacum officinale)
- Field bindweed (Convolvalus arvensis)
- Guineagrass (Panicum maximum)
- Honeylocust (Gleditsia triacanthos)
- Johnsongrass (Sorghum halepense)
- Multiflora rose (Rosa multiflora)
- Ox-eye daisy (Chrysanthemum leucathemum)
- Paragrass (Brachiaria mutica)
- Quackgrass (Agropyron repens)
- Sandspur (Cenchrus spp.)
- Sicklepod (Cassia obtusifolia)
- Tall fescue (Festuca arundinacea)
- Vaseygrass (Paspalum urvillei)
- Wild carrot (Daucus carota)



Biennial/Perennial Weeds (continued)

Apply 4.8-10 qt. AAtrex 4LC plus 3-4 pints of Arsenal per acre.

Dewberry (Rubus spp.)
Greenbriar (Smilax spp.)
Honeysuckle (Lonicera spp.)
Opossum grape (Cissus sicyoides)
Poison ivy (Rhus radicans)
Redvine (Brunnichia cirrhosa)
Trumpet creeper (Campsis radicans)
Virginia creeper (Parthenocissus quinquefolia)

Apply 4.8-10 qt. AAtrex 4LC plus 4-6 pints of Arsenal per acre.

Bermudagrass (Cynodon dactylon)
Blackberry (Rubus spp.)
Canada thistle (Cirsium arvense)
Mulberry (Morus spp.)
Sumac (Rhus spp.)

This label must be in the possession of the user at the time of application.

AAtrex® trademark of CIBA-GEIGY for atrazine

©1985 CIBA-GEIGY Corporation
Agricultural Division
CIBA-GEIGY Corporation
Greensboro, NC 27419

May 17, 1985

