

AAtrex Nine-O

Herbicide

For season-long
weed control in corn
and sorghum

For weed control in
certain other crops;
in noncrop areas;
and industrial sites

Active Ingredients:
Atrazine: 2-chloro-
4-ethylamino-6-
isopropylamino-
s-triazine 85.5%
Related
compounds . . . 4.5%

Inert
Ingredients: 10.0%
Total: 100.0%

Ten Pounds

Net Weight

AAtrex Nine-O is a water
dispersible granule

**Keep Out of Reach
of Children.**

Caution

See additional precautionary
statements at end of booklet.

See directions for use
inside booklet.

EPA Reg. No. 100-585
EPA Est. 100-LA-1

AAtrex trademark of
CIBA-GEIGY for atrazine

1984 CIBA-GEIGY
Corporation

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, NC 27419
CGA 7L101B 024

CIBA-GEIGY

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY
IMPORTANT: Read the Directions for Use and Conditions of
Sale and Warranty.

Conditions of Sale and Warranty

The Directions for Use and Conditions of Sale and Warranty
are printed on the inside of the container. The user must read
and understand these directions and conditions before using
this product. The user must also read and understand the
Directions for Use and Conditions of Sale and Warranty
printed on the inside of the container.

Directions for Use

CIBA-GEIGY makes no other express or implied war-
ranty of Fitness or Merchantability or any other express
or implied warranty. In no case shall CIBA-GEIGY or the
Seller be liable for consequential, special, or indirect
damages resulting from the use or handling of this prod-
uct.

See the inside of the container for the Conditions of Sale and Warranty.

Directions for Use

For use in corn and sorghum, apply 1.5 to 2.0 pounds of
AAtrex Nine-O per acre.

**FAILURE TO FOLLOW ALL PRECAUTIONS ON THIS LABEL MAY RESULT
IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES**

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

General Information

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

General Information

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

AAtrex Nine-O is a water dispersible granule herbicide. It is used for
season-long weed control in corn and sorghum. It is also used for
weed control in certain other crops, in noncrop areas, and in industrial sites.

Application Procedures

Ground application

For use in corn and sorghum, apply 1.5 to 2.0 pounds of
AAtrex Nine-O per acre. Apply the herbicide in a band or broadcast
manner, depending on the weed problem.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

For use in certain other crops, in noncrop areas, and in industrial sites,
see the inside of the container for the Directions for Use.

AAtrex Nine-O

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil. It is applied in water or in oil.

Dry herbicides

Liquid herbicides

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

Application in water plus emulsifiable oil or oil concentrate

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

Mixing procedures—all uses

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

Center pivot sprinkler application

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

AAtrex Nine-O Application

AAtrex Nine-O is a selective herbicide for control of broadleaf and grass weeds in corn, soybeans, and sorghum. It is applied as a preplant, preemergence, or postemergence treatment. AAtrex Nine-O is a water-soluble concentrate. It is applied in water or in oil. It is applied in water or in oil.

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

AAtrex Nine-O

Postemergence with emulsifiable oil or oil concentrate in water

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 200 million to 400 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

[illegible]

Problem weeds

Stille, Charles E. "The Americanization of the Japanese in Hawaii." *Journal of American Studies* 10 (1976): 1-14. *Reprint* in *Japanese American Studies*, ed. by Robert T. S. Lytle. Honolulu: University of Hawaii Press, 1977. Pp. 1-14. *Reprint* in *Japanese American Studies*, ed. by Robert T. S. Lytle. Honolulu: University of Hawaii Press, 1977. Pp. 1-14.

For alternative models of plant competition, $\Delta p_i = \Delta p_i^{\text{max}} - \Delta p_i^{\text{min}}$ is the relative size of the i th order of preference for the two species. If $\Delta p_i = 0$, the two species are a 50:50 expected to be planted.

- [illegible]

- H-13-4544-A: US-21 "EQUUS 300" (1971) - 1971
after 1971, the horse was sold to the "A. J. ..."
... and was sold to the ...
... of the ...

1. The first step is to identify the problem or goal. This involves understanding the current situation and what needs to be achieved.

As a result of the above, the authors have concluded that the use of the proposed model is not only feasible but also effective in predicting the behavior of the system. The model can be used to predict the behavior of the system under various conditions and parameters. The model can be used to predict the behavior of the system under various conditions and parameters.

Quackgrass control on land going into corn production

[illegible]

Tank Mixtures for Corn

^a χ^2 = 1.02, df = 1, p = .315.
^b χ^2 = 1.02, df = 1, p = .315.

[illegible][illegible]

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1987). The *Chlorophyll a* and *Chlorophyll b* contents were expressed as $\mu\text{g g}^{-1}$ of dry weight.

Product: Prince 4L-ALC or Prince 4L-ber 90
 and John Sorghum Preplant Surface Applied Preplant Incubation
 Date: Preemergence

^a The number of subjects who were included in each group was 10.

[illegible]

1. *Pharmaceutical industry* – The pharmaceutical industry is a major contributor to the U.S. economy, with sales of over \$200 billion in 1997. The industry is highly competitive, with many firms competing for market share. The industry is also highly regulated, with the FDA overseeing the safety and efficacy of drugs.

[illegible]

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d). The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d). The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d). The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d).

Table 2 Tank Mixtures with Princep on Corn

So-I feature	Broadcast rate A			
	1:1 Ratio*		1:2 Ratio**	
	This product	Prinsep 80W*	This product	Prinsep 80W*
1. High speed transmission	100%	100%	100%	100%
2. High speed reception	100%	100%	100%	100%
3. High speed processing	100%	100%	100%	100%
4. High speed storage	100%	100%	100%	100%
5. High speed output	100%	100%	100%	100%
6. High speed input	100%	100%	100%	100%
7. High speed control	100%	100%	100%	100%
8. High speed monitoring	100%	100%	100%	100%
9. High speed maintenance	100%	100%	100%	100%
10. High speed repair	100%	100%	100%	100%
11. High speed replacement	100%	100%	100%	100%
12. High speed installation	100%	100%	100%	100%
13. High speed removal	100%	100%	100%	100%
14. High speed testing	100%	100%	100%	100%
15. High speed calibration	100%	100%	100%	100%
16. High speed adjustment	100%	100%	100%	100%
17. High speed alignment	100%	100%	100%	100%
18. High speed cleaning	100%	100%	100%	100%
19. High speed lubrication	100%	100%	100%	100%
20. High speed painting	100%	100%	100%	100%
21. High speed welding	100%	100%	100%	100%
22. High speed grinding	100%	100%	100%	100%
23. High speed drilling	100%	100%	100%	100%
24. High speed turning	100%	100%	100%	100%
25. High speed milling	100%	100%	100%	100%
26. High speed boring	100%	100%	100%	100%
27. High speed reaming	100%	100%	100%	100%
28. High speed tapping	100%	100%	100%	100%
29. High speed threading	100%	100%	100%	100%
30. High speed cutting	100%	100%	100%	100%
31. High speed shearing	100%	100%	100%	100%
32. High speed bending	100%	100%	100%	100%
33. High speed straightening	100%	100%	100%	100%
34. High speed flattening	100%	100%	100%	100%
35. High speed leveling	100%	100%	100%	100%
36. High speed polishing	100%	100%	100%	100%
37. High speed buffing	100%	100%	100%	100%
38. High speed sanding	100%	100%	100%	100%
39. High speed grinding	100%	100%	100%	100%
40. High speed honing	100%	100%	100%	100%
41. High speed lapping	100%	100%	100%	100%
42. High speed superfinishing	100%	100%	100%	100%
43. High speed electroplating	100%	100%	100%	100%
44. High speed anodizing	100%	100%	100%	100%
45. High speed painting	100%	100%	100%	100%
46. High speed coating	100%	100%	100%	100%
47. High speed welding	100%	100%	100%	100%
48. High speed brazing	100%	100%	100%	100%
49. High speed soldering	100%	100%	100%	100%
50. High speed assembly	100%	100%	100%	100%
51. High speed disassembly	100%	100%	100%	100%
52. High speed inspection	100%	100%	100%	100%
53. High speed testing	100%	100%	100%	100%
54. High speed calibration	100%	100%	100%	100%
55. High speed adjustment	100%	100%	100%	100%
56. High speed alignment	100%	100%	100%	100%
57. High speed cleaning	100%	100%	100%	100%
58. High speed lubrication	100%	100%	100%	100%
59. High speed painting	100%	100%	100%	100%
60. High speed welding	100%	100%	100%	100%
61. High speed brazing	100%	100%	100%	100%
62. High speed soldering	100%	100%	100%	100%
63. High speed assembly	100%	100%	100%	100%
64. High speed disassembly	100%	100%	100%	100%
65. High speed inspection	100%	100%	100%	100%
66. High speed testing	100%	100%	100%	100%
67. High speed calibration	100%	100%	100%	100%
68. High speed adjustment	100%	100%	100%	100%
69. High speed alignment	100%	100%	100%	100%
70. High speed cleaning	100%	100%	100%	100%
71. High speed lubrication	100%	100%	100%	100%
72. High speed painting	100%	100%	100%	100%

^a 50 control of most weeds

1. The first step in the process of identifying a problem is to determine the nature of the problem. This involves gathering information about the problem and its context. The next step is to identify the causes of the problem. This involves analyzing the information gathered in the first step and identifying the factors that are contributing to the problem. The third step is to develop a plan to address the problem. This involves identifying the goals of the plan and the steps that need to be taken to achieve those goals. The final step is to implement the plan and monitor its progress. This involves putting the plan into action and tracking the results to see if the problem is being solved.

Prinsep 80W, Prinsep 4L (4LC) or Prinsep Caliber 90 plus Roundup

Princep 80W Princep 4L4LC or Princep Caliber 90 plus Paraquat

[illegible][illegible]

הכנסת ה-19

[illegible]

the 1990s, the number of people in the United States who are 65 years of age or older has increased by 50% (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997).

The authors thank the following people for their assistance in the collection of data: J. A. B. de Gooijer, M. C. van der Wal, H. J. van den Broek, and W. J. van den Broek.

Sorghum and Sorghum sudan Hybrid (Grain and Forage Types)

Preplant Surface Applied (Broadleaf and grass control)

1. The first step is to identify the problem. In this case, the problem is that the company is not meeting its sales targets.

AAtrex Nine-O

Preplant Corporation (Broadcast and Grass) 100

Preemergence (Broadleaf and grass control)

Table 3. Preplant Surface, Preplant Incorporated, and Preemergence Broadleaf and Grass Weed Control in sorghum*

Soil texture	Organic matter	Broadcast + 300 A
2	1	1

$\frac{d}{dt} \left(\frac{1}{2} m \dot{x}^2 \right) = \frac{d}{dt} \left(\frac{1}{2} m \dot{y}^2 \right) = \frac{d}{dt} \left(\frac{1}{2} m \dot{z}^2 \right)$

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

1. 1990年12月25日，在《人民日报》发表署名文章《中国要警惕“新左派”的泛滥》，指出：“新左派”泛滥，是“中国要警惕”的问题。

Preemergence broadleaf weed control in furrow irrigated sorghum (AZ and CA only)

[illegible]

Postemergence (Broadleaf and grass control)

Table 4. Postemergence Broadleaf and Grass Weed Control in Corn.

Soil texture	Minimum sorghum height at treatment	Grassland ratio
1	1.0	0.0
2	1.0	0.0
3	1.0	0.0
4	1.0	0.0
5	1.0	0.0
6	1.0	0.0
7	1.0	0.0
8	1.0	0.0
9	1.0	0.0
10	1.0	0.0
11	1.0	0.0
12	1.0	0.0
13	1.0	0.0
14	1.0	0.0
15	1.0	0.0
16	1.0	0.0
17	1.0	0.0
18	1.0	0.0
19	1.0	0.0
20	1.0	0.0
21	1.0	0.0
22	1.0	0.0
23	1.0	0.0
24	1.0	0.0
25	1.0	0.0
26	1.0	0.0
27	1.0	0.0
28	1.0	0.0
29	1.0	0.0
30	1.0	0.0
31	1.0	0.0
32	1.0	0.0
33	1.0	0.0
34	1.0	0.0
35	1.0	0.0
36	1.0	0.0
37	1.0	0.0
38	1.0	0.0
39	1.0	0.0
40	1.0	0.0
41	1.0	0.0
42	1.0	0.0
43	1.0	0.0
44	1.0	0.0
45	1.0	0.0
46	1.0	0.0
47	1.0	0.0
48	1.0	0.0
49	1.0	0.0
50	1.0	0.0
51	1.0	0.0
52	1.0	0.0
53	1.0	0.0
54	1.0	0.0
55	1.0	0.0
56	1.0	0.0
57	1.0	0.0
58	1.0	0.0
59	1.0	0.0
60	1.0	0.0
61	1.0	0.0
62	1.0	0.0
63	1.0	0.0
64	1.0	0.0
65	1.0	0.0
66	1.0	0.0
67	1.0	0.0
68	1.0	0.0
69	1.0	0.0
70	1.0	0.0
71	1.0	0.0
72	1.0	0.0
73	1.0	0.0
74	1.0	0.0
75	1.0	0.0
76	1.0	0.0
77	1.0	0.0
78	1.0	0.0
79	1.0	0.0
80	1.0	0.0
81	1.0	0.0
82	1.0	0.0
83	1.0	0.0
84	1.0	0.0
85	1.0	0.0
86	1.0	0.0
87	1.0	0.0
88	1.0	0.0
89	1.0	0.0
90	1.0	0.0
91	1.0	0.0
92	1.0	0.0
93	1.0	0.0
94	1.0	0.0
95	1.0	0.0
96	1.0	0.0
97	1.0	0.0
98	1.0	0.0
99	1.0	0.0
100	1.0	0.0

[illegible]

Postemergence broadleaf weed control with emulsifiable concentrate in water.

[illegible]

of Grain Sorghum
concentrate in water

Postemergence broadleaf weed control with sulfamyluron in western KS NM OK TX and desert regions AZ NCA

1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 26

Rotational crops

Tank Mixtures for Grain Sorghum

iqren 80W

Dual8E

Winter Weed Control in Texas

[illegible]

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be changed.

^a χ^2 test for independence of variables. χ^2 = 10.94, df = 1, p = .002.
^b χ^2 test for independence of variables. χ^2 = 10.94, df = 1, p = .002.

AAtrex Alone Chemical Fallow

Wheat-Sorghum-Fallow

the first two years after the onset of symptoms. The mean age at onset was 60 years (range 47-80). The mean duration of illness was 19 months (range 1-48). The mean age at death was 66 years (range 52-80). The mean time from diagnosis to death was 25 months (range 1-48).

The most common presenting symptom was weight loss (80%), followed by fatigue (70%), fever (60%), cough (50%), chest pain (40%), and shortness of breath (30%). The most common physical findings were weight loss (80%), fever (60%), cough (50%), chest pain (40%), and shortness of breath (30%).

Grain Sorghum	AAI 400 G Applied Alone	Corn
Preemergence	Preplant Surface Applied	Preplant Incorporated

the 1990s, the number of people in the United States who are 65 years of age or older has increased by 50% (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997). The increase in the number of people aged 65 and older has led to a corresponding increase in the number of people who are dependent on others for their care. The number of people aged 65 and older who are dependent on others for their care is projected to increase to 10% of the total population by the year 2020 (U.S. Census Bureau, 1997). The increase in the number of people who are dependent on others for their care has led to a corresponding increase in the number of people who are dependent on others for their care. The number of people aged 65 and older who are dependent on others for their care is projected to increase to 10% of the total population by the year 2020 (U.S. Census Bureau, 1997).

[illegible]

Wheat 1300 Wheat 20 KS MT NE ND SD WY

[illegible]

Bank Mixtures of Chemicals in

Wheat Sorghum Fallow Wheat Corn Fallow KS NE
Grand 60W

[illegible]

1

1. *Journal of the American Medical Association*, 1997; 277: 1033-1037.

Figure 1. The effect of the concentration of the *Agrobacterium* strain on the transformation efficiency of *Agrobacterium* strain.

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

Proso Millet

[illegible]

Rotational crops

• Handgelesen

Aerial application

...the fact that the *in vitro* and *in vivo* results are in good agreement, and that the *in vivo* results are in good agreement with the results of the *in vitro* studies.

Establishment of perennial range grasses - West. CA. L. N. JR. 1941.

[illegible]

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971). The concentration of chlorophylls was expressed as $\mu\text{g mL}^{-1}$ of the sample.

with grass and 80 Bluestem
Aires Mine O Applied Alone Corn or Grain 500 lbs. 1000 lbs.

Estados Unidos	Brasil
1990	1990
1991	1991
1992	1992
1993	1993
1994	1994
1995	1995
1996	1996
1997	1997
1998	1998
1999	1999
2000	2000
2001	2001
2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008
2009	2009
2010	2010
2011	2011
2012	2012
2013	2013
2014	2014
2015	2015
2016	2016
2017	2017
2018	2018
2019	2019
2020	2020
2021	2021
2022	2022
2023	2023
2024	2024
2025	2025
2026	2026
2027	2027
2028	2028
2029	2029
2030	2030
2031	2031
2032	2032
2033	2033
2034	2034
2035	2035
2036	2036
2037	2037
2038	2038
2039	2039
2040	2040
2041	2041
2042	2042
2043	2043
2044	2044
2045	2045
2046	2046
2047	2047
2048	2048
2049	2049
2050	2050
2051	2051
2052	2052
2053	2053
2054	2054
2055	2055
2056	2056
2057	2057
2058	2058
2059	2059
2060	2060
2061	2061
2062	2062
2063	2063
2064	2064
2065	2065
2066	2066
2067	2067
2068	2068
2069	2069
2070	2070
2071	2071
2072	2072
2073	2073
2074	2074
2075	2075
2076	2076
2077	2077
2078	2078
2079	2079
2080	2080
2081	2081
2082	2082
2083	2083
2084	2084
2085	2085
2086	2086
2087	2087
2088	2088
2089	2089
2090	2090
2091	2091
2092	2092
2093	2093
2094	2094
2095	2095
2096	2096
2097	2097
2098	2098
2099	2099
2100	2100

1. *Chlorophyll a* (Chl *a*)

1. *Journal of the American Medical Association*, 1997; 277: 1033-1036.

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 250 million to 450 million. The number of people aged 15-64 years is expected to increase from 2.5 billion to 3.5 billion. The number of people aged 65 and over is expected to increase from 250 million to 450 million. The number of people aged 15-64 years is expected to increase from 2.5 billion to 3.5 billion.

Established Orchardgrass Grown for Seed

Journal of Management Education, Vol. 26 No. 7, December 2002
DOI: 10.1177/0095682202250001
© The Author(s) 2002

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

1. The first group of people who are interested in the study of the history of the United States are the people who are interested in the history of the United States.

[illegible]

1. The first step is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

the 1990s, the number of people in the world who are illiterate has increased by 100 million. The number of illiterate people in the world is now 1 billion. The number of illiterate people in the world is now 1 billion. The number of illiterate people in the world is now 1 billion.

1. အခြေခံအားဖြင့် မြန်မာနိုင်ငံတော်အတွင်းရှိ မြို့နယ်များကို အောက်ပါအတိုင်း ခွဲခြားနိုင်သည်။

Figure 1

As a result, the model is able to capture the nonlinear relationship between the variables and the response variable. The model is able to capture the nonlinear relationship between the variables and the response variable. The model is able to capture the nonlinear relationship between the variables and the response variable.

Journal of Management Studies, 36(7), 809-826
© Blackwell Publishing Ltd. 2003

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971). The concentration of chlorophyll was expressed as $\mu\text{g mL}^{-1}$ of the sample.

$\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

AAtrex Nine-O

Turf Grasses for Sod

or August or grass, centipedegrass, and St. Augustine.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Macadamia Nuts

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Pineapple

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Guava

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Conifers

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Quackgrass control

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Aerial application

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Nonselective Weed Control on Non-cropland

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Annual broadleaf and grass weeds

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Hard to kill biennial and perennial weeds

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Tank Mixture with Princep 50W or Princep Cauber 90

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

AAtrex Nine-O Applied Acre. Preplant Surface Applied. Preplant or preemergence.

Pesticide Storage and Disposal

Pesticide Storage and Disposal

[illegible]

Container Disposal

Similar and different properties of the two groups of local liberties are mentioned in the text.

[illegible]

Hazards to Humans and Domestic Animals

CAUTION

Harmful substances absorbed through the skin and inhaled
 dusts and fumes. As a contact therapy, however, it is

First Aid: If swallowed contact your local poison control center or physician. If the patient is unconscious maintain an open airway. If the patient is conscious, induce vomiting. Do not give anything by mouth to an unconscious person. If the patient is conscious, induce vomiting. Do not give anything by mouth to an unconscious person. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of skin contact: remove contaminated clothing and wash with soap and water. In case of contact with eyes: flush with plenty of water. Get medical attention if irritation persists.

Note to Physician. There is no specific antidote for the products ingested. Induce emesis if ingestion is recent. Give aqueous solution of activated charcoal if possible.

Environmental Hazards

Do not apply directly to any body of water. Do not apply where it may be toxic. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where water may be used for drinking or treated areas.

2000-01-01 00:00:00

Figure 1. The effect of the concentration of the inhibitor on the rate of polymerization of α -methylstyrene in the presence of SnCl_4 at 25°C .

1. The first group of people who are not in the labor force are those who are not in the labor force for any reason. This group includes people who are not in the labor force because they are not in the labor force for any reason. This group includes people who are not in the labor force because they are not in the labor force for any reason.

... ..

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971).

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971).

$\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

$\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$ $\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$

[illegible][illegible]

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

It is not clear whether the results of this study are generalizable to other populations. The study was conducted in a single, urban, tertiary care hospital in the United States. The study population was predominantly African American and Hispanic, and the majority of the patients were female. The study was limited by its retrospective design and the lack of a control group. The study was also limited by the lack of information on the patients' medical history and the lack of information on the patients' adherence to the treatment. The study was limited by the lack of information on the patients' adherence to the treatment. The study was limited by the lack of information on the patients' adherence to the treatment.

... and the ...

1. The first group of respondents (n = 10) was composed of students who had completed the course and were currently employed in a related field. They were contacted via email and invited to participate in the study. The second group (n = 10) was composed of students who had completed the course and were currently employed in a related field. They were contacted via email and invited to participate in the study. The third group (n = 10) was composed of students who had completed the course and were currently employed in a related field. They were contacted via email and invited to participate in the study.

^a 3×3 matrix $\mathbf{A} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ and $\mathbf{B} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$.

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

• **Prevalence** – the proportion of the population with a disease at a particular point in time

1. $\frac{1}{2} = \frac{1}{2}$ 2. $\frac{1}{2} = \frac{1}{2}$ 3. $\frac{1}{2} = \frac{1}{2}$ 4. $\frac{1}{2} = \frac{1}{2}$ 5. $\frac{1}{2} = \frac{1}{2}$

7.

[illegible]