

100-617

08/07/2012

Jacket

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D C 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Ruhi Rezaaiyan, Ph D  
Senior Regulatory Product Manager  
Syngenta Crop Protection, LLC  
P O Box 18300  
Greensboro, NC 27419-8300

AUG 07 2012


Subject Tilt ®  
EPA Reg No 100-617  
EPA Decision Number 447263  
Your supplemental label submitted on March 28, 2011 for new uses on beans (dry and succulent)

Dear Dr Rezaaiyan

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable

One copy of the label stamped "Accepted" is enclosed for your records This label supersedes all labels previously accepted for this product Please submit one copy of the final printed label before the product is released for shipment You must incorporate this supplemental label into your master label within 18 months or at your next label printing, whichever comes first If you have any questions, please contact Erin Malone by phone at 703-347-0253 or via email at [malone.erin@epa.gov](mailto:malone.erin@epa.gov)


Sincerely,

*For*   
Cynthia Giles-Parker  
Acting Product Manager 20  
Fungicide Branch  
Registration Division

Enclosure Stamped supplemental label "Accepted"

**SUPPLEMENTAL LABELING**

Syngenta Crop Protection, LLC  
P O Box 18300  
Greensboro, North Carolina 27419-8300  
SCP 617A 0211



100-617

Tilt®

Fungicide

Supplemental Directions for Use on Beans, Dry and Succulent

**This supplemental label expires on 08/12/2015 and must not be used or distributed after this date**

Active Ingredient	
Propiconazole*	41.8%
Other Ingredients**	58.2%
Total	100.0%

\*CAS No 60207-90-1

\*\*Contains petroleum distillates

Contains 3.6 lbs of propiconazole per gallon

**KEEP OUT OF REACH OF CHILDREN**

**WARNING/AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you in detail)

EPA Reg No 100-617

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Before using Tilt as permitted according to this Supplemental Labeling, read and follow all applicable directions, restrictions, and precautions on the EPA-registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



## DIRECTIONS FOR USE

Crop	Target Diseases	Use Rate fl oz product/ A	Remarks
<b>Beans, Dry and Succulent</b>  Bean ( <i>Cicer arietinum</i> ) ( <i>Lupinus</i> spp) ( <i>Phaseolus</i> spp) ( <i>Vigna</i> spp) ( <i>Vicia faba</i> )  <b>See below for complete list of dry and succulent beans</b>	Bean rust ( <i>Uromyces appendiculatus</i> )  Anthracnose ( <i>Colletotrichum lindemuthianum</i> )  Alternaria leaf spot ( <i>Alternaria alternata</i> )  Ascochyta leaf spot ( <i>Ascochyta phaseolorum</i> )  Rust ( <i>Phakopsora</i> spp)  Southern blight ( <i>Sclerotium rolfsii</i> )  Web blight ( <i>Rhizoctonia solani</i> )  Ascochyta blight ( <i>Mycosphaerella pinodes</i> )  Ascochyta leaf and pod spot ( <i>Ascochyta</i> spp)  Alternaria blight ( <i>Alternaria</i> spp)	4	Apply when conditions are conducive for disease. Up to three applications may be made on a 7-14 day interval.  NOTE: On certain bean varieties, Tilt application may cause crinkled and/or greener leaves. Yields of beans displaying these characteristics have not been reduced.

**Dry and Succulent Beans** *Cicer arietinum* (chickpea garbanzo bean) *Lupinus* spp (including sweet lupine white sweet lupine white lupine and grain lupine) *Phaseolus* spp (including kidney bean lima bean mung bean navy bean pinto bean snap bean and wax bean) *Vicia faba* (broad bean fava bean) *Vigna* spp (including asparagus bean blackeyed pea and cowpea)

**Application Instructions** Tilt may be applied by ground or by air

**Specific Use Restrictions**

- 1) Do not apply more than 12 oz of Tilt /crop/A
- 2) Do not apply more than 0.34 lb ai of propiconazole-containing products
- 3) Do not apply within 7 days of harvest (7-day PHI)
- 4) Not for use on cowpea cultivars intended for livestock feeding only

Tilt® and the Syngenta logo are trademarks of a Syngenta Group Company

©2012 Syngenta

Tilt 617 0211 TOL PET B SUP CLEAN – df – 7/11/12  
000100-00617 20110302B TILT-TOLPET-B-SUP-0211-CLEAN pdf