100-617

12/19/2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ruhi Rezaaiyan Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, NC 27419

DEC 1 9 2012

Subject:

Tilt Fungicide EPA Reg. No. 100-617 Amendment to add sugarcane via supplemental label Decision 451290

Dear Dr. Rezaaiyan,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable. A copy of the supplemental label stamped "Accepted" in enclosed for you review. If you have any questions, please contact Erin Malone at 703-347-0253 or by email at malone.erin@epa.gov.

Sincerely,

William Citchin

William Cutchin Acting Product Manager 20 Fungicide Branch Registration Division (7504P)

SUPPLEMENTAL LABELING		
Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, North Carolina 27419-8300	ACCEPTED DEC 1 9 2012	
SCP Tilt®	Under the Federal Insectiside, Fungicide, and Rodentiside Ast.	
Fungicide	as amended, for the pesiletie	

Broad spectrum fungicide for control of plant, turf and ornamental diseases

Active Ingredient:	
Propiconazole*:	
Other Ingredients**:	58.2%
Total:	100.0%

*CAS No. 60207-90-1 **Contains petroleum distillates

Contains 3.6 lbs. of propiconazole per gallon.

KEEP OUT OF REACH OF CHILDREN.

WARNING

EPA Reg. No. 100-617

This supplemental label expires on 1/3/2016 and must not be used or distributed after this date.

All applicable directions, restrictions and precautions on the EPAregistered label are to be followed. Before using Tilt as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

syngenta

33

DIRECTIONS FOR USE

Crop	Target Diseases	Use Rate fl. oz. product/A	Remarks
Sugarcane	Pineapple disease (Ceratocystic paradoxa)	0.75 fl. oz./ 100 gal of water (1:17,000)	 Apply Tilt to cut seed pieces using one of following methods: Cold Water Dip: Immerse seed pieces to give thorough wetting, remove, and allow to drain. Hot Water Dip: Maintain water temperature at 125° F (52°C). Soak the seed pieces for 20-30 minutes, remove, and allow to drain. Conveyer Belt Treatment: Treat seed pieces with Tilt/water solution using in-line directed spray sufficient to wet cut ends.
	Brown Rust (<i>Puccinia melanocephela</i>) Orange Rust (<i>Puccinia kuehnii</i>)	4-6	Apply Tilt as a foliar application prior to rust development and continue throughout the season every 14-28 days. Optional language if label has a rate range: If disease pressure is high, use the highest rate. Optional language if label has a single rate and interval range: If disease pressure is high, use the shortest interval. Optional language if label has a rate range and interval range: If disease pressure is high, use the shortest interval and highest rate. Tilt may be applied by ground, air or chemigatio

1) Dispose of used dip solution according to local, state, and federal regulations.

2) Do not use treated seed pieces for food or feed.

3) Do not apply more than 24 fl. oz./A/season of Tilt.

Tilt may be applied within 30 days of harvest.
 Do not apply more than 0675 lb. a.i. propiconazole containing product/A/season.

©2011 Syngenta

Tilt and the Syngenta logo trademark of a Syngenta Group Company

TIL 617 JUN 11 TOL PET SUPPL-CLEAN-B - pd - 11/29/12 000100-00617.20110602B.TILT-JUN11-TOLPET-SUPPLEM-CLEAN.pdf