

(Folded Sheet Booklet)

Apron® 2E

Fungicide

**ACCEPTED**

SEP 13 1969

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 100-626

A seed treatment chemical for control of systemic downy mildew, Pythium seed rot, Pythium damping-off, and early season Phytophthora diseases of certain crops

For use only by commercial seed treaters

Active Ingredient:

<del>Methoxyacetyl</del> N-(2,6-dimethylphenyl)-N-(methoxyacetyl) alanine methyl ester .....	25.1%
Inert Ingredients:	74.9%
Total:	100.0%

Apron 2E contains 2 lbs. active ingredient per gallon.

Keep Out of Reach of Children.

WARNING

See additional precautionary statements at back of this booklet.

EPA Reg. No. 100-626

CGA

(LABELS-A.1 - APR2E/FS/F1)

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

---

General Information

---

Apron is a systemic fungicide for use as a seed dressing.

Note: Apron is a systemic fungicide having a specific mode of action. Apron could be subject to development of resistant strains of fungi. Development of resistance cannot be predicted. Therefore, CIBA-GEIGY cannot assume liability for crop damage resulting from resistant strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Apron resistant strains of fungi which may occur.

Apron 2E may be applied as a water-based slurry with other registered seed treatment insecticides and fungicides through standard slurry or mist-type commercial seed treatment equipment.

---

DIRECTIONS FOR USE

---

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY OR POOR DISEASE CONTROL.

Grain Sorghum

- For Pythium damping-off control: Apply Apron 2E as a seed treatment at the rate of 1-2 fluid oz. per 100 lbs. of seed.

Soybeans

- For Pythium damping-off and early season Phytophthora control: Apply Apron 2E as a seed treatment at the rate of 1-2 fluid oz. per 100 lbs. of seed.

Sunflower

- For control of systemic downy mildew: Apply Apron 2E as a seed treatment at the rate of 4 fluid oz. per 100 lbs. of seed.

Note: Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with metalaxyl fungicide. Do not use for feed, food or oil purposes. Store away from feeds and foodstuffs." Use with an EPA-approved dye that imparts an unnatural color to the seed.

## Storage and Disposal

### Pesticide Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product are toxic. Improper disposal of unused pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to federal, state or local procedures. For guidance in proper disposal methods, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

### Container Disposal

Do not reuse empty container. Triple rinse (or equivalent), puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke.

Store at temperatures above 40°F. Crystals may form at lower storage temperatures. If this occurs, place the product in a warm room (68°F or above) and roll or shake the container at frequent intervals until all crystals are dissolved.

## Precautionary Statements

### Hazards to Humans and Domestic Animals

#### WARNING

Causes eye injury. Do not get in eyes. Avoid contact with skin or clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist.

### Statement of Practical Treatment

- If in eyes: Immediately flush with plenty of water. Get medical attention.
- If on skin: Wash thoroughly with soap and water. Get medical attention if irritation occurs.
- If swallowed: Immediately contact a physician, hospital, or local Poison Control Center. Do not induce vomiting.

Continued...

If inhaled: Move victim to fresh air. If not breathing, give artificial respiration (preferably mouth to mouth) and get medical attention.

Notes to Physician: If Subdue 2E is ingested, lavage stomach. A slurry of activated charcoal in water can be left in the stomach. Give a saline laxative and supportive therapy.

Environmental Hazards

Do not apply directly to water or wetlands (swamps, bogs, marshes, or potholes). Do not contaminate water when disposing of equipment wash waters. Dispose of excess treated seed by burial away from bodies of water.\*

Physical and Chemical Hazards

Do not use or store near heat or open flame.

Apron® trademark of CIBA-GEIGY for metalaxyl

©1989 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

January 31, 1983  
Revised June 27, 1983  
Revised December 15, 1983  
Revised February 17, 1984  
Revised July 31, 1985  
Revised April 6, 1989  
Metalaxyl ERSTR

(LABELS-A.1 - APR2E/FS/F1)