

Ms. Carolyn F. Brinkley  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419

DEC - 3 2003

Dear Ms. Brinkley:

Subject: Label Amendment- new tolerances in bulb vegetables,  
Brassica leafy vegetables, Abyssinian cabbage, broccoli,  
seakale cabbage, hanover salad, turnip greens and dry  
beans  
Trigard Insecticide  
EPA Registration Number 100-654  
Your submission dated October 17, 2003

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a) In the fourth paragraph of the warranty statement replace "In no event shall" with "To the extent permitted by law Syngenta or seller shall not be liable for any ....".
  - b) Revise Pesticide Disposal to read "Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility".
2. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

Enclosure

2/18

[Addition of dry beans, Brassica, Abyssinian & Seakale Cabbage, Hanover Salad, Turnip Greens, and Bulb vegetables]

(Stand-Up Pouch Booklet)

Trigard® Insecticide

GROUP 17 INSECTICIDE

For leafminer control in Abyssinian and seakale cabbage, bulb vegetables, cucurbits, Hanover salad, leafy vegetables including Brassica succulent lima beans, peppers, tomatoes, and turnip greens

Active Ingredient:

Cyromazine (CAS No. 66215-27-8)

2,4,6-triamine.....75.0%

Other Ingredients: 25.0%

Total: 100.0%

Trigard Insecticide is a wettable powder.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use in booklet.

This outer protective container contains Trigard Insecticide in 6 small water-soluble packets. These packets and their contents dissolve in water. After opening outer container, immediately dump the required number of unopened packets into the partially filled sprayer or mix tank. Do not handle the soluble packets or expose them to moisture, since this may cause rupturing.

EPA Reg. No. 100-654

EPA Est. XXXXX

Product of XXXX

Formulated in the USA

SCP 654A-L(draft new uses)

6 X 2.66 ounces

Water-Soluble Packets 15.96 ounces

Total Net Weight

ACCEPTED with COMMENTS in EPA Letter Dated

DEC - 3 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the use and registered under EPA Reg. No. 100-654

<b>FIRST AID</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>HOT LINE NUMBER</b> For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call <b>1-800-888-8372</b>	

---

**PRECAUTIONARY STATEMENTS**

---

**Hazards to Humans and Domestic Animals**

**CAUTION**

Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin, or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing dust.

**Personal Protective Equipment**

**Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants

- Chemical-resistant gloves made of any waterproof material – Category A (e.g., barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, polyvinylchloride (PVC) or viton
- Chemical-resistant footwear plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **Engineering Control Statements**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### **User Safety Recommendations**

#### **Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

### **Environmental Hazards**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not apply when weather conditions favor drift from target area.

### **Ground Water Advisory**

A metabolite of Trigard Insecticide has been found in ground water, possibly as a result of agricultural use. Use of this product in areas where soils are permeable and water tables are shallow could result in leaching to ground water. Irrigation could increase the risk of contamination.

5/18

---

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

6/18

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Trigard Insecticide must be used only as directed in accordance with recommendations on this label or in separately published Syngenta supplemental labeling recommendations for this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material – Category A (e.g., barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, polyvinylchloride (PVC) or viton
- Chemical-resistant footwear plus socks

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY AND/OR POOR INSECT CONTROL.**

---

## GENERAL INFORMATION

---

### Resistance Management

Trigard Insecticide is a Group 17 Insecticide (contains the active ingredient cyromazine). Because of the inherent risk of resistance development to any product, it is strongly advised that Trigard Insecticide be used in a sound resistance management program. Treatment may not be effective against labeled pests if Trigard Insecticide tolerant strains develop.

For plants that host a labeled pest with multiple generations per crop or year it is recommended to follow the following resistance management practices that may include, but are not limited to:

- Rotating Trigard Insecticide with products with different modes of action
- Avoiding treatment of successive generations with Trigard Insecticide
- Using labeled rates at specified spray intervals
- Using non-chemical alternatives such as beneficial arthropods
- Using various cultural practices such as rotating susceptible to non-susceptible plants

For additional information about implementing these or other resistance management practices, consult your local agricultural advisor or company representative.

---

## MIXING INSTRUCTIONS

---

Trigard Insecticide is a 75% wettable powder which, when mixed with water according to the directions for use given below, will control certain insect species on designated crops.

- 1) Prepare no more spray mixture than is needed for the immediate operation.
- 2) Thoroughly clean spray equipment before using this product.
- 3) Agitate thoroughly before and during application. Good bypass agitation is sufficient to keep Trigard Insecticide thoroughly mixed.
- 4) Flush spray tank thoroughly with water daily after use and
- 5) Dispose of pesticide rinsate by application to an already treated area.

### Trigard Insecticide Alone:

- 1) Add  $\frac{2}{3}$  of the required amount of water to the spray or mixing tank.
- 2) With the agitator running, drop the required number of **unopened** soluble packets of Trigard Insecticide into the tank. (One 2.66 oz. water-soluble packet of Trigard Insecticide will treat one acre.
- 3) Continue agitation while adding the remainder of the water.

**Note:**

- Do not let spray mixture stand overnight in the spray tank. Rinse spray tank at the end of the day.
- To avoid spray drift, do not apply under windy conditions. Avoid spray overlap, because crop injury may result.
- Use aerial applications only when conditions exist that prevent application with ground equipment. Direct applications with ground equipment toward crop foliage.

**Chemigation:** Do not apply this product through any type of irrigation system.

**Greenhouses:** Do not use this product in greenhouses.

---

**CROP USE DIRECTIONS**

---

**DRY BEANS EXCEPT COWPEAS (Adzuki beans, black-eyed peas, broad beans (dry), catjang, chick peas, Crowder peas, field beans, garbanzo beans, grain lupin, guar, kidney beans, lablab beans, lentils, lima beans (dry), moth beans, mung beans, navy beans, pinto beans, rice beans, southern peas, tepary beans, sweet lupin, urd beans, wax beans, white lupin, white sweet lupin)**

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of dry beans.
- Do not apply more than 1.0 lb product per acre (0.75 lbs a.i./A) per season.
- Do not make the last application within 7 days of harvest.

**BRASSICA LEAFY VEGETABLES\*, ABYSSINIAN CABBAGE, SEAKALE CABBAGE, HANOVER SALAD, and TURNIP GREENS\*\***

\*Brassica Leafy Vegetables include: broccoli, broccoli raab (rapini), Brussels sprouts, cabbage, Chinese (bok choy) cabbage, Chinese broccoli, Chinese mustard cabbage (gai choy), Chinese (napa) cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, and rape greens)

\*\*Turnip Greens (tops, leaves) only: For use on turnip varieties grown for leaves only. Do not use on turnip varieties grown for roots or dual-purpose varieties grown for roots and leaves.

9/18

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A, or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of Brassica leafy vegetables, Abyssinian cabbage, seakale cabbage, Hanover salad, or turnip greens.
- Do not apply more than 1.0 lb. (0.75 lb. a.i./A) of product per season.
- Do not make the last application within 7 days of harvest.

### **BULB VEGETABLES\***

\*Bulb vegetables include: garlic, great-headed garlic, leek, dry bulb onion, green onion, potato onion, tree onion, Welsh onion, rakkyo, and shallot.

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide per acre as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of bulb vegetables.
- Do not make the last application within 7 days of harvest (or cutting).

### **CUCURBITS\***

\*Cucurbits include: balsam pear (bitter melon), Chinese waxgourd (Chinese preserving melon), citron melon, cucumber, gherkin, edible gourds, melons (including hybrids: cantaloupe, casaba, crenshaw, honeydew melons, honey balls, mango melon, muskmelon, Persian melon), pumpkin, summer squash, winter squash, and watermelon (including hybrids).

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A, or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues

- Do not make more than 6 applications per growing season to cucurbits.
- Cucurbits may be harvested on the same day of the last application.

## **LEAFY VEGETABLES\* (EXCEPT BRASSICA VEGETABLES)**

\* Leafy vegetables include: Amaranth, arugula, cardoon, celery, celtuce, chervil, chrysanthemum, corn salad, cress, dandelion, dock, endive, fennel, lettuce, orach, parsley, purslane, radicchio, rhubarb, spinach, and Swiss chard.

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A, or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of celery or head lettuce.
- For all other leafy vegetable crops, do not make more than 5 applications per crop.
- Do not make the last application within 7 days of harvest.

## **SUCCLUENT LIMA BEANS**

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A, or by ground in a minimum of 10 gals. of water per acre, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of lima beans.
- Do not apply more than 0.88 lb. (0.66 lb. active ingredient) to one crop.
- Do not make the last application within 7 days of harvest.

## **PEPPERS**

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A, or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of peppers.
- Peppers may be harvested on the same day of the last application.

11/18

## TOMATOES

For leafminer control, apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear. Apply by air in a minimum of 5 gals. of water /A, or by ground in a minimum of 10 gals. of water /A, using sufficient carrier to achieve adequate coverage. Repeat applications, as needed, at 7-day intervals to maintain control. At the 1/6 lb. rate, Trigard Insecticide will also provide suppression of Colorado Potato Beetle.

**Notes:** To avoid possible illegal residues:

- Do not make more than 6 applications to one crop of tomatoes.
- Tomatoes may be harvested on the same day of the last application.

## ROTATIONAL CROPS

The following "plant-back intervals" must be observed when planting rotational crops after an application of Trigard Insecticide :

Rotational Crop	Planting Time From Last Application of Trigard Insecticide (Days)
All crops on the Trigard Insecticide label, and potatoes	0 days
Sweet corn, radishes, and cotton	30 days
Any other crop	300 days

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not use in animal feeds.

### Storage

Store in a cool dry place. Do not store this product under wet conditions. Handle outer container carefully to avoid breakage of water-soluble packets.

### Pesticide Disposal

Improper disposal of unused pesticide, spray mixture, or rinsate is a violation of federal law. Pesticide, spray mixture, or rinsate that cannot be used according to label instructions, must be disposed of according to federal, state, or local procedures. For guidance in proper disposal methods, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

12/10

### **Container Disposal**

Do not reuse outer container. Dispose of empty outer container in a sanitary landfill, or by other procedures allowed by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

Trigard ® and the Syngenta logo are trademarks of a Syngenta Group Company

©2003 Syngenta

For non-emergency (e.g. current product information) call  
Syngenta Crop Protection at 1-800-334-9481.

Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

SCP 654A-L(draft new uses)

TRI 654A-L1(draft new uses)- lg-10-15-03

Container Label

Trigard® Insecticide

GROUP 17 INSECTICIDE

For leafminer control in Abyssinian and seakale cabbage, bulb vegetables, cucurbits, Hanover salad, leafy vegetables including Brassica succulent lima beans, peppers, tomatoes, and turnip greens.

Active Ingredient:

Cyromazine (CAS No. 66215-27-8)

2,4,6-triamine.....75.0%

Other Ingredients: 25.0%

Total: 100.0%

Trigard Insecticide is a wettable powder.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See directions for use in booklet.

EPA Reg. No. 100-654

EPA Est. XXXX

6 X 2.66 ounces

Water-Soluble Packets

15.96 ounces

Total Net Weight

**AGRICULTURAL USE REQUIREMENTS**

**Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.**

14/18

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

#### CAUTION

Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin, or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing dust.

<b>FIRST AID</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>HOT LINE NUMBER</b>	
For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call <b>1-800-888-8372</b>	

#### Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not apply when weather conditions favor drift from target area.

15/18

### **Ground Water Advisory**

A metabolite of Trigard Insecticide has been found in ground water, possibly as a result of agricultural use. Use of this product in areas where soils are permeable and water tables are shallow could result in leaching to ground water. Irrigation could increase the risk of contamination.

### **Container Disposal**

Do not reuse outer container. Dispose of empty outer container in a sanitary landfill, or by other procedures allowed by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

**Chemigation:** Do not apply this product through any type of irrigation system.

Trigard® and the Syngenta logo are trademarks of a Syngenta Group Company

©2003 Syngenta

Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

SCP 654A-L(draft new uses)

TRI 654A-L1(draft new uses)-lg-10-15-03

16/18

**CHRONOLOGY OF LABEL CHANGES:**

- Revised March 4, 1994 – Take out toxic to bees stmts
- Revised October 4, 1994 – Added Chinese mustard and Chinese cabbage (FL Use Only)
- Revised August 18, 1995 – Added additional leafy vegetables by notification.
- Revised April 25, 1996 – Added tomatoes
- Revised February 5, 1997 – Prohibited uses in greenhouses and changed rotational crop statement.
- Revised April 1, 1997 – Added aerial appl. on tomatoes; changed name to Novartis
- Revised 7/9/99 – Added potatoes; changed rotational statement
- Revised 11/99 – Added lima beans, removed potatoes
- Revised 9/00 – Changed to succulent lima beans; changed melamine to Trigard Insecticide metabolite.
- Revised 6/01 – Changed Syngenta format Accepted 10/03 - Revised First Aid per PR Notice 2001-1.
- Revised 10/15/03 – Label amendment following EPA establishment of new tolerances for Brassica vegetables including turnip greens and group tolerances for bulb vegetables and dry beans, (IR-4 petitions). Revised container disposal, clarified PPE glove statement, added Resistance Management language and symbol, added headings and minor reformatting and non-notification/editorial changes.

17/18

(Printed Stand-Up Pouch)

Trigard® Insecticide

6 x 2.66 ounces  
Water-Soluble Packets

SCP 654A-L3(draft new uses)

TRI 654A-L3(draft new uses)-pouch-1g-10-14-03

18/18

(Soluble Packet Film)

Trigard®

Insecticide

Contains Cyromazine

EPA Reg. No. 100-654

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional Precautionary Statements and Directions for Use on outer package.

Do not handle soluble bag or expose it to moisture, since this may cause rupturing.

SCP 654A-L5(draft new uses)

TRI 654A L5(draft new uses)-film-ig-10-13-03 000100-0654.20031015.newuses.PDF