



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 27, 2010

Ms. Carolyn F. Brinkley
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

Subject: Corrected Supplemental Label, Response to SAL Dated May 12, 2010
TRIGARD INSECTICIDE, EPA Reg. No. 100-654
Your E-Mail Resubmissions Dated May 19, 2010 & May 27, 2010

Dear Ms. Brinkley:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following label revision provision(s):

General Comment(s):

1. As summarized in the HED risk assessment (dated August 29, 2009) completed for the recently approved "addition of succulent beans" action for this product, the following guideline studies are needed as confirmatory data: (1) Immunotoxicity Study (GLN 870.7800); (2) Acute Neurotoxicity Study (GLN 870.6200a); and (3) Subchronic Neurotoxicity Study (GLN 870.6200b).

A copy of your corrected supplemental label stamped "Accepted with Comments" is enclosed for your records. Please submit two (2) copies of the final printed supplemental labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

Please note that you must incorporate the supplemental label information into the master label for this product within eighteen (18) months from the date of this letter. If you have any questions about this label review, please contact Ms. Linda DeLuise at (703) 305-5428 or via e-mail at DeLuise.Linda@epa.gov.

Sincerely yours,

for Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosure: Copy of corrected supplemental label stamped "Accepted with Comments"
000100-00654 D433793

SUPPLEMENTAL LABELING

Syngenta Crop Protection, Inc.
P. O. Box 18300
Greensboro, North Carolina 27419-8300

SCP 654A-S(draft-b succulent beans)

TRIGARD® INSECTICIDE

**SUPPLEMENTAL DIRECTIONS FOR USE FOR CONTROL OF LEAFMINER
ON SUCCULENT BEANS**

Active Ingredient:

Cyromazine (CAS No. 66215-27-8)

2,4,6-triamine	75.0%
----------------------	-------

Other Ingredients:	25.0%
--------------------	-------

Total:	100.0%
--------	--------

Trigard Insecticide is a wettable powder.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

EPA Reg. No. 100-654

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Trigard Insecticide, as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ACCEPTED
With COMMENTS
In EPA Letter Dated:
May 27, 2010
Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:
100-654

DIRECTIONS FOR USE

CROP USE DIRECTIONS

BEANS, SUCCULENT

For leafminer control:

- Apply 2.66 oz. (one packet) of Trigard Insecticide /A as a foliar spray when leafminers first appear.
- Apply with aircraft in a minimum of 5 gals. of water/A, or apply with ground application equipment in a minimum of 10 gals. of water/A, using sufficient carrier to achieve adequate coverage.
- Repeat application, as needed, at 7-day intervals to maintain control.
- Do not make more than 6 applications to one crop of beans.
- Do not make the last application within 7 days of harvest. (7-day PHI).

Crop/Pest	Rate per Acre	Instructions
Succulent Beans Control of Leafminer Includes only: Bean (<i>Phaseolus</i> spp.) Broad bean, succulent Lima bean, green Runner bean Snap bean (green bean) Wax bean Bean (<i>Vigna</i> spp.) Asparagus bean Black-eyed pea Chinese longbean Cowpea Jackbean Moth bean Southern pea Yardlong bean	2.66 oz.(one packet)	Apply Trigard Insecticide as a foliar spray when leafminers first appear. Repeat application, as needed, to maintain control. (See Use Restrictions)

Use Restrictions – Succulent Beans

- **PHI:** Allow a minimum of 7 days between the last application and harvest.
- **Application Method:** Ground or aerial application equipment is permitted.
- **Amount of Water:** Apply with aircraft in a minimum of 5 gals. of water/A or with ground application equipment in a minimum of 10 gals. of water/A, using sufficient carrier to achieve adequate coverage.
- **Application Interval:** Allow a minimum of 7 days between applications.
- **Maximum Amount:** Do not apply more than 0.125 lb a.i./A per 7-day interval. Do not apply more than 0.75 lb a.i./A per crop season. Do not apply more than 6 times per crop season

Trigard® and the Syngenta logo are trademarks of a Syngenta Group Company