

vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomiting is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled, remove victim to fresh air and apply artificial respiration if indicated.

If on skin, wash promptly with soap and water. Rinse thoroughly.

If in eyes, rinse eyes with plenty of water. Get medical attention if irritation develops or persists.

Note to Physician: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Gastric lavage is indicated.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DZN is trademark of CIBA-GEIGY for diazinon

© 1988 CIBA-GEIGY Corporation

EPA Reg. No. 100-648
EPA Est. 100-AL-1

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, NC 27419

CGA 1L122E

Revised 10/30/85 -
added DFU for founda-
tion spray. Accepted
3/86.

.....
Revised 5/22/87 -
Revised DFU for home-
owner use. Specified
ready-to-use container
per EPA comments
3/19/87.

.....
Accepted 1/13/88
.....

Revised 9/13/88 -
Changed chem. name

Revised 11/4/88
changed chem. name
back to orig. per EPA.

Ms. Carolyn Bussey
Ciba-Geigy Corporation
P.O. Box 18300
Greensboro, NC 27419

DEC - 6 1988

Subject: Amendment - Revise ingredient declaration
D-z-n diazinon 0.5 RTU
EPA Reg. No. 100-659
Your submission dated November 14, 1988

Dear Ms. Bussey:

The amendment referred to above, submitted in connection with a registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided the following revisions are made prior to release for shipment:

1) The active ingredient should be declared as follows:

Diazinon [O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]

2) In the section entitled "Application", add: "Do not use as a space spray" after "Do not use as an overall surface spray."

3) In the "Hazards to Humans and Domestic Animals" add: "Wash thoroughly after handling and before smoking or eating. Remove pets from area, and cover fish bowls before spraying." directly before "Keep children and pets off treated areas until the areas are dry."

4) Delete "Repeat until vomit fluid is clear" from the "If swallowed" advice in the "Statement of Practical Treatment", if, as implied by your current text, the solvent presents an aspiration hazard, since repeating the vomiting procedure could potentially increase that risk. Also, revise the last sentence of this same section to read: "Do not induce vomiting or give anything by mouth if person is unconscious or convulsing."

5) Revise the "Note to Physician" text to read as follows:

This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. The solvent in this product may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

[Note to registrant: If you feel that the solvent definitely presents an aspiration hazard (even if ingested in only a small amount), you can change "may present" to "presents" and change "may be indicated" to "is indicated". You may choose to capitalize DO NOT INDUCE VOMITING in the "If swallowed" advice, as it appears on some of your other product labels.]

A stamped copy of the label is enclosed for your records. Please submit five (5) copies of the revised amended label prior to release for shipment.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

D-z-n[®] 0.5 RTU

ACCEPTED
with COMMENTS
in EPA Letter Dated:
DEC - 6 1988

A Ready-To-Use Formula
Kills Roaches, Ants & Fleas

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
100-659

Active Ingredient:	
Diazinon: O,O-Diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidin-yl) phosphorothioate	0.50%
Inert Ingredients:	99.50%
Total:	100.00%


Residual Killing Power Formula

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements
on back panel.

1 Pint 6 fl. oz.
Net Contents



Application

Remove pets and birds, and cover fish bowls before spraying. Hold container upright and lightly spray infested surfaces until wet. A slight film will appear upon drying, leaving residual killing power. Avoid excessive wetting of floor coverings, rugs, or unfinished materials. Do not apply directly to upholstery, furniture, leather, draperies or stained surfaces as damage may occur. Do not use as an overall surface spray. Do not spray on pets or desirable plants. Apply only as directed.

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


Cockroaches (Waterbugs), Ants, Firebrats, Silverfish, Sowbugs (Pillbugs), Springtails, Spiders, Crickets, Earwigs: Spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails, and other localized areas infested with insects. Spray window and door frames where ants enter. Treat difficult to service locations such as voids around water pipes, cracks, and crevices along baseboard moldings. Repeat as necessary.

Carpet beetles: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks, and infested areas of shelving in closets. Repeat as necessary.

Brown dog ticks, Fleas*: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets, and localized areas of floors and floor coverings. Repeat as necessary. Fresh bedding should be placed in animal quarters after treatment. Do not treat animals with this product or use as an overall surface spray.

*Controls adult fleas on areas treated.

Spiders: Apply spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.



Surfaces behind and beneath cabinets: Roaches, ants, silverfish - as a supplement to good housekeeping, spray surfaces behind and beneath cabinets where insects tend to hide. Spray until wet. Do not spray inside cabinets where food is stored.

Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapor and contact with eyes, skin and clothing. Keep children and pets off treated areas until the areas are dry.

Statement of Practical Treatment

If swallowed, call a physician or Poison Control Center immediately. Give milk or water. Do not induce vomiting unless no other treatment is available, and then preferably under medical supervision. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomiting is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled, remove victim to fresh air and apply artificial respiration if indicated.

If on skin, wash promptly with soap and water. Rinse thoroughly.

If in eyes, rinse eyes with plenty of water. Get medical attention if irritation develops or persists.

Continued 4

