

15 100-659

D·z·n[®] 0.5 RTU

A Ready to Use Formula Kills Roaches, Ants, and Fleas Residual Killing Power Formula

Active Ingredient:

Diazinon: O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 0.50%

Inert Ingredients: 99.50%

Total: 100.00%

EPA Reg. No. 100-659

EPA Est.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements on back panel.

ACCEPTED
JUN 22 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 100-659

One Pint 6 fl. oz. Net Contents

Application

Remove pets and birds, and cover fish bowls before spraying. Hold container upright and lightly spray infested surfaces until wet. A slight film will appear upon drying, leaving residual killing power. Avoid excessive wetting of floor coverings, rugs or unfinished materials. Do not apply directly to upholstery, furniture, leather, draperies or stained surfaces as damage may occur. Do not use as an overall surface spray. Do not use as a space spray. Do not spray on pets or desirable plants. Apply only as directed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Cockroaches (Waterbugs), Ants, Firebrats, Silverfish, Sowbugs (PHbugs), Springtails, Spiders, Crickets, Earwigs: Spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails, and other localized areas infested with insects. Spray window and door frames where ants enter. Treat difficult to service locations such as voids around water pipes, cracks, and crevices along baseboard moldings. Repeat as necessary.

Carpet Beetles: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks, and infested areas of shelving in closets. Repeat as necessary.

Brown Jig ticks, Fleas*: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets, and localized areas of floors and floor coverings. Repeat as necessary. Fresh bedding should be placed in animal quarters after treatment. Do not treat animals with this product or use as an overall surface spray.

*Controls adult fleas on areas treated.

Spiders: Apply spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Surfaces behind and beneath cabinets: Roaches, ants, silverfish—as a supplement to good housekeeping, spray surfaces behind and beneath cabinets where insects tend to hide. Spray until wet. Do not spray inside cabinets where food is stored.

Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Storage and Disposal

Keep from freezing. Store above 32°. Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Rinse container thoroughly, then wrap securely in several layers of newspaper. Discard in trash collection.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapor and contact with eyes, skin, and clothing. Wash thoroughly after handling and before smoking or eating. Remove pets from area and cover fish bowls before spraying. Keep children and pets off treated areas until areas are dry.

Statement of Practical Treatment

If **swallowed**, call a physician or Poison Control Center immediately. Give milk or water. **DO NOT INDUCE VOMITING** unless no other treatment is available, and then preferably under medical supervision. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

If **inhaled**, remove victim to fresh air and apply artificial respiration if indicated.

If **on skin**, wash promptly with soap and water. Rinse thoroughly.

If **in eyes**, rinse eyes with plenty of water. Get medical attention if irritation develops or persists.

Note to Physician: This product is an organophosphate insecticide. If signs of cholinesterase inhibition are present, gastric lavage may be indicated if product was taken internally. Atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine. The solvent in this product may present an aspiration hazard.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Birds feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

D·z·n[®] trademark of CIBA-GEIGY for diazinon.

©1989 CIBA-GEIGY Corporation

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, North Carolina 27419
CGA 1L13A 059

BEST AVAILABLE COPY